PHARMACOPŒIA
LONDINENSIS

1627

I+6.

The Library of the
Wellcome Institute for
the History of Medicine

MEDICAL SOCIETY
OF
LONDON
DEPOSIT

Sigs Cc – Dd wanting
B3 present (wanting from Wellc.)

Accession Number

Signature & notes of John
Edwardes

Press Mark

PHARMACOPOEIAS,
London, R.C.P.

66252/D

T5

Ει μή θέλης χαχοπαθεῖν, μηδὲ χαχοποιεῖν θέλε. Paul




# Pharmacopœia Londinenſis,

IN QUA
MEDICAMENTA
ANTIQUA ET NOVA
vſitatiſſima, ſedulò collec-
ta, accuratiſſime examinata,
quotidianâ experientia
confirmata deſcri-
buntur.

*Diligenter reuiſa, denuo recuſa,*
*emendatior, auctior.*
*Tertia Editio*

Opera Medicorum Collegij
LONDINENSIS.

Ex *Sereniſſimi* REGIS *mandato*
*Cum R.M. Priuilegio.*


LONDON
Printed for IOHN MARRIOTT and are
to be ſould at his ſhop in Fleetſtreete
in S^t Dunſtons 1627. Churchyarde.

MEDICAL SOCIETY OF LONDON.

# SERENISSIMO PRINCIPI IACOBO MAGNAE BRITANNIAE, FRANCIÆ, HIBERNIÆ, &c. *REGI*, Collegium Medicorum LONDINENSIVM

ὑγιαίνειν, ϗ εὐπράττειν.

NVMINIS cum hominibus commercium, facilemq; ad ſuperos aditum denotatura antiquitas; (licet ſub obſcura incertæ noctis nebula titubans, non inſagaci tamen acumine) Deorum ſimulachra ſub humana ſpecie varijs inſignita titulis templis intulit: mutiſque ſtatuis diuinos decreuit honores, & aſsignauit ſacrificia quibus vel pacarentur, vel conciliarentur ſuperi, inferi, medioxymi. Principum plurimos cœlitibus aſsidere voluit, eorum memoriam venerata, & nihil minus quàm ſummum in ſublunaria impe-

rium attribuens illorum æternitati, quos vt potentiæ ſuæ vicarios dum vitali fruerentur aurâ Iupiter conſtituerat; ſic res in publicum bonum præclarè geſtæ, atque in ſubditos paternæ curæ iuncta liberalis comitas; dignos præſtiterant, qui Deorum immortalium ſocij haberentur. Nos qui reducto velo & diſcuſſâ caligine certiora nunc veri numinis beneficio figimus veſtigia, vt cœlum juſtis precibus peruium, & *D. O. M.* ad pia vota facilem experimur: ſic te Principem noſtrum, (REX SERENISSIME) Reipublicæ Chriſtianæ, Regnorum inprimis tuorum bono terris datum, erga pios proboſque omnes flexibilem ac benignum, in tuos tenero & plus quàm paterno affectu propenſum cernimus, agnoſcimus, atque omnibus obſequij, officiorum, ſeruitij ritibus, quos omnipotens Regibus hujuſce mundi Dijs aſſignauit, purè ſanctéq; colendum pronunciamus. Tam aptus natus es ad bona, ad juſta, ad auguſta, vt ab hac deflectere ſemita nec fas tibi ſit, nec ſi velles datum; tantus eſt naturæ tuæ candor, quæ virtutibus regijs ab incunabulis imbuta, nec nouo chromate tingi, nec veterem formam poteſt deponere! Sic Arcton aſpicit magnetico ſpiritu mobile redditum ferrum, & quantumvis detorqueas, ad punctum redit. Quid attulerit compendij toti Chriſtiano orbi inſigne illud pacis ſtudium, quo in mutuam perniciem ruentes principum potentiſsimorum animos blando amicitiæ glutine fœliciter ferruminaſti: Quid tuis populis æquitas, quæ in cæteris tui ſimilibus mediocris, in te ſumma, tanquam in ſuæ actiuitatis ſphæra, triumphat;

Quid

Quid veræ Eccleſiæ paſtoralis ille amor quo gregem Saluatoris proſequutus, ſchiſmata tollere citra ambitioſum faſtum quotidiè ſtudes, alij loquantur quorum penna nomen tuum poſteritati non fucato ſtylo tradere audacter ſatagit, materiæ vbertate diffluens, colorum quibus obumbrari ſi non deturpari ſolet memoria principum non indiga. Nos quibus MAIESTATI tuæ deuincti nodis viuamus, explicemus liberè, & viuenti Domino ea perſoluamus vota, quæ Ioui noſtro (juuans quippe tu nobis pater) debentur. Vniuerſalis ille recti boniquè amor efficit, vt dum næuos Rempublicam fœdantes ſedulis perluſtras oculis, Regiam aciem in Medicinæ caſtra deflexeris. Quot abs te iſtic conſpectæ Lacunæ, quot hiatus? quot à via regia, quâ veri Hygieias antiſtites calcant, aberrantia diuerticula monentibus primarijs noſtrum benigniter notare dignatus es? Exinde factum, vt eodem momento cum errorum notitiâ, tot defectuum reſarciendorum irrequieta cupido animum tuum inceſſerit. *In actione conſiſtit virtus*, quæ dum in motu eſt viget, ſitu obſita quiete elangueſcit: in te Domine motu indeſinenti, veluti primum mobile, ad ſe omnes animi tui facultates æternùm rapit. *Rectum norma eſt ſui & obliqui*: Propterea juſsiſti (REX OPTIME) vt ab ijs quos cæteris prælucere in Medicina facienda æquum eſt, ſumerentur faciendorum exordia. Collegium noſtrum Medicum ab *Henrico Octauo &c.* immunitatibus & priuilegijs donatum, tu Muſarum omnium parens authoritate cumulare voluiſti, nequid deeſſet ad ho-

 noris

noris culmen, né-ue relinqueretur lapis aliquis offendiculi. Ita poteſtate abs te conceſſa inſigniti Medicinæ proceres, in repurgando Augiæ ſtabulo, atque admittendis veris Aſclepiadis, eliminandis ijs qui Laruati ſaltem perſonam Medicorum induunt, toti ſunt. Immortales tibi ſint gratiæ ( SERENISSIME PRINCEPS ) quòd vel querelis noſtris, vel petitionibus, faciles quotidie aures accommodes, nec à nobis exoptatum quidquam hactenus, vndè ſchola noſtra paſſa ſit repulſam. Sui ſemper ſimilis virtus cubico ſitu mutationum neſcia ſubſiſtit. Hac freti fiducia dum tua capeſſimus juſſa, atque in replendis lacunis & reparando vallo verſamur, id Senatui noſtro viſum eſt, artifici cuique ad ſcitum perfectumque opus producendum, neceſſaria eſſe idonea inſtrumenta, quæ vrgente neceſsitate ex penu, vt tela ex armamentario, depromantur. Siqua in re anceps fluctuatio, ea certe in re medica eſt admodum periculoſa, in cuius praxi, quantum homini datum eſt, ſtatuenda ſunt certa remedia, quæ ( *Deorum manus* à veteribus dicta ) languentibus ægris tutò ab artis peritis adminiſtrentur. Quilibet Medicus in antiquorum ſcriptis vulgatas habet remediorum formulas; ſed eas abinuicem vt plurimùm diſcrepantes: ita vt in hac varietate tyronum mentes dubiæ (veluti in triuio) conſilij inopes conſiſtant, Pharmacopœiorum opera incertitudine parum fida (ipſis etiam inuitis) reddatur. Placuit itaq; Medicorum Collegio *Londinenſi* (cujus tu REX munificentiſsime tutelaris Deus es) tam antiqua quàm noua pharmaca neceſſaria in vnum conſarcinare

ſarcinare volumen, atque donum hoc leuidenſe tuis imponere aris; vel potiùs te non ſinente tantum, ſed etiam jubente, Auguſtæ Maieſtati tuæ offerre ſupellectilem, quâ ſubditorum tuorum corpora in poſterum à peſtifera morborum lue ſarta tectaque præſeruentur. Fœtus iſti gneſij, ſi propitiam exporrigas frontem, Solis tui perferent radios, qui ſpurios occæcare ſolent. Fac igitur, vt pro tibi innato more ſalutarem fauoris tui auram opus hoc ſentiat, cui (ſupplices petimus) vt liberum per regnorũ tuorum limites indîcas & neceſſarium commeatum. Vt veritas vna eſt, ſic certa ſit eius notitia. Vitæ ſubditorum tuorum intereſt, vt Medici quid præſcripturi ſint, Pharmacopæi quid in uſum paratum habituri, compertum habeant. Vacillationis pœna non minoris quam ipſius vitæ jactura conſtat. Tu qui juris legumque fautor es, capitis tuorum tutor eſſe velis. Edicto cautum ſit, ne alia vtantur ij (quorum non minus fœliciter quam juſtè habenas regis) Pharmacopœiâ, quæ non *Londinenſis* ſolùm, ſed ex vſu (ſi placet) Anglica in poſterum indigitetur. Sic fiet, vt a tritico ſecernantur paleæ, & agyrtæ atque circulatores (quibus equitas tua te reddit infenſiſsimum) à genuinis dignoſcantur. Sic tu Iupiter eris Liberator: Sic acceptam tibi feret ſanitatem tua Reſpublica; Sic denique dum ſummi inter humanas res boni Promotor & Conſeruator eris, ejus, cujus in terris locum obtines, imitatorem te prodes verũ, & quamdiù durabit Vniuerſi machina, memoriæ hominum heroicæ tuæ virtutes obuerſabuntur, ſicut tui pars melior viuet, tandem aliquando

do

do tradita, æternitati : Quod vt ſerò contingat, imo vt nulli noſtrûm id videre contingat; ſed vt diutiſsimè Mundo, patriæ, tuis, ſubditis, ſingulis noſtrum te incolumem ſeruet *D. O. M.* ex animo optant & precantur

*Maieſtatis tuæ*

Humillimi Clientes & fideliſſimi
Subditi *Socij Collegij Medicorum*
LONDINENSIS.

Candido

# Candido Lectori.

PLurimum te ſaluere iubet, quæ maximè ſaluum te facit Medicina; & quo meliùs adhuc ſaluti tuæ conſulat, nouam conſtruxit officinam pharmaceuticam, quam non inſtruxit modò locupletiſſimâ remediorum ſalubrium ſuppellectile, verùm & curam ſuſcepit, vt illa ſine fraude fideliùs, ſine errore tutiùs in ſalutem tuam componantur. Sed, opus inquis, quo non eſt opus. Cum præter veteres recentioreſq; plurimos vix aliqua ſit tranſmarina Ciuitas aut Academia, celebrior, quæ iſtam non abundè Spaſam ornauerit. Verum id forſan. At cedò, ſi tot iſti veteribus non acquieuerint Meſue, Myrepſo, Alexandrino, & alijs; ſed ſuum voluerint ſinguli Antidotârium; Romani ſuum, ſuum Veneti, Florentini ſuum, ſuum Bergomenſes, Auguſtani ſuum, & quos tacemus reliqui; quidni & Londinenſes ſuum? velut veſtem propriam, cuius non tanta laus eſt, quòd ſit ſplendida, quàm quòd propria; non tam ſi è biſſo ſit aut purpura, ſed ſi Anglis corporibus adaptata: præterea nos tanta varietate non inſtrui, ſed diſtrahi magis contigit; iſta inopes nos Copia fecit; & morbus ille, cui modò occurrimus, totus eſt ex plenitudine. Quo vaſta magis eſt ſilua, pluresque ſemitæ, facilius per inuia, deuia dum vagantur, aberrant viatores. Quo mare ſpacioſius, eo magis eſt opus Cynoſurâ: quâ deſtituti diù apud nos Pharmacopæi varijs fluctibus iactari, & mille modis diſtrahi videbantur, dum vnus iſto, iſte alio medicandi tramite incederet, vnus ad Cordum, alius ad Fenelium, ad Auguſtanos alius, ad ſuum forſan alius ſpeculum ſe componeret; idemq; remedium tot haberet Ideas, quot officinas: quod malum cum indies magis graſſeretur, non ſine ſummo tam Medicorum, quam ægrorum diſpendio, volumus hoc opuſculo; velut iactâ Anchorâ, ſic fluctuantem Pharmaceiam ſtabilire, eamque certis limitibus, & Cancellis coercere, dum vnam, & vnicam componendi legem & methodum non docemus modò, ſed imponimus & imperamus, à qua non liceat, vel latum (vt aiunt) vnguem aberrare, vt vno velut filo ducti, tum Medici, tum Pharmacopæi, iſti in præſcribendo certiùs, hi in componendo rectiùs progrediantur & vnanimes conueniant.

Necnon alia adhuc grauior eſt peſtis, ad quam opus Antidotario; aliorum videlicet ſumma fraus & impoſtura, qui lucelli gratiâ, & ſordido aucupio fæces quaſdam viliſſimas, & ſpurciſſimas ſordes ſub Pharmacorum nomine & titulo venditant; imò quæ no-

bis in pretio ſunt maximo, Theriacam, Mithridatium, & Alkermes, aliaq; plurima adulterant; vt remedia non deueniant, ſed venena, nec in ſolatium ægris, ſed perniciem. Qui ſceleratiſſimi homicidæ etſi flagello potius aut furca, quàm Cenſura hac noſtrâ coerceri debuerint; erunt tamen forſan (pro more Anglo) ſaluandi beneficio libelli, & cũ ipſis miſelli ægri, quorum vitæ & ſanitati (iſto velut ſacro codice) conſuluimus. Fœlix conſilium & ſalutare; cuius tamen gloriam & laudem nobis ipſis non arripimus; ſed (vt fateamur quod res eſt) eius caput altius, eius diuinior origo; A Ioue principium; à noſtro inquam Auguſtiſſimo & (quod rarius) literatiſſimo, & (quod gratius) ſalutis publicæ vigilantiſſimo REGE IACOBO, qui vt pacem in orbe Chriſtiano, vnionem in orbe Britanno, conformitatem in orbe Eccleſiaſtico ſtuduit ſemper & feliciter ſtabiliuit; ità noſtrum Orbem Apollinarem ſphæramq́ medicam dignatus eſt luſtrare ſuo lumine, legeſq́ ſalutares nobis condere pro concordia medica certaq́ medendi ſymphonia, vt ſicut anteà animarum, ſic & corporum ſaluti; anteà ſubditorum dignitati, modo illorum vitæ & ſanitati conſuleret: vt de illo verum ſit, quod de Sole Regius vates cecinit, nihil eſt ſecretum à calore eius; nihil ab eius cura ſecluſum aut immune; & inſculptum videatur diuinâ manu idẽ pectori ipſius, quod nummo, Salus populi ſuprema Lex. Cum enim Pharmacopæis Londinẽſibus novas libertates & priuilegia nova indulſerit literis ſuis (vt appellantur) patentibus, hoc vnum inſeri, & exprimi inprimis voluit, vt cum Antidotarium iſtud prodiret in lucem, ad illud velut ſacrum canonem religiosè ſe aſtringerent: Legibuſq́ ferendis à Senatu medico obtemperarent. Cui verè Regio mandato æquum nobis erat morem gerere; fecimuſq́ tandem vt in lucem prodeat Pharmacopæia Londinenſis, apparatu nec ſordido nec ſuperbo, nec remediorum paupertate indiga, nec eorum mole aut tumens aut ambitioſa. In qua etſi doctam Antiquorum canitiem veneramur, eorundemq́ remedia primâ velut acie collocauimus, non tamen recentioris Chymiæ noua ſubſidia reijcimus aut aſpernamur, ſed illis locum & angulum à tergo conceſſimus, vt famulentur dogmaticæ Medicinæ; & velut manus auxiliares inſeruiant. Neq́ verò tam ſuperſtitiosè inceſſimus Antiquorum veſtigijs, vt nihil ex noſtro penu novum apportemus; non enim quæ hic deſcripta, tranſcripta ſunt omnia, aut mercibus ſolis tranſmarinis, & exoticis officinam noſtram inſtruximus, ſed quædam adiecimus nova & noſtra, quæ crebro vſu probata nunc primum in lucem prodeunt publicam; quædam etiam in antiquis formulis immutauimus, ſaluo tamen authoris ſenſu & nomine, non tam nouitatis ſtudio, quàm neceſſitate coacti, præſertim vbi non occurrunt, quæ præſcribuntur ſimplicia, in quorum locum alia ſuffecimus, quæ facultatum cognatione ſimillima videbantur: Pariterq́ fecimus in modo pilulas componendi, quæ ſi antiquo more cum ſuccis aut aquis in maſſam redigantur, citò ſiccitatẽ nimiam vel ſitum contrahant, ideoq́ Syrupis accommodatis pro diuturniori cuſtodia vtendum voluimus. Cùm verò in plurimis authoribus, quædam penitus relinqui ſoleant artificum iudicio, potiſſimum in mellis & ſacchari menſura, ſub duabus literulis q. ſ. vel voculis quantum ſatis; vndè eiuſdem pharmaci non eadem apud omnes conſiſtentia, nec facultas eadem; nos de libero artificum arbitrio poteſtatem omnem in poſterum ademimus, & in eandem rẽ quoſdam è Pharmacopæis ipſis in hoc artificio verſatiſſimis adhibuimus in concilium, quorum ope & operâ de certo componendi modo, certâq́ menſura conuenimus, & doſin deſignauimus cui nec addant illi, nec adimant. Deniq́ cum in pleriſq́ Antidotarijs, tum priſcis tum recentioribus, vſus & facultas cuiuſq́ remedij exprimatur, vndè tam inſcij, quam impij Circumforanei & agyrtæ, ex hac pharetra ſeipſos muniant ad praxin medicinæ, noſtroſq́ gladios inſani homunciones in Reipublicæ perniciem arripiant, ideò de remedij viribus nihil adiecimus: ſolis enim doctis hæc ſcribimus & Apollinis alumnis, ad vulgi

non

*nonintellectum ſed ſalutem. De ordine quo omnia diſpoſuimus, rationem non opus eſt reddere; ſimplicia compoſitis; interna, externis; liquida ſolidioribus præmiſimus; in ſuas claſſes ſingula digeſſimus, vnde nullo negotio depromi, in vſumque & praxin referri poſſint. Habes ( Amice Lector ) quid fecerimus, & cur fecerimus; Opus quale in fabulis Pandora; in illam Dij omnes; in hoc Collegæ omnes ſua ſymbola contulerunt, ſub auſpicijs digniſſimi Præſidis, quo non modò Conſule aut Præſide, ſed cuius conſilio & auxilio & indefeſſo ſtudio, tectum modò & faſtigium huic tanto operi imponitur; quod ante annos aliquot inceptum condi, ſed inceptum, cuius* non cœptæ ſurgebant turres, *vt Poeta luſit. Quale iam aut quantulumcumq; ſit, Amice Lector, tuo bono & publico fore commodum ſperamus & vouemus; quod ſi & palato tuo arrideat, vtere, & Vale.*

à Collegio Londinenſi ſeptimo die Decembr. anno 1618.

# Abrieſe of his MAIESTIES Royall Proclamation *Commanding all Apothecaries of this Realme to follow* this PHARMACOPOEIA lately compiled by the Colledge of Phyſitians of LONDON.

*WHereas by our eſpeciall commandement there hath beene of late compiled in the Latine tongue by the Colledge of Phyſitians of London a booke entituled* Pharmacopœia Londinenſis &c. *And whereas through the great care and induſtrie of the ſaid Colledge, the foreſaid* Pharmacopœia Londin: *is now perfićted, and is a worke greatly tending to the publique good of our Subiects, and wee minding that all falſhood, differences, varieties, and incertainties in making or compoſing of Medicines, and diſtilling of Oiles, or Waters, hereafter be vtterly taken away and aboliſhed : And that in the time to come the manner and forme præſcribed by the ſaid booke ſhould be generally and ſolely practiſed by Apothecaries in their compoſitions of Medicines, and diſtillation of waters for all ſuch things as are therein named and præſcribed : Wee therefore deſirous in all things to prouide for the common good of our Subiects, and intending to ſettle and eſtabliſh the generall vſe of the ſaid booke in this Realme of* ENGLAND, *doe hereby ſignifie and declare our Royall will and pleaſure to be, and hereby ſtraightly require, charge, and command all and ſingular Apothecaries, within this our Realme of* ENGLAND *or the dominions thereof, that they and euery of them, immediately after the ſaid* Pharmacopœia Londin: *ſhall be printed and publiſhed, doe not compound, or make any Medicine, or medicinable receipt, or præſcription ; or diſtill any Oile, or Waters, or other extractions that are or ſhall be in the ſaid* Pharmacop: Londin: *mentioned and named after the waies or meanes præſcribed or directed, by any other bookes or Diſpenſatories whatſoeuer, but after the onely manner and forme that hereby is, or ſhall be directed, præſcribed, and ſet downe by the ſaid booke, and according to the weights and meaſures that are or ſhall be therein limited, and not otherwiſe, &c. vpon paine of our high diſpleaſure, and to incurre ſuch penalties and puniſhment as may be inflicted vpon offenders herein for their contempt or neglect of this our Royall commandement. Willing and commanding alſo hereby all Maiors, Sheriffes, Iuſtices of peace, Conſtables, to be aiding and aſſiſting, &c. Giuen at our Palace of Whitehall 26. of Aprill in the 16. yeere of our raigne of England, France, and Ireland, and of Scotland the 51. 1618.*

*THe Kings moſt excellent Maieſty hath not onely commanded the publiſhing of this booke, but hath farther beene graciouſly pleaſed to grant full and ſole priuiledge vnto Iohn Marriot of London Stationer (and Printer of this worke) his Executors, Adminiſtrators, Deputies, and Aſſignes. for 21. yeares next enſuing, to imprint, or cauſe to be imprinted, and to ſell, aſſigne, and diſpoſe of, to his and their beſt benefit and auaile, this booke, and bookes, as well in the Latine as Engliſh tongue, as alſo in any other language or tongue whatſoeuer : Straightly prohibiting any other during the ſaid time, to imprint or cauſe to be imprinted, to import, vtter, or ſell, or cauſe to be imported from any the parts beyond the ſeas, vttered, or ſold, the ſaid booke or bookes, or any part thereof within any of his Maieſties Realmes and Dominions (without the ſpeciall licence and conſent of the ſaid Iohn Marriot, his Executors, Adminiſtrators, Deputies, and Aſſignes, firſt had and obtained in that behalfe ) vpon paine of his Maieſties high diſpleaſure, and to forfeit fiue pounds of lawfull Engliſh mony for euery ſuch booke or bookes, or any part or parts thereof imprinted, imported, vttered, or ſold contrary to the true meaning of this priuiledge, beſide the forfaicture of euery ſuch booke or bookes, &c. as more at large appeareth by his Maieſties letters patents dated the twentieth of March in the fifteenth yeare of his Maieſties reigne of* ENGLAND, *France, and Ireland, and of* SCOTLAND *the fiftieth.* 1618.

# NOMINA D. D. COLLEGARVM SOCIETATIS MEDICORVM LONDINENSIVM HODIE VIVENTIVM.

HENRICVS ATKINS Doc: Med: Regis Medicus Ordinarius, & Collegij Medicorum Londinenſium Præſidens.

THEODORVS DE MAYERNE Medicinæ Doctor, Regiarum Majeſtatum Medicus primarius.

IOHANNES CRAIG.
GVLIELMVS PADDY Eques
} Regij Medici Ordinarij.

THOMAS FREAR.
THOMAS MOVNDEFORDE.
MARCVS RIDLEY.
EDWARDVS LISTER.
RICHARDVS PALMER.
} 7. ex 8. Electis.

IOHANNES CRAIG iunior, Principi Carolo Archiater.
IOHANNES ARGENT.
EDWARDVS IORDAN.
IOHANNES GIFFORD.
FARNCISCVS HERRING.
MATTHÆVS GWYNN, Regius Med: ad Turrim.

MAT-

Matthæus Lister.
Gulielmus Harvey, med: Reg. iuratus.
Gulielmus Clement.
Simeon Fox.
Leonardus Poe, Med: Regius ad familiam.
Robertus Fludd.
Richardus Andrewes.
Thomas Pattison.
Theodorus Goulston.
Iohannes Collins.
Simon Baskervile. Eques Auratus
Thomas Winestone.
Edmundus Wilson.
Georgius Rogers.
Iohannes Raven, Med: Regineus iuratus.
Paulus De Laune.
Eleazar Hobson.
Ottuellus Meverell.
Alexander Ramsey.

Pondera.

# PONDERA.

GRanum intelligimus ſignatum illud noſtrorum nummariorum, quorum viginti ſcrupulum conſtituunt.
Scupuli tres drachmam.
Drachmæ octo vnciam.
Vnciæ duodecim libram.

Granum cuius ſignum gr. j.
Scrupulus cuius ſignum ℈.
Drachma cuius ſignum ʒ.
Vncia cuius ſignum ℥.
Libra cuius ſignum lib.

Selibra. ℥vj.
Sesquilibra. ℔ 1 ſ.
Dodrans. ℥ix. Bes vel Bessis ℥viij.

# MENSVRAE.

MEnſuras apud nos vſitatiſſimas hic paucis ſubiecimus: reliquas minus vſitatas ideoq; magis inutiles conſultò omiſimus.

Cochlearium noſtrum in Syrupis continet vnciam dimidiam in aquis diſtillatis drachmas tres.
Cyathus vnciam vnam ſemis.
Hemina ( quam Cotylam appellant ) vncias nouem.
Libra vncias duodecim.
Sextarius vncias octodecim.
Congius Sextarios ſex.

Mensuræ Solidorum.
Fasciculus quantum applicato brachio apprehenditur.
Manipulus quantum manu.
Pugillus quantum tribus extremis digitis.

CATA-

# Ἀντιβαλλόμενα. Succedanea.
## Substituta. Quid pro Quo.

| | |
|---|---|
| Abrotano. | Origanum. |
| Absinthio. | Abrotanũ. |
| Acacia. | Hypocistis aut succus prunorum sylvestrium inspissatus. |
| Acantho. | Malva. |
| Acoro. | Calamus Aromaticus aut in purgantibus Asarum. |
| Adipe Cervi. | Adeps Capræ. |
| Adipe Vulpis. | Adeps Vrsinus vel mustellæ. |
| Althæa. | Malva. |
| Ammi. | Anisum |
| Amomo. | Calamus Arom. aut grana Iunipi, aut semen Citri, pari pondere. (Acorus Renod:) |
| Ammoniaco. | Propolis |
| Amygdalis am. | Nuclei Persicorum. |
| Aniso. | Daucus. |
| Aqua marina. | Muria piscis, aut simplex aqua in qua salis Essbullierit. |
| Aristolochia rotunda. | Longa, vel pistolochia. |
| Aspalatho. | Lignum Aloes. |
| Balaustio. | Malicorium. |
| Balsamo. | Oleũ Caryophyllorum aut Nucis musc. et Ren: Terebinthina limpida. |
| Blito. | Atriplex. |
| Boragine. | Buglossa. |
| Butyro. | Oleum. |
| Calamo Arom^co. | Schœnanthus. |
| Calamintha. | Mentastrũ. |
| Cardamomo. | Cyperus. |
| Carpobalsamo. | Cubebæ. |
| Cassia lignea. | Cinnamomũ optimũ. |
| Chamædry. | Chamæpytys. |
| Citri succo. | Succus Limonum. |
| Cinnabari | Minium. |
| Dauco. | Pastinaca. |
| Dictamno. | Scordium. vel Salvia. Renod: |
| Doronico. | Zedoaria aut Galanga cũ aliqua portione corticis citri. |
| Ebulo. | Sambucus. |
| Eupatorio Mes. | Asari et Absynthij ana. partes æquales. vel Lichen. Ren: |
| Folio. | Macis, et Cyperi ana pt: æq. |
| Fœnugræco. | Orobus. |
| Fœniculo. | Apium. |
| Galbano. | Sagapenum. |
| Galanga. | Acorus. |
| Gentiana. | Tormentillæ radix. |

| | |
|---|---|
| Costo candido. | Enula campana. Bauder: de Costo et harmus |
| et Dactylis. | Ficus Massilienses. Renod: |
| Diaphryge. | Æs ustũ. |
| Dulci radice. | Passulæ. |
| Helleb. Albo. | Elaterium. et Nigro Lapis Lazuli. Ren: |
| Eruca. | Erisimum. |
| et Eryngio. | Oenone. |
| Flore æris. | Ærugo. |
| Fumaria. | Cicerbita. |
| Folliculis Sennæ. | Duplum foliorum. |
| Folijs myrti. | Eius baccæ. |

Harmel. Dictamnus alb. aut Sem. Rutae.
Helleboro albo. Niger vel Turbith.
Herba Paris. Vmbelicus Veneris, aut Sedum minus.
Hyssopo. Satureia.
Jasmini florib. Anthos.
Jusquiamo. Papaver.

Lactuca. Cichorium sativum.
Lacca. Styrax.
Lapide Armeno. Lapis Lazuli.

Magnete. Lapis Phrygius.
Mandragora. Jusquiamus, solanum, Papaver. Et alia quae vice fungunt Mandragorae.
Meu. Angelica, aut Ostrutium.

Nymphaea. Lactuca.
Omphacio. Succus Granatorum aut Ribes.
Opopanace. Ammoniacum, vel Galbanum.
Oesypo. Medulla cruris Vituli.

Petroselino. Apium.
Rhapontico. Rhabarbarum selectum.
Rheu. Valeriana.
Pipere longo. Album.

Salvia. Calamintha.
Saxifragia. Pimpinella.
Secacul. Radix Pastinacae sylv. vel Eryngii.
Sisone. Daucus.

Tamarisco. Asplenium.
Xylobalsamo. Lignum Aloes.
Xylocassia. Cinnamomum.
Zinzibere. Piper.
Zibetho. Moschus.

Helenio. Iris.

Hypocisti. Acacia.
Jujubis. Passulae.
Junco odorato. Cardamomum.

Lapatho. Viola nigra.
Laureola. Mezereum.
Lepidio. Nasturtium Creticum.

Malva. Atriplex.
Melle. Saccharum.
Mumia. Pissasphaltum.

Nardo Syriaca. Schoenanthus.
Nepeta. Mentastrum.

Opio. Meconium.
Opobalsamo. Stacte. vel Oleum Caryophyl.
Oryza. Farina Tritici.
Oxyacantha. Ribes.

Plantagine. Pilosella.
Peplo. Tithymallus.
Pompholyge. Cadmia usta.

Raphani semine. Succus ejus.
Rosmarino. Majorana.
Ribes. Berberis.
Ruta. Tanacetum.
Santonico. Abrotanum.
Sedo. Solanum.
Spica alba. Lavendula.

## Leges Substituendi.

1.a Succedanea deficientibus, qualitate, substantia, viribus valde sint similia: Debet enim simplex poni pro simplici, pro composito, compositum. Sic Planta pro planta, Radix pro radice. Sal pro Sale &c.

2.a In compositis eadem servatur lex, sed non adeo stricte. Debet enim pulvis sumi pro pulvere, Elect: pro Elect: &c. Saepe enim tanta est virium affinitas inter medic: compos. ut facile admittatur substituto. Etiam Medicus solida respuentibus liquida praescribat, et e contra. /.

3.a Non semper substituitur simplex medic: pro simplici; cum vix duo ex omni parte similia reperiantur, sed satis est illi Medic. supposititium idem praestet quod genuinum pollicebatur. Itaque 2° aut plura miscentur, quorum vires concurrentes illi similes erunt. Vel in qualitatibus primis; vel in secundis quae easdem commoderate sequuntur. /.

4.a Diligenter observa quae optime substitui possunt; nam multum differt Iris Hispanica, quae Cephalica est et Bechica; ab Iride Gallica; quae phlegmagoga est, et potenter ducendo ventrem serum subducens. Itaque qualitates simplicium ex Solo et Caelo perpendendae: nam quod in calidiore solo crevit est calidius. /.

# CATALOGVS SIMPLICIVM AD PHARMACOPOEIAN CONDVCENTIVM.

## RADICES.

Acanthi, Brancæ Vrſinæ.

Acori,
- Veri, peregrini,
- Calami odorati offic.
- Vulgaris, Pſeudoacori, Gladioli lutei. Liliorum paluſtrium.

Allij, Scorodi.

Alcannæ, Liguſtri.

Althææ, Ibiſci, Biſmaluæ.

Angelicæ, Sancti Spiritus,

Anchuſæ, Bugloſſi rubri.

Anthoræ, Antithoræ, Napelli Moſis, Aconiti Salutiferi.

Apij,
- Satiui, Petroſelini.
- Vulgaris, Eleoſelini.

Ariſtolochiæ
- Longæ,
- Rotundæ,
- Clematitis, tenuis, ſarmentitiæ.

Artanitæ, Cyclaminis, Panis porcini, Rapi vel vmbilici terræ, Teſtidunariæ. Arthanitæ.

Arundinis
- Vallatoriæ.
- Saccharinæ.

Ari, Serpentariæ, Barbæ Aaronis, Pedis vituli.

Aſclepiadis, vincetoxici, hyrundinariæ.

Aſari, Baccharis, Nardi Ruſticæ.

Aſparagi, hortenſis, ſylueſtris, Currudæ.

Aſphodeli veri,
- Haſtæ Regiæ, i. Aſphod: fœ.
- Albuci, i. Aſph: maris.

Bardanæ, Lappæ majoris, Perſonariæ. arcij Diaſc:

Behen
- Albi, Polemonij.
- Rubri,

pro his.
- Caryophyllatæ.
- Tormentillæ.

Bellidis, Symphyti minimi.
Betæ nigræ, albæ, rubræ.
Biſtortæ, ſerpentariæ maris Britannicæ.
Borraginis.
Bryoniæ, Vitis albæ.
Bryoniæ nigræ.
Bugloſſi vtriuſque.
Bulbi vomitorij. [Muſcari. Grape-flower.]

Calami Aromatici, exotici, i. acori veri.
Capparum.
Caryophyllatæ, Benedictæ, Oculi leporis.
Caulium.
Centaurij maioris, falſò Rhapontici.
Cepæ, Crommij.
[White Carline Thistle.] Chameleontis { Albi, Carlinæ, Cardopatij. Nigri, Pancarpi.
[Figge-woort. Pile-woort.] Chelidonij { Majoris } Hirundinariæ maioris. { Minoris } Ficariæ, Scrophulariæ.
Cinæ, Chinæ.
Cichorij,
[Meade Saffron.] Colchici, Bulbi agreſtis. [Pſeudo Hermodactyli.]
[Consounde. Comfrey.] Conſolidæ { Majoris, Minoris,
[Costmary. maudelin.] Coſti vtriuſque. [Balſamita mas et fœmina.]
[Wilde Cucumber.] Cucumeris agreſtis, Aſinini, Erratici.
[Artichoke.] Cynaræ, Scolymi, Cardui altilis. [Cyclamen. V. Artanita.]
[Hounds-tongue.] Cynogloſſæ, Lycopſeos, Linguæ caninæ.
Curcumæ, terræ meritæ, cyperi ſudici.
[Galingale.] Cyperi vtriuſque, { longi, Romani, rotundi.

[Wilde Carrot.] Dauci.
[Tooth-woort. Lungwoort.] Dentariæ maior: Squamariæ, Orobandis rad. dentata.
Dictamni vulgaris, Polemonij, Fraxinellæ. [Baſtard Dittany.]

Doronici, [Leopards-bane. Crayfish Woolfes-bane.]
Dracontij veri, Dracunculi. [Dragon-woort.]

Ebuli, Chamæactes. [Dwarfe Elder, Dane-woort.]
Echij, Ellebori, Veratri { albi, [white neesing-powder] Campanicæ. Conſiliginis vulgaris, Melampodij, Ectomi, { nigri, Entani.
Enulæ Campanæ, Helenij, [Elecampane.]
Endiuiæ hortenſis, Intybi, Scariolæ.
Eringij, Centum capitum. [Eringo. Sea Holly.]
Eſulæ { maioris, Characiæ. [Wood Spurge.] { minoris, Tithymali Cypariſſiæ, cupreſſinæ. [Cypres Spurge.]

Filicis, Pterios, Bletri. [Ferne.]
Filipendulæ, Oenanthes. [Dropwoort.]
Fœniculi, Marathri.
Fraxini. [Ash.]
[Fungi. Vid. Tubera.]

Galangæ { maioris, minoris } Exoticæ, Cyperi Babylo:
Gentianæ, Aloes Gallicæ. [Felwoort, Bitter...]
Glycyrrhizæ, Liquiritiæ. Rad: Dulcis.
Graminis, i. Graminis Canini.

Hermodactyli veri, [Theriaca Arthritidis ...]
Hyacinthi.
Iridis { noſtræ ſeu vulgaris, cæruleæ, Lilij cœleſtis. [Flower-de-Luce.] Florentinæ, Illyricę,
Imperatoriæ, Magiſtrantiæ, Laſerpitij Gallici. Aſtrantiæ. [Maſter-woort.]
Iſatidis, Glaſti. [Garden-woad.]

Labri veneris, Dipſaci. [Teaſell. Venus baſin.]
Lactucæ.
Lauri.
Lapathij acuti, Oxylapathi. [Sharpe-pointed Dock.]
Leuiſtici, Smirnij. Dioſc: [Lovage.]
Lilij albi, Roſæ Iunonis, Crinanthemi. [White Lilly.]

Maluæ.
Mandragoræ, Anthropomorphi.

Mechoa-

...borf. egregie humorem atrabilarium educit, qui balneum,
...s & pulvinar Diaboli: unde recte Fuga Dæmonum dicitur.
...is usu, Dosi, Utilitate: Vide Freitagii Auror. Med. l. 2. c. 20.

...langa duæ sunt; major et minor; utraque in eodem solo
...ovenient: sed minor, quæ odoratior est, lætius et uberius in Sinarum
...gione fruticat.
...es. Calefacit, et siccat ordine 3° Ventriculum roborat,
...licos dolores sanat, flatus discutit, et frigidis morbis omnibus
...ccurrit. Seligenda vero minor ut præstantior. Renod:/.

Contrayerva. radix Amer. contra omnia venena alexipharmacum
præter sublimatum: contra pestem, morbillos, febres putridas & egregie
utilis. Vide Monard. & Clusium. Dosis. 10. 12. gr: vel ultra.
cum Bezoar. et Scorson. egregium antidoton efficit.

...cos radix, et præcipue ejus succus, calidus et siccus in 3°:
...trunc bilem et aquas educit. Sed gravidis quæ menses sapit
...in contecta. Corrigitur cum pauco vino & cinnamomo; additisque etiam
...anno, vel mel rosaceum. Exhibetur succus cum decocto uvarum
...el sero lactis. Senn: Instit.

Mechoaca. Α͗ποιος, & ọis facultas irritan-
ta ex occulta, q̄ ex manifesta qualitate, ort.

* Onamidi radix ɔtra calculū feliciter valet,
superiore cortice sublato (in recentib. cortex relin-
quitur & potissimas vires hēt) internā medullā ɔquas-
sa, ac in taleolas disseca, & idoneo liquore decoc-
tam propina. Scholtzi ɔ Epist. 242.
* Valet egregie ɔtra σαρκοκήλην. Expt.
+ Dosis in decocto a ℥iij ad ℥ß. Radix desiccat.
in vino ad ʒj. Vel si acrimoniam metuis in aq.
malvaræ. &c. Id. ib. Ep. 243.

× Palma Chri; ad melancholicos & [illegible] affe[illegible]
Syrup. ɔfit e bulbulis. Scholtzius. Epist. 19[illegible]

Rhaphani citra offensā vomitione purgant; et ventriculū [illegible]
exinanit; q̃ in eo crassa sunt attenuat, q̃ [illegible] ſt, [illegible]
ac stimulatā vi expultrice sursū extollit, nulli ætati [illegible]
prægnanti infensus. Terantur. radicis ej concisæ ℥ij. [illegible]
mulsæ succus exprimitur tepidus offerendus. Rondel.

# SIMPLICIVM.

Mechoachanæ, Bryoniæ Peruuianæ.
Mei, Vrſini, Tortuoſi.
Mezerei, Piperis montani, Chamelææ.
Mororum Celſi, arboris ſapientis.
Morſus Diaboli, Succiſæ, Præmorſæ.
Pycnocomi Dioſ.
Napus. Navew. Gal. Navet
Nardi { Indicæ.
Spicæ { Celticæ, Saliuncæ Plinij.
Nenupharis, Nymphææ.

Ononidis, Arreſtæ Bouis, Acutellæ, Remoræ aratri.
Oſtrutij, Magiſtrantiæ, Struthij quorund.
Palma Christi.
Paſtinacæ ſatiuæ & ſylueſtris.
Pentaphylli, Quinquefolij.
Petaſitæ, Galeritæ.
Peucedani, fœniculi Porcini, Sulphuratæ, Caudæ Porcinæ. Hogs Fennell.
Pœoniæ Maris, Fœmellæ.
Phu, Valerianæ { Maioris. / Minoris.
Pimpinellæ, Sanguiſorbæ.
Plantaginis.
Polypodij, Filiculæ. Polypody of ye Wall.
Polygonati, Sigilli Solomonis, Scalæ cœli, Genichellæ.
Porri.
Prunellorum ſylueſtrium.
Pyrethri, Saliuaris, Artimonij ex Antid. Bononi: in ſubſtitutis.
Squamariæ, / Dentariæ, { Maior: Matth.
Rhapontici.
Rhabarbari ſeu Rauedſeni.
Rhaphani { domeſticæ, Obſoniorum. / ſylueſtris.
Rhodiæ, rad.
Rhabarbari Monachorum. Patience.
Rubiæ tinctorum, Erythrodani.
Ruſci, Bruſci, Myrſines ſylueſtris. Butchers Broome.
Sambuci.
Sarzæ Parigliæ, Smilacis aſperæ.
Satyrij vtriuſque.

Saxifragiæ albæ. White Saxifrage.
Sanguiſorbæ, Pimpinellæ Italicæ. Burnett.
Scabioſæ. Scabious.
Scordij. Water, or Garlicke Germander.
Scillæ, Squillæ, Cæpæ marinæ. Sea-onyon.
Scrophulariæ, Galeopſidis, Millemorbiæ. Figwoort. Kernellwoort.
Scorzoneræ. Vipers graſse.
Seſeleos Æthiopici.
Siſari, Secacul, Siſeris. Skirret.
Sigilli B. Mariæ, Bryoniæ nigræ. Wilde Vine. Black Bryony.
Solidaginis. Comfry. Consound.
Sonchi. Sowthistle.
Spinæ albæ, Bedeguar. White Thistle. Ladies Thistle.
Spatulæ fœtidæ. Xyris. Stinking Gladdon. Spurge woort.

Tamariſci, myricæ hymilis. Tamariske.
Tanaceti, Tansy.
Thapſiæ exoticæ, Ferulaginis, Turpeti cineritij. Stinking Carrets.
Tormentillæ, Heptaphylli. Setfoile.
Trifolij. Trefoile.
Tribuli aquatici. Calthrops. Water-Chestnutt.
Trachellij, Ceruicariæ. Vuula woort. Throat-woort.
Trinitatis herbæ, violæ tricoloris. noble Liver-woort.
Tunicis. Crow-flowers. marsh Gilloflower. Wilde Williams.
Tripolij vulg: Sea Starwoort.
Turbith exotici. Turbith of Antioch.
Tuberum ſeu Boletorum. Mushroms. Vide Fungi.
Victorialis, Allij Alpini. Broad Leaved mountaine Garlicke.
Vincetoxici, Hyrundinariæ, Aſclepiadis. White Swallow-woort. Silken Cislie.
Virgæ paſtoris. Dipsacus. Teasell.
Vlmariæ, Barbæ capri, Reginæ prati. meadow-sweet.
Vrticæ.

Zedoariæ, longæ, coſti, Syriaci.
Zingiberis.
Zurumbet, i. Zedoariæ rotundæ, Anthoræ Auic: Aconite. Holsome wolfsbane.

## CORTICES. Φλοιος.

Apij. Rad:
Auellanarum.

Aurantiorum.

Berber, Oxyacanthæ.

Caſiæ ligneæ, Syringis, Xylocaſiæ.
Capparis, rad:
Caſtanearum.
Cinnamomi, Canellæ.
Citri, mali medici.

Ebuli rad:
Enulæ.
Eſulæ rad: Tithymali.

Fabarum.
Fœniculi rad:
Fraxini rad:
*Frangulæ seu Alni. ye Alder tree.* (*Alder Tree.*)
Granatorum, Malicoriū.
Guaiaci lign: Ind: Sancti.

Iuglandium virid:

Lauri.
Limonum.

Mandragoræ rad:
Myrobalanorum.
Macis, qui Cortex Moſchatæ nucis.
Maceris, qui ligni cuiuſdam cortex craſſus, flaueſcens, valdè amarus & aſtringens.

Petroſelini rad.
Prunelli ſylueſtris.
Pinearum putamina.

Quercus arboris.

Raphani.

Suberis. *gr. φελλός.*
Rad: Sambucj, & caudicis.
Cort: medius Tamaricis.

Tilliæ.
Thuris.
Vlmj.

# LIGNA ET EORVM SCOBES.

*V. p. 9. seq.*

Agallochus, Lignum Aloes.
Aſpalathus.

Breſilium.
Buxus.

Cypreſſus.
Ebenum.

Guaiacum, Sanctum Ind:
Iuniperinum.

Nephriticum.

Rhodium.

Santalum { Album. *white Saunders.* / Rubrum. *Red* / Citrinum, Moſchatellinum. *yellow.*

Saſſafras. *Lignū fœniculatū.*

Tamariſci.

Xylobalſamum. *The wood of ye Balsame Tree.*

# HERBÆ, ET EARVM FOLIA.

Abrotonum { mas. *Sothernwood.* / fœmina.
*Ἀβρότονον.*

Abſinthiū { Ponticū, { latifoliū, vulgare. / tenuifoliū, { Galē. / Rom. } / Seriphium, marinum. / Santonicum.
*Ἀψίνθιον.*

Abugiliſſa, i. Anchuſa maior. *Alkanet. Orchanett.*

Aceto-

" Frangula, cortice nigro, glaucis maculis aspersa; libro subtus flavo, vomitum ciet, & aquas secessu deturbat. Pena. Lobel. Tragus huius arboris flavum & medium corticem cum aceto tritum & illitum, scabiem intra paucos dies siccare & sanare, tanquam singulari experimento narrat. Au[illegible] etiam dentium decoctum corticis in aceto mederi, dolorem mitigare, & dentes purgare ait.

[pag. 8]

Agrimoniæ decoctū in aqua simplici ad 2 ℥ mensos pro omni potu feliciter au[illegible] hepat reddit, Poterius Phar: Spag. c. de decoctis.

* Buglossæ decoctū in jusculo vervecis factū, valet maxime in phthisi, atque in intrinsecis ulceribus. ... pum & clementer ventre laxat, hepati mirifice confert. Vide Poteriū in Curat. & Pharmac. Spag. de decoctis. / in Chirurgia et Med.: maximus usus. Myl. 9. Bas. Chym

Althæa ab ἀλθεῖν i. medendo dicta. q.d. medica.

Caulis. Bilē nō percoctā detrahit; alvū solvit; bis cocta sistit: Vino adversatur; ut inimica vitibus. Antecedente in cibis caveri ebrietatē; postea sumptā crapulā discuti putant. Bevervicius Med. l. 2.

Acetoſa ſiue Oxalis.
Acanthus vera.
Adiantum { album, { Ruta muraria, Saluia vitæ. / nigrum, { Polytricũ Dioſc. Capillus veneris.
Adiantum aureum, Polytricum aureum, Muſcus capillaris.
Agrimonia, i. Eupatorium Græcorum.
Ageratum, i. Eupatorium Meſuës.
Agnus Caſtus, Vitex, Piper Eunuchorum.
Alleluia ſiue Luiula, Acedula, Acetoſella, trifolium acetoſum, oxys Pl:
Alcea.
Allium.
Althæa, Ibiſcus, Biſmalua, Maluauiſcus.
Alſine, Morſus Gallinæ.
Alchimilla, Pes leonis, Stellaria.
Alcanna, Liguſtrum.
Amaracus, maiorana.
Angelica.
Anagallis { mas. / fœmina.
Anethum.
Apium, Herba Leonis.
Aparine.
Aſpergula odorata.
Aquilegia.
Argentina, Potentilla, Anſerina.
Artanita, i. Ciclamen.
Ariſtolochia { longa, Maſcula. / rotunda, malum terræ.
Artemiſia, Mater herbarum.
Aſparagus.
Aſarum, Baccharis, Nardus ruſtica.
Atriplex, Olus aureum.
Auricula muris major, pulmonaria gallica.
Attractylis hirſuta.

Balſamita, mentha corimbifera, Coſtus hortorum.
Barba Iouis, Sedum majus.
Bardana, Lapathum, Perſonatia.
Beta { alba. / nigra. / rubea.

Benedicta, Caryophyllata,
Betonica { vulgaris. / Pauli eſt Veronica mas. / Coronaria, Caryophyllus hortenſis, Herba Tunica.
Bellis, herba Margarita.
Blitum.
Borrago.
Bonus Henricus, Tota bona.
Botrys.
Branca vrſina, Acanthus Germanica.
Bryonia, { Vitis alba. / Vitis nigra.
Burſa Paſtoris, Sanguinalis.
Bugloſſum.
Bugula.
Buphthalmum, Cotula non fœtida.
Buxus.

Calamintha { Montana. / Paluſtris.
Calendula, Caltha, Solſequium, Verrucaria.
Callitrichum, Adianthon.
Caprifolium.
Carduncellus, Erigeron, Senecio.
Carduus { B. Mariæ lacteus. / Benedictus.
Carlina.
Corallina, Muſcus marinus.
Caſſutha ſiue Cuſcuta, podagra lini.
Caryophyllata, Benedicta.
Catuputia minor, Lathyris.
Cattaria, Nepeta.
Cauda equina, Hippuris, Equiſetum.
Caulis, Braſſica { hortenſis. / ſylueſtris.
Centauriũ { maius, Rhaponticum. / minus, Fel terræ, febrifuga.
Centinodium, Corrigiola, Polygonum mas.
Cereſolium { vulgare. / Myrrhis.
Cæpæa, Anagallis aquatica, Becabunga.

Ceterach,

Ceterach, i. Scolopendrion, Aſplenon.

Chamæpitys, Ajuga, Iua arthritica, Thus terræ.

Chamædrys, vera, vulgaris, Calamandrina, Quercula, Triſſago, Teucrium cæruleum.

Chamæmelum { ſatiuum. / ſylueſtre.

Chelidonium vtrumque.

Cinara, Carduus Eſculentus, Artichocus.

Cichorium, Intybum Sylueſtre, Chondrilla.

Cicuta.

Clematis Daphnoides, vinca peruinca, Corona Virginea, Viola mortuorum.

Conſolida { Major, i. Symphytū majus. / Media, i. Bugul. / Minima, i. Bellis. / Rubra, i. Virga aurea. / Regalis, i. Delphinium. / Saracenica ſolidago.

Coronopus.

Cotonaria, Centunculus, Gnaphalium.

Cruciata.

Craſſula, Faba inuerſa.

Crithamus, Herba, S. Petri, Creta Marina, Fœniculum marinum.

Cucumis Aſininus.

Cyanus { maior. / minor.

Cynogloſſum, ſeu lingua Canis.

Cypreſſus, Chamæcypariſſus, Abroton. fœm.

Dictamnus Cretenſis.

Dipſacus, { ſatiu: alb: / ſylu: purpur.

Ebulus, Chamæacte, Sambucus pumila, aruenſis.

Echium, Viperina.

Elatine, veronica fœmina.

Empetron, Calcifraga, perforipetra, Millegranum, Herniaria.

Endiuia, ſatiua intybus.

Enula Campana.

Epithymum, Epithymum Cretenſe.

Eruca.

Eupatorium, { Græc: Agrimonia. / Meſ: Ageratum. / Auicen: Canabinum.

Euphragia, Euphroſyne, herba Ophthalmica.

Filix fœmina.

Filicula, Polypodium.

Filipendula.

Folium Malabathri.

Fœniculum, Marathrum.

Fragaria.

Fraxinus { Lingua auis, Paſſerina, Bubula. / Sorbus aucuparia. Ornus.

Fumaria, Capnos.

Galega, Ruta capraria.

Galion.

Gentiana.

Geniſta, Spartion.

Geranium { Robertinum. / Columbinum. / Acus Moſchata. / Gingidium.

Gramen, Agroſtis.

Gratiola.

Haſtula regia, Aſphodelus.

Hepatica, Lichen.

Hedera { Arborea. Corona terræ. / Terreſtris. Chamæciſſus.

Herba Camphorata.

Moſchata.

Paralyſis, primula veris.

Paris, Aconitum ſalutiferum, Monococcos.

Roberti, Gratia Dei.

Venti, i. Anemone.

Hermaria, millegranum.

Helxine, Parietaria, perdicium.

Hippogloſſum.

Hippolapathum.

Hippo-

* Chelidonia quercetta à Chymicis valdè decantata, quae sint, & quas vires hnt. V. Epist. Cratonis apd Scholtzium. Ep. Med. 99. *

...i folia, & rami teneri destillati aquam dant;
... ad hydropo, & obesitatem, si jejuni bibatur parva
Vid. Herbal.
...nia, Atrabilarios humores & salsos modeste educit. (?)
... pdita cum fibris: ideo extergit, apit et mundat
..., simulque roborat. Omnes sanguinis impuritates exhaurit,
...ab iisdem dependentes viz Febres, scabiem vitiliginem,
...ymia, Lepra sanat. Hypochondriacis & scorbuticis
...e. Succus pcipue in usum trahitur. Freitagi Aur. Med. (?)

...ol. Innobilissimum & infimum vegetabilium genus.
... & Edules voluptuarium venenum nominat. & Plin. ...
... anucipitis cibum qui familias & tota convivia
... mero pnt. Vide Sennert: de Venenis. l. 6. pt. 7.
c. 3.

Ivâ arthriticâ in potu p aliqt dies exhibit cruentā mictionē curavit Poterius Phar. Spag.

Laureola. Cal. & sicca. initio 4ti grad.

Hippoſelinon olus Atrum.
Horminum ſatiuum, Sylueſtre, Sclarea.
Hydropiper maculoſum.
Hyſſopus, Alhaſſe. Arabum hyſſopus.
Hyoſcyamus, Herba Apollinaris, Altercum, Faba ſuilla.
Hypericon, Perforata, Fuga Dæmonis.
Hypoglottis, Laurus Alexandrina.
Hypogloſſum, Lingua Pagana, Bonifacia, Biſlingua, Vuularia.

Iberis Cardamantice, Lepidium Campeſtre.
Inguinalis, Bubonium, After Atticus.
Iris Germanica, Illyrica, Florentina, Luſitanica, Lutea, Cærulea, Sylueſtris.
Iſatis, Glaſtum.
Iua arthetica, Moſchata.
Iuncus odoratus.

Labrum, lauacrum Veneris, Dipſacus Fullonum Carduus.
Lactuca, Satiua, Sylueſtris.
Lagopus, Herba leporina.
Lauendula.
Laureola, Daphnoides, Chamælea Germanica.
Lappa minor, Xanthium.
Laurus.
Lentiſcus.
Lens paluſtris.
Lepidium piperitis.
Leuiſticum, Liguſticum.
Libanotis coronaria Roſmarinus.
Linaria, Oſyris.
Linum B. Mariæ.
Lilium Conuallium, Roſa Iunonis.
Lingua Ceruina, Phyllitis.
Limonium.
Lotus vrbana, Trifolium ceruinum.
Lupulus Salictarius.
Lychnitis coronaria.

Macis.
Magiſtrantia, Imperatoria, Oſtrucium.
Malua, Satiua, Criſpa.

Majorana, Amaracus, Sampſuchum.
Mandragora.
Marrubium, Praſium { album, nigrum, fœtidum.
Marum verum.
Matricaria, Parthenium.
Matriſylua, Periclymenon, herba Cordialis.
Maturella, i. Valeriana maior, Phu vtrumque.
Melilotus, Corona regia.
Meliſſa ſiue Meliſſophyllum, Citrago.
Mentha { Satiua, Criſpa, Rubea. Aquatica, Siſymbrium.
Menthaſtrum, Mentha equina.
Mercurialis, mas, fœmina, Linozoſtis.
Mezereon, Chamælæa, Oleaſtellus.
Millefolium, Stratiotes.
Muſcus, Vſnea.
Myrtus, Myrtilli.
Nardus Indica, Spica Nard. Exotic.
Naſturtium { aquaticum, Cardamine, Siſymbrium. album, Thlaſpi. hortenſe, Creſſio.
Nicotiana, Tobacco, Sana ſancta, Herba Reginæ, Legati, Petum.
Nummularia, Centumorbia.
Nymphæa, Nenuphar.

Ocimum, Baſilicon { vulgare, citratum.
Oleæ folia.
Ononis, Aratri remora, Reſta bouis.
Ophiogloſſon, Lingulaca, Lancea Chriſti.
Origanum, Vulgare, Creticum, Onitis, Panaceum.
Oxylapathum, Rumex acutus.

Papauer { album, nigrum, rubrum, Rhæas, erraticum.
Parietaria, herba Perdicalis, Vitriola, Vrceolaris.

Paſtinaca.

Paſtinaca.
Perſicaria non maculata.
Perfoliata.
Pentaphyllum, quinque folium.
Petroſelinum, Selinon.
Pes Columbinus, Geranium alterum.
Perſicorum folia.
Pimpinella.
Piloſella, Muris auricula.
Pithyuſa.
Plantago, Arnogloſſum, Septineruia, Quinqueneruia.
Polium, Campeſtre, Marinum, Montanum, Creticum.
Polygonum, Sanguinaria, Centumnodia.
Polytrichum offic: Trichomanes.
Portulaca Satiua, Porcellana.
Porrum.
Primula veris, Bellis minor, herba Sancti Petri aut Pauli.
Prunella, Symphytum minus, herba Anthonij.
Pulegium, Ceruinum, Regale, Glechon, Apoleium.
Pulmonaria, { Impetiginaria, arborea. / Symphytum maculoſum.
Pulicaria, i. Conyza.
Pyrus ſylueſtris.
Pyrola, Pyrifolia, Tintinnabulum terræ.

Quercus folia.

Ranunculus, Batrachium, Apium riſus.
Raparum folia.
Roſmarinum coronarium.
Roſa Solis.
Roſa alba, rubra, Damaſcena pallida.
Rumex, Lapathum.
Rubus Idæus, pumilus.
Ruta hortenſis, Rhyte, Sylueſtris Harmel.
Ruta muraria, Saluia vitæ, adiantum album.
Sabina, Barathrum.
Saluia maior, Minor, Romana, Sylueſtris, Boſci ſaluia.
Salicis folia.

Sampſucum, maiorana.
Sanicula, Diapenſia, Ferraria minor.
Saponaria { Vulgaris. / Strutium & radicula Plinij.
Satureia, Cunila, Thymbra ſatiua, Ioſeple.
Saxifragia alba.
Scabioſa, herba Apoſtematica.
Scariola.
Schœnanthos, Iuncus odoratus, Paſtus Camelorum.
Scordium verum, non Sylueſtre, Scorodotis.
Scrophularia, Caſtrangula, Millemorbia.

Sedum ſeu ſemperuiuum { Maius, { Arboreſcns. / Vulgare. } Minus, { Vermicularis. / Illecebra. }

Senna Orientalis, Ægyptia, Alexandrina, Florentina, Italica, Prouincialis, Syriaca.
Serpyllum.
Sigillum Solomonis, Polygonaton.
Smyrnium.
Solanum, Vua lupina, Morella.
Soldanella, Marina Braſſica.
Sonchus. { leuis, / aſper } { Cicerbita, Lactucella, lactarion.
Sophia Chirurg.
Spinachia, Olus Hiſpanicum.
Spina alba, Arabica, Bedeguar.
Spica Vulgaris, Romana, Celtica, Saliunca Plinij.
Stœbe.
Stæchas { Arabicum, / Citrinum, heliochryſum.
Succiſa ſiue morſus Diaboli.
Suchaha, Spina Ægyptiaca,
Symphytum { Maius, vulgare. / Medium, bugula. / Maculoſum, pulmonaria. / Petræum, prunella.

Tanacetum, Athanaſia.

Taraxa-

ntago sola in jusculo vervecis cocta valet
iarrhæam, & lienteriam. Poterius. Phar: Spag.

rtulaca contusa contra verrucas. H. Fabr: ab Aq:/.

a pulverizata contra Verrucas. H. Fabricius.

Crocus. Capiti, Cerebro, cordi, stomacho, Jecori, lieni, Vesicae, Uteri
Spiritibus, omnibus conducit. Lethargicis & soporiferis affectibus, qui oriuntur [illegible]
cerebri, tum nervorum. Extract: Croci cum vino generoso exhibitum
Spiritus, viresque subito reparat. quod et extrinsecus cum capturam p[illegible]
& cordis regioni admotum praestat! Freitag. Aur: Medic. l. 3. c.

Taraxacon, i. Dens Leonis, Hieracium minus, Seris vrinaria, Caput Monachi.
Tamariſcus, Tamarix Illyrica.
Telephium.
Thlaſpi mithridaticum.
Thymbra, Satureia ſylueſtris.
Thymum, Thymiama herba.
Thymelæa.
Tithymalus, Eſula, Lactuca Marina.
Tormentilla, Heptaphyllon.
Trinitas, herba Trinitatis, violatricolor.
Trifolium.
Tuſſilago, Vngula Caballina, Bechion, Farfara.

Valeriana, Phu Germanicum, herba D. Georgij { maior. minor.
Verbaſcum, Candelaria, Lanaria, Thapſus barbatus.
Verbena, Periſteron, Columbaris, herba Sacra, Sagminalis, Centrum Galli.
Veronica, { Mas, Betonica Pauli. Fœmina, Elatine.
Violaria, mater Violarum.
Vinifera, pampini.
Vitis { alba nigra } Brionia.
Vincetoxicum, Aſclepias, Hirundinaria.
Virga paſtoris.
Virga aurea, Conſolida rubra.
Vlmaria, Regina Prati.
Vmbilicus Veneris.
Vrtica, maior, minor, Romana, hortulana.
Vſnea, Lanugo arborum.
Vſne, Cali, Salſicornia.

## FLORES.

Agni caſti, Viticis.
Amaranthi, Fl: Amoris.
Anethi.
Armerij.

Aurantiorum.

Baſilici, Ocimi.
Balauſtiorum, Sylueſtris Punicæ.
Betonicæ.
Borraginis.
Bugloſſi.

Caryophylli hortenſis.
Calendulæ, Calthæ.
Caprifolij, Matriſyluæ.
Capparum.
Carthami, Cnici.
Centaurij minoris.
Chamæmeli.
Cheyri, Leucoij lutei, Violæ luteæ.
Cichorij, Intybi ſatiui, latifolij.
Comarum { Abſinthij. Matricariæ.
Croci.
Cyani { maioris, frumenti flores Fil: Zachariæ. minoris.
Cytini, ſatiuæ Punicæ.
Cynosbati.

Echij.
Epithymi.
Ericæ.
Erucæ.
Euphragiæ.

Fabarum.
Fumariæ, Fumiterræ.

Geniſtæ, Spartij, Scopariæ.

Hyacinthi.
Hyperici, Perforatæ.
Hyſſopi.

Iaſmini, Sambacis.

Labruſcæ, Vitis ſylueſtris.
Lauri.
Lauendulæ.
Lamij { albi. rubri.

C * Liguſtri,

Liguſtri, Alcannæ.
Lilij albi.
Lilij Conuallium, Verni.
Lupulorum.

Maioranæ, Sampſuchi.
Maluæ, vtriuſq; Roſæ Hiemalis, Autumnalis.
Meliloti.
Meliſſæ Meliſſophylli, Citrariæ.

Narciſſi, albi, lutei.
Nucum juglandium, Nucamenta.
Nymphææ vtriuſque, Nenupharis, Claui Veneris, Lilij paluſtris.

Origani.
Othonnæ, Caryophylli Indici.

Papaueris { nigri. albi. rubri.
Perſicorum.
Periclymemi, Matri ſyluæ.
Pæoniæ.
Populi oculi, ſeu gemmæ.
Primulæ veris, Paralyſis, Verbaſculi odorati.
Prunellæ, Agricoccimelææ.
Prunorum ſylueſtrium.
Roſæ { albæ. rubræ. Damaſcenæ pallidæ.
Roriſmarini, ſiue Anthos.

Saluiæ.
Saliuncæ, Nardi Celticæ.
Sambacis, Iaſmini.
Sambuci.
Scabioſæ.
Schœnanthus, Iunci odorati.
Siliginis.
Spicæ hortulanæ.
Stœchados, Arabici, Citrini.
Tamariſci.

Tanaceti.
Thapſi barbati, Verbaſci.
Tiliæ.
Tunicæ, Caryophylli hortulani.
Tuſſilaginis, Farfaræ.
Vetonicæ.
Violæ purpureæ { Purpureæ, Martiæ. Matronalis.
Vrticæ mortuæ, Lamij.

## FRVCTVS ET GERMINA.

Agreſta.
Alkekengi, Halicacabi, Ceraſa Iudæorum, hyemis, terræ.
Amygdala { Amara. dulcia.
Amoris poma.
Anacardi.
Arantia, mala aurea.
Auellana, Nux Pontica, Præneſtina.

Balanus Myrepſica, Glans Vnguentaria, Been Vtrumque, Serapionis.
Baccæ { Herbæ Paridis. Iuniperi, Grana Turdorum. Lauri.
Berberis, Oxyacanthæ Gal: Baccæ Creſpini. Matth:

Cappares majores, minores.
Caricæ, Ficus aridæ, paſſæ.
Caryophyllum.
Carpobalſamum, fructus, grana Balſami.
Caſſia fiſtularis, Siliqua Ægyptiaca.
Caſtanea, Glans Sardiana.
Ceraſum { Rubrum, dulce. Nigrum, acidum.
Citrium malum, Medicum.
Cicer { Rubeum, Venereum. Candidum, Columbinum. Nigrum, Arietinum.
Colocynthis, Cucurbitæ ſylueſtris.
Corna.

Coni

tgresta.

Alkekengi. Fruct9 5. aut 7. aut plures ɔtundatē cum bono vino albo, posteà colentē & exhibentē ad Jschuriā & stranguriā. Ar: Villanovan9.

Juglans. Qui sub umbra juglandis arboris diutius aut dormit, rigenti capitis dolore corripitur, vertigine vexatur, Epilepsia vel Apoplexia incidit. V. Sennert. de Venen. l. 7.

* Myrobalanorum species sunt quinque bonorum, Citrinus, Chebulus, Bellericus, Emblicus, Indus. Primo trahit Choleram Citrinus, phlegma secundo Chebulus, contra Bellericus, Emblicus aque illud; Et in nigram Choleram vigor imperat Indus. Hi versus extant apud Platearium.

Coni Cupreſſi, galbuli.
Cocci orientales, Coccoli.
Corinthiacæ Paſſulæ.
Cucumis Aſininus, hortenſis.
Cubebæ, Vuæ Illyricæ.
Cucurbita.
Cydonium, Cotoneum.

Dactylus, Palmula.

Ebuli grana, Baccæ Chamæactes.

Ficus virides, albæ.
Fraga.

Galla immatura, Turcica.
Glandes quercinæ, Dryobalani.
Glandium calyculi.
Granatum malum, Punicum, dulce, auſterum.
Grana tinctoria, Cocci baphicæ, infectoriæ, Kermes, Alchermes.
Groſſulariæ
- Spinoſa, vua criſpa.
- Non ſpinoſa, ribes off.

Iuglans, nux Regia.
Iuiubæ ſiue Zyzypha, Serica.

Limones, Mala lemonia.

Mandragoræ pomum.
Mala inſana, Melangena.
Melones.
Meſpilum, Tricoccum.
Mora Celſi, Sycamina.
Bati, Rubi
- Canini, Cynosbati.
- Idæi.

Myrobalani Glandes Ægypt.
- Emblicæ.
- Chebulæ.
- Citrinæ, Flauæ, luteæ.
- Indæ, Nigræ.
- Bellericæ, rotundæ.

Myrti baccæ, Myrtilli.

Nuclei
- Ceraſorum.
- Mali Armeni.
- Mali Perſici.

Nux
- Moſchata.
- Odorata.
- Aromatica.

Nux Indica.
Vomica.
Methel, Stramonea.
Oculi Populi Gemmæ.
Oliua, muriâ condîta.

Papaueris albi vel nigri Capita.
Permains vel Pippins.
Perſica.
Phaſeoli, Dolychi.
Pini nucleus in conis.
Piſtacia, Fiſtica.
Poma
- dulcia.
- acida.

Pruna Damaſcena, Syriaca, Syracuſana, Vngarica, Vulgaria.
Prunella ſylueſtria, Agricoccimela.
Pyra Moſchatellina.
Aromatica.

Quercus Germina.

Ribes, Vuæ Vrſinæ.

Sebeſten, Myxa, Pruneola pectoralia, nigra.
Sennæ foliculi.
Siliqua, Panis D. Iohannis, Xylocaracta.
Sorba.
Spinæ albæ, Baccæ.
Strobyli.
Sumach, Rhus Obſoniorum.

Tamarindi, Palmulæ acidæ, Oxyphænice.
Tribulus aquaticus, Nux aquatica.

Vuæ Paſſæ, Paſſulæ.

## SEMINA SIVE GRANA.

Abſinthij Seriphij, Santonicum, Cinæ, Barbotina, Contra Lumbricos.
Acetoſæ ſiue Oxalidis.

Acini, Punici ſemina.
Agni caſti, ſiue Viticis, Salicis marinæ.
Althææ, Biſmaluæ.
Ammeos vulgaris, veri, Cumini regij Alexandrini.
Amomi veri.
Anethi.
Angelicæ.
Anguriæ.
Aniſi, Cymini dulcis.
Anthoræ, ſemen Roſarum.
Apij ſatiui, criſpi.
Aquilegiæ, Aquilinæ.
Aſparagi, Corrudæ.
Atriplicis, Chryſolachani.
Aurantiorum.
Auenæ.

Bardanæ, Perſonatiæ.
Berberis, Oxyacanthæ.
Bombacis, Xyli.
Bulbi, Cepæ.

Cannabis.
Cardui benedicti, & Mariæ.
Cardamomi { majoris. / minoris.
Carpobalſami.
Carthami, Cnici.
Carui, Careos.
Caulis, Braſſicæ.
Ceparum, Crommij.
Ceraſorum.
Cerefolij.
Cicutæ.
Citri.
Citruli.
Coriandri, Corij.
Colocynthidos.
Crithmi.
Cubebæ.
Cuſcutæ.
Cucumeris domeſtici, ſylueſtris.
Cucurbitæ, camerariæ.
Cymini, hort. ſylu:
Cydoniorum, Cotoneorum.

Dauci { noſtri. / cretici.

Ebuli.
Endiuiæ, Intybi, Cichorij.
Erucæ.
Eryſimi, Irionis.
Erui ſeu Orobi.

Fabarum.
Fœniculi.
Fœnugræci, Ægocerotis, Siliculæ, Trifolij Græci.
Fraxini, linguæ auis, Orneogloſſi.
Fumariæ, Capni.

Garyophyllatæ.
Geniſtæ.
Granum Gnidium, i. Thymelæa.
Granum Solis, perperã pro milio Solis.
Granum Paradiſi.

Harmel, i. Rutæ ſylueſtris.
Hederæ.
Hippoſelini.
Hordei, eiuſque farina.
Hyoſcyami, Alterci, vtriuſq;.
Hyperici, Perforatæ.
Hyſſopi.

Lactucæ.
Lapathi acuti, Oxylapathi.
Lathyridis, Cataputiæ minoris, Eſulæ vulpinæ.
Laureolæ.
Lentes, Lenticulæ.
Leuiſtici, Liguſtici.
Lini.
Lithoſpermi, Milij Solis.
Lolij.
Loti Vrbanæ, ſatiuæ.
Lupini.

Maluæ.
Mandragoræ.
Maioranæ, Amaraci.

Magi-

L. Ei9 semen vim malignā obtinet, & panis in quo e"
rem q̄dā & veluti temulentiā esitantib9 p̄it, cū in=
gnabili fert somno. Galen. l. 6. de simpl. med. fac.
. de Alim. Sennert. de Venen. l. 6. pt. 7. c. 22. x.

# Lachrymæ. Liquores. Gummi. Resinæ. Pix. Succi.

Χυλος, seu succus proprie is humor est, quo Plantæ nutriuntur, qui sed præcedente incisione et expressione, aut alia præparatione obtinetur. semper nisi calore exsiccatus induretur. ut in Rob et succis inspissatis.
**Liquor** crassior est, et interdum sponte, sæpius illato vulnere elabitur lachrymatim, unde Lachryma fere semper nominatur.
**Resina**. ῥητίνη. est liquor pinguis et oleaginosus sponte vel ex arbore
**Gummi**, gr: κόμμι, est lachryma coagulata, concretaque in truncum ipsum per corticem.
**Gummi Resinæ**, quæ mediam possident naturam; et sunt partim crassæ partim oleaginosa et pinguia.
Gummi aquosis penitus omni solvitur: oleaginosis ægerrime. Resina
Resina flammam facile concipit: Gummi in igne crepitat.
**Pix**, est resina combustæ fluxus: seu, Pinguis et resinosus liquor ex teda colliquatus et eductus. Teda non est arbor sed morbus arboris viz. per senectutem nimia pinguitudine veluti strangulatæ.

* **Violæ**. ℞. Sem: violarum purpurearum ℥ß. cum aqua Veronicæ q. s. f. Emulsio. ista ac mulier excrevit calculos ultra 1600, et aliquot immensuras urinæ. Scholtzii Ep. Med. 192. /.

**Arabicum**. Gummi nomen ab Arabibus deprimitur, et a ... ut ponitur Arabicum intelligitur. Galeno Thebaicum. Aliis Baby... manat ex Acacia Ægypti spina.
Quod laudatur vitri modo pellucidum, sincerum, in vermiculos ... Dein candidum: sordidum ac resinosum inutile.
Vis ejus ad inspissandum et refrigerandum efficax; ocularibus medi... et arteriacis commodissime miscetur. Cutis meatus obstruit et ... oculos reprimit. medicamentorum quibus admiscetur, acrimoniam hebetat.

Ut optime pulveretur, detur in mortario et pistillo calidis verbe...

Raphanus domesticus, citra offensam purgat; et quæcunque ~~in ventri~~culo crassa attenuat. Seminis quod efficacius sit quam radicis ℥iij vel ℥ß teritur addita aqua mulsa aut sero lactis aut aq. Hordei.

Magiſtrantiæ, Oſtrutij.
Melonum.
Melopeponum.
Meſpilorum.
Mezerei.
Milij.

Napi, Buniadis.
Naſturtij.
Nigellæ, Gith.

Ocimi ſeu Baſilici Caryophyllati.
Oleris atri, Petroſelini Alexandrini, hippoſelini.
Oryzæ, Hordei Galatici.
Oſſa Dactylorum.

Papaueris { albi. nigri.
Panici.
Paſtinacæ ſylueſtris, Bauciæ, & ſatiuæ, Carotis, Staphylini.
Petroſelini { Vulgaris. Macedonici.
Perfoliatæ.
Piper { album. longum. nigrum.
Pimpinellæ, Bipinellæ, Pampinulæ.
Piſa.
Plantaginis.
Porri capitati.
Portulacæ, Porcellanæ.
Pœoniæ.
Pſyllij, Pulicariæ.

Rapi, Gongyles.
Raphani, radiculæ.
Rhois culinariæ ſiue Sumach.
Ricini, Cataputiæ majoris, manus Chriſti, Granum regium.
Roſarum.
Rutæ hortenſis, Pegani.

Saxifragiæ.
Scariolæ, Seriolæ.
Semen Sanctum, Santonicum, contra vermes.
Seſami veri, vulgaris.
Seſeleos, vel Sileris Montani Maſſilienſis.
Sinapeos.
Siliquaſtri, Capſici, Piperis Indici.
Solani ſatiui.
Staphydiſagriæ, Vuæ ſylu: Pediculariæ, Piper Marinum.

Thlaſpios.
Trifolij bituminoſi, odorati, Aſphaltitis.
Tritici, cuius farina volatilis.

Vicia.
Violarum.
Vrticæ vulgaris, Romanæ.
Vuarum acini, gigartæ.

Zeæ, Speltæ.

# LACHRYMÆ, LIQVORES, GVMMI, RESINÆ.

Abjetina oleoſa.
Ammoniacum, Tranſma.
Arabicum, Gummi ex Acacia Ægypti ſpina.
Animæ gummi.
Aſa { fœtida, Stercus Diaboli, recrementum Laſerpitij. Dulcis, ſiue Benzoin.

Bdellium.
Balſamum { è Peru, Indicum. Iudaicum.

Camphora, Caphura.
Caranna.
Cedria Pix, Alkitron.
Ceraſorum.
Elemi,

Elemi, Oleæ Æthiopicæ lachryma.
Euphorbium.
Galbanum.
Gum: Amygdalarum.
Iuniperi, Sandaracha Arabum, Vernix.
Hederæ.
Laccæ, Cancamum.
Labdanum.
Laſerpitium.
Larignea reſina.
Lentiſcina, Maſtiche.
Lycium, Crocolytos.
Maſtiche.
Myrrha, arboris Arabicæ.
Olibanum, Thus maſculum.
Opium, lachryma Papaueris nigri.
Opobalſamum, Balſamum Iudaicum.
Opopanax, Panacis Heraclei liquor.
Pini reſina.
Pix liquida, ſicca, naualis, Zopiſſa.
Picebitumen.
Piſſanthum, Liquidæ picis flos.
Prunorum.

Reſina Cypria.

Sagapenum, Serapinum.
Sarcocolla, Carniglutium.
Sanguis Draconis.
Scammonium & Diacrydium.
Styrax { Calamitis.
Ruber, verus, ad ſuffitum, qui cortex eſt.
Liquidus, noſter, Myrrha ſtacte, cuius fæces, comphitæ. }
Strobilina Reſina.

Tacamahacha.
Terebinthina.
Thus, Olibanum.
Thuris Manna, i. puluis, concuſſu eliſus.

Tragacanthum.
Vitium Lachrymæ.

## SVCCI.

Abſinthij ſuccus, in veſica inſpiſſatus.
Acacia, vel ſuccus Prunellorum ſylueſtrium.
Acetum.
Acetoſitas Citri.
Agreſta, Omphacium.
Aloe { Hepatica.
Soccotrina. }
Amylum.
Amurca.
Apij ſuccus.
Arantiorum.

Elaterium, è Cucumere agreſti.
Eupatorij.

Fæx vini.
Fæcula Brioniæ.

Gerſa ſerpentaria.
Glaucium, ſuccus Papaueris corniculati, flore rubro.
Glycyrrhizæ ſuccus.
Grani tinctorij ſuccus.

Hypociſti.s

Manna vel Tereniabin, Mel aëreum.
Meconium, Maſlach, opium offic.

Oleum { recens.
vetus.
Omphacinum. }

Saccharum vel Zucharum, è canna.
Saccharum candum, Tabarzet.

Tartarum.
Vinum.
Viſcus Aucupum. Concuſſu Eliſus.

E PLAN.

emi, est lachryma seu resina stillans ex Olea Aethi-
ca, et in globos concrescit. Gustu in ore dulcis, nec acrimonia nota-
os & palatum ferit.
facit, emollit, digerit, resolvit, coquit, ad suppurationem ducit, sedat
re, et unguentis atque emplastris multis utilissime permiscetur.

O. Gutta Gummi. Vocatur Gummi de Goâ. Gummi
guttæ. Indicum. Peruanum. Gutta gemau. Gemu-
gutta. Gutta Gamandræ, Ghittagemou. Indigenis Si-
narum, Chattacemou, Cattagauma. Succus Gambici.
Succus Crambici. Monardo Gummi Podagricum.
Vide Freitagii Auror. Medic. l. 2. c. 41.

ii Gummi. Sandarax Ar: dicitur à Sandar. Græc quæ
eralis, multum ei dissimile, origine, natura, viribus. Alterum ex
o flavet, leve est, & viribus nostræ amicis commendatur. Alterum
, ponderosum est & deleterium. Renod.

m gr: ὀπὸς. Thebaicum ex Cairo optimum, albicans. Ex Syria Alex-
nigrius et minus bonum.

rrha, est concretus gummeus succus cujusdam arboris Arabicæ.
sillato vulnere stillat myrrha. Sed ante incisionem corticis,
et fiunt plagæ, quasi salivam quandam exudat, et rore stillatitium,
tacte dicitur. quam impiti cum Styrace liquido confundunt.
fragilis, lævis, undique concolor, minutis glebis, amara, acris, odorata,
racta venas unguium modo candidas et læves ostendit. Quæ ex sativa
colligitur sylvestri præfertur. omnium optima Troglodytica; colore sub-
splendens et mordax. Pediasimos et Gabi: bona. Caucalis quæ nigra
rrida est mala. Deterior macra et canositu obducta. Mynæa, pessima.

gr: πίσσα. Liquida vocatur, quæ primum exstillat, fluxilior et humidior.
ia pix offic: Quæ secunda fluit crassior, siccior quod dicitur. Quæ ultima
issima et durissima; et fortissime recurrat. Palimpissa, quasi pix
d et 2° rocta dicitur, quæ est liquida coctione crassescit et duratur. Sicca.
, est pix à navibus maritimis derasa, quæ ob salsuginem à mari contractam, omni
exsiccandum et discutiendum est efficacior. Apochyma vocatur
à Pharm: dicitur à navibus picandis: non jamdiu picatis ut Zopissa.

IA apud medicos est veluti ros cœlestis, dulcis et gratus qui ex aere sudoris
exudans, sublucanis horis super frondes et ramos arborum, herbarumque delabitur
ni modo concrescit. Quæ ex frondibus colligitur præstantior est et vocatur manna de
Pessima quæ de terra nominatur. Optima est Calabriensis. Temperata est,
ulo calidior guttur, asperam arteriam et thoracem lenit, alvum blande movet &c.

yrax. Quæ sponte ex arbore exstillat. ubi ex arbore prosilit,
concrescit in glebam densam, solidam, resinosam, aliquot grumis albicantem.
tissimus Calamita, quod in calamis à Pamphylia ferebatur, nuncupatur. Lentus,
, fragmentis albicantibus, colore et odore perseverantis: Improbatur cano situ
us, inodorus.

+ Sanguis Draconis officinis factitius ex Hircino
sanguine, bolo Armeno, & sorborum vel aliorum astringentium
succo, eadem quam bolus ac cetera compti dus efficit. Fernel. l. 6. c. 3.

×Cor leporis in quartana secretum. Reperitur ut pulmo vulpis, postquam est pulvere redactum, atque in 3es aequales portiones divisum 3bus vicibus exhibeatur hora una aut circiter ante invasionem vino albo, aut alio liquore convenienti dissolutum. Vidi ego et semel atque iterum post huius amuleti assumptionem, febrim deinceps non magis apparuisse, aut saltem paulatim evanuisse. Verum hoc non statim ab initio morbi, sed ubi iam manifesta coctionis signa apparent, faciendum. Monavius in Ep. Scholtzii. 229.

Hoc non semper prodesse experientia me et alios docuit. Sennertus de Quartana.

# E PLANTIS NATA.

Agaricus, Fungus laricis.

Bedeguaris ſpongia, quercini generis.

Calices glandium, Capulæ glandium.

Epithymum.

Farina volatilis.

Furfur.

Muſcus.

Viſcus quercinus.

Iudaica auris. Spongia sambuci.

# ANIMALIA.

Aſelli, Millepedes.

Bombyces.

Buccinæ.

Capones.

Cantharides.

Cancri fluuiatiles.

Catuli.

Catus ſenex, emaſculatus.

Cicadæ.

Cygnorum pulli.

Erinaceus.

Formicæ.

Galerita aſſa.

Hirundines.

Hirudines, Sanguiſugæ.

Limaces terreſtres, Cochleæ.

Lutra.

Lumbrici, ſeu vermes terreſtres, Inteſtina terræ.

Meli, Taxi.

Motacillæ.

Paſſer, troglodytes.

Purpuræ.

Ranæ virides.

Scorpiones terreſtres, triti, vſti.

Talpæ.

Teſtudines.

Tincæ, piſcium medici.

Tineæ.

Viperæ, Tyri.

Vulpes.

# ANIMALIVM PARTES EXCREMENTA, ET EX IIS DESVMPTA.

Caro viperina.

Calcaneus { Cerui. Leporis.

Cornu { Cerui, Simplex, Vſtum. Vnicorni, Monocerotis. Rhinocerotis, Capræ.

Cerebrum { Leporis. Paſſerum.

Caogulum leporis, &c.

Os è corde Cerui.

Os cruris bouis.

Cranium humanum, in eo os triquetrum.

Os, & teſta Sepiæ.

Ebur, ſiue dens Elephantis, ex quo fit Spodium.

Dens Apri. Fibri.

Blatta Byzantia, Vnguis odoratus, Conchula

chula Indica.
Pulmo Vulpis, Agni, Suis, Vrſi.

Hepar { Anatum. / Aprinum, / Aſininum. / Lupi; eiuſq; Inteſtina,

Adeps { Anatis, Ardeæ, Arietis, Cameli, Canis, Caponis, Capri, Caſtoris, Cuniculi, Equi, Anſeris, Gallinæ, Hominis, Leonis, Leporis, Lucij, Muris montani, Pardi, Serpentum, Tauri, Taxi, Timalli, Vrſi.

Axungia porci.
Pinguedo vituli, Vulturis, Vulpis.
Seuum Hircinum, Caprinum, Ceruinum, Bouinum, Ouinum, Vaccinum, Taxinum.
Medulla bouis, ouis, Agni, Cerui, canis, capræ, cruris vaccæ, tauri, vituli.
Fel taurinum, vaccinum, Accipitris, Milui, Caprinum, Suillum, leporinum.
Caſeus recens, vetus.
V. Vulg. Error. Browne. l. 3. c. 4. Caſtoreum, teſtes fibrorum. non veri, sed metaphorici.
Lapis { ex felle bouis. / è capite Carpionis, Percarum.
Mandibula Lucij piſcis.
Mel.
Mel virgineum.
Oui teſta excluſi pulli.
Aqua lactis.
Perna, Coxa Porcina.
Talus ſuillus.
Pili Leporis.

Stercus { Humanum, lupinum, murium, ouillum, caprinum, columbinum, equinum, gallinaceum, hirũdinum, vaccinum, Caninum ſiue album Græcum.

Pelliculæ ſtomach: Gallinæ.
Spolium ſerpentis, Senecta anguium.
Saliva.
Sudor.
Nidus hirundinum.
Propolis, in alueorum foribus, & rimis, cereum.

Butyrum vaccinum, ſalis expers, ſalſum.
Ichthyocolla, Gluten piſcium.
Lac aſinæ, capræ, mulieris, ouis, vaccæ.
Lapis Bezoar Orientalis, Occidentalis.
Moſchus.
Zibethum.
Mumia ſepulchrorum, Piſſaphaltum.
Ouum gallinaceum, formicarum.

Sanguis { Hircinus, Humanus, Anſerinus, Caninus, Caprinus, Ceruinus, Columbinus, Leporis, Perdicis, Veſpertilionum, Suis, Taxi, tauri, teſtudinis.

Serum lactis.
Sperma { Ranarum. / Ceti.
Teſtes { Galli. / Equini.
Cera { alba, Citrina, / rubea, flaua, } factitia.
Oeſypus, lanæ ſuccidæ pinguitudo.
Oculi Cancri, Lapides Gammarorum.
Sericum crudum. }
Seta è bombice. }
Virga Ceruina, Taurina.
Vngula Alces, Aſini, Capræ, Porci.
Vrina hominis, Apri, Capri, Canis, Tauri.

# MARINA.

Ambra griſea odorata.
Aqua & arena maris.

Bitumen Iudaicum, Aſphaltus.
Buccinarum teſta.

Carabe, vel Cacabre, i. Succinum, Electrum, nigr: Gagates, Ambra citrina.
Cancrorum, gammarorum teſta.
Cionia teſta.
Concha venerea.
Corallina. Muſcus marinus. Sea-mosse.
Cochlearum teſta.
Corallium { album / rubrum } frutrex ſaxeus,
Dactyli.

# Pulmones.

pis, laudatur valde à Mesue ad vitia pulmonum, angustias pectoris, eo quodam Eclogma Arab: Looch vocatur, quod phthisicis conducere asserit: in ejus ingratus, et ~~teter odor~~ efficiunt, ut minus quam credibile, valere tioribus judicetur. Renodaeus.

i, Suis, Ursi, impositum, attritus à calceamentis contractos ab inflam: e mederi. Disp: Med: Florent:

Bezaar. quasi Bel-Zaar Dominus Veneni. Hujus pulvis sumptus vel admotus vulnera à scorpionibus vipis, & inflicta sanat, et jis vivis inspersus torpida et minimo nocua reddit. Renodaeus.

Bezaar ex Cervorum lachrymis Lapis: Ideo dicitur Apri Lachryma. V. Langius Epist. Med. l. 2. Ep. 24.

ex felle bovis. Judaei apud Turcas cum malo sint colore regio laborent morbo, naturaque taciturni sunt & melancholici et praesentius remedium adversus eum morbum norunt. Itaque medici suae regionis admonebant de conquirendo eo Lapide in felle. non invenitur in omni felle. sed in decimo quoque inveniuntur ejusmodi lapides. Bellonius Observ. l. 3. cap. 46.

## Marina.

rista, et bituminis quoddam genus ex maris fontibus et alveis procellarum vi ructatum, quod aeri expositum illico densatur.

doratissimum, sine sordibus, quodque acu perfossum multum succi pinguis resudat; cis cineri. Improbatur nigrum et valde candidum.

t, resolvit, cor. et partes principales reficit, lipothymiae medetur, vires entem exhilarat, palmo conducit.

accersitur Ambra vino permista: Senibus & natura ... accomodatior & tutior, quam juvenibus. Fern: l. 5. m. m.

I, est vel candidum, vel nigrum. Candidum levius et odoratius est optimum. pellucidum et attritu calefactum corismarim odorem refert, paleasque trahit. idoneo liquore datum, valet ad album uteri fluorem, viscera roboranda, fluentem cohibendum. Datum ℈j pondere ex ovo sorbili profluvio seminis et tabidis, intestinorum difficultatibus haemoptoicis, & à longo tempore . Renod: Exiccat leviter calefaciendo ideo etiam ad humidos bos valet. Fumus ejus comitiales restituit, dentium dolores mitigat. Partum = ondere ex vino albo potui datur, ad fetum maturandum et partum accelerandum. difficultate ... pondere in aqua saxifragiae bibitur. Quidam eo cum semine vino epoto, urina 15 diebus retenta excrevit. Med: Flor: Andernac.

ina. drachmae pondere pueris data vermes in ventre enecat.

MARGARITÆ ab oībꝰ valde cordiales censentr, ideoq; ad cor exhilarandū in
Vide Rondeletiū l. 1º de Testaceis. cap. 51.

Spongia; in spongiis fere oībꝰ inveniuntr lapides. Seligendi v. qui
innascuntr, qbꝰ vis ad frangendū calculū datr. vis ea nō adeo va
lapidē in vesicā stabulantem cominuat (inquit Galenꝰ.)

× Nitrū ] si vis pbare Nitri bonitatem, mitte Nitrū in ca
ignitum, si totū avolaverit bonū, si a. aliqd remanserit, m

Dactyli.
Dentalis.

Entalis.

Flos ſalis, Maris, Sperma Cœti.

Halcyonium, ſpuma & pila Maris.

Lapis ſpongiæ, Spongites.
Margarita ſolida, perforata, vnio.
Mater Perlarum.
Mitulorum teſta.
Muria.

Naphtha, genus liquidi Bituminis, Petroleum.
Pumex.
Purpura.

Spongia, fungus maris.
Succinum album, citrinum, nigrum vt prius.

Tellina.

Vmbilicus marinus.

## SALES.

- Sal Gemmæ, foſſilis, Cryſtallinus, Indus, Ammoniacus, Armeniacus, Niger, communis, Factitius, Petræ, Marinus, Alkali &c.
- Nitrum, Sal nitri.
- Aphronitrum.
- Spuma ſalis, è ſpuma Maris.
- Borax vel Baurach, Tinear.
- Chyſocolla factitia è nitro foſſili.
- Terra viridis.

# METALLICA
## MINERALIA, ET LAPIDES.

Æs, i. æs Vſtum.
Æris ſquama, batitura decutita.
Æris flos, rubigo æris, ærugo.
Ærugo raſilis, i. viride æris.
Ætites, Lapis Aquilæ.
Alabaſtrites.
Alabaſtrum.
Alana terra, Tripolis vulgo.
Alectorius, lapis Gallinaceus.

Alumen
- Natiuum
  - Liquidum.
  - Rotundum.
  - Sciſſile, plumoſum, capillare.
- Factitium.
  - Vulgare rupeum, ex lapide candido. Alumē rochæ.
  - Catinum, ex cineribus Sodæ
  - Squamoſum, ex lapide ſpeculari, Scariolæ.
  - Fæcum, ex fæcibus vini
  - Zucharinum, ex rupeo aqua roſaceâ, ſaccharo & oui albumine.

Amiantus, ſeu Amianthus, linum viuum, amentum, pilus Salamandræ.
Ampelitis terra.
Amethiſtus, violacei coloris gem.
Antimonium, Stibium, Stimmi.
Antimonij vitrum.
Argentum
- ſoliatum.
- Scobs argenti.

Argentum viuum, hydrargyrus, Mercurius.
Argentum viuum
- præcipitatum.
- Sublimatum.

Armenius lapis, ſeu Armenus.
Arſenicum, Arrhenicum, i. album ſublimatum, cryſtallinum.
Auripig-

Auripigmentum, i. Arſenicum luteum.
Argilla.
Aſterius gem.
Aurum foliatum, obrizum.

Berillus.
Bolus Armenus, gleba Orientalis.
Bufonius lapis.

Cadmia natiua, lapis Calaminaris.
Cadmia fornicaria, botrytis, thutia, offic: ex fauilla calaminaris natiuæ.
Calx, viua, extincta.
Ceruſſa.
Calcanthum, vitriolum, atramentum ſutoriũ, copparoſa, { alba. / viridis. / cærulea ſiue Roma:
Chalcitis, atramentum rubrum.
Chalybs, ſtomoma ferri.
Chryſolithus.
Chryſopaſius.
Cotes.
Creta { argentea, alba. / viridis, cærulea, rubra.
Cryſtallus.
Cinnabaris { minium natiuum. / factitia ex ſulphure & argento viuo.
Diaphryges, fæx æris ſubſidens quod bis toſtum.
Ferrum, ferri ſcoria, ſquama, rubigo.

Granatus, Carbunculus Charcedonicus.
Gagates, obſidianus lapis, carbo petræ.
Gypſum.

Hæmatites, lapis Sanguinarius.
Hyacinthus.
Iaſpis.
Lazuli, lapis Cyaneus.
Lapis { Lyncis, Aſius, Arabicus. / Belemnites, Lincyrius. / Iudaicus, τηχόλιθος.
Lythargyrum colore { auri, Chryſitis. / argẽti, Argyrites.

Magnes, Sideritis, Herculeus lapis.
Marchaſita, Pyrites, Zeg nigrum Arabum.
Marmor.
Melanteria.
Miniũ { natiuum, cinnabaris naturalis. / factitiũ { ex ceruſſa, Sandix. / ex plumbo calcinato, minium vulgare.
Myſi, atramentum luteum.

Nephriticus lapis.

Ochra lutea, lutum Montanum.
Ophites, marmor Serpentinum.
Onix, lapis Onychinus.
Opalus.
Plumbum { album, argentarium, ſtannũ. / nigrum, vulgare.
Plumbago, Molybdæna, Galena, Lapis Plumbarius.
Pompholyx ſiue Tuthia Arabum, Nihili album. Bulla Cadmica.

Rubinus lapis, Pyropus, Carbunculus.
Rubrica fabrilis, ſynopica.
Realgar: Arſenicum rubrum.

Sapphyrus, Cyanos.
Stannum.
Sardinus lapis, Sarda, Corneolus.
Smaragdus.
Selenitee, Specularis lapis.
Spodium, Nil griſeum.
Sulphur { natiuum, viuum. / factitium, vulg.
Flores ſulph.
Sory, Atramentum metallicum, griſeum.
Smyris, Smerillus.

Terra { Sigillata, Lemnia ſacra, Sphragis. / Samia, Selinuſia, Chia, melita. / Sileſiaca, Strigenſis, Solis Axungia,

Thracius

...ustū. Probat rubrū nigrum v. plus quam decet, excustū est. ...stringit, exiccat, reprimit, extenuat, attrahit, vlcera purgat ... cicatricē producit, vitia oculorum emendat, vomitus ciet cū hydromelite ... et cū melle delinctū illitūve.

... Squama. Fit dū id malleis percutit. Præstantior est ea quæ ex ære ... ari fiunt excutit Helitis, i. clavatis inde quasi dicta. Vires hē quales ustū.

... Flos. Adstringit, et excrescentia coercet; offusas oculis ca... emendat, sed magnopere mordet. 4or obolorum pondere datus humorem ... extrahit.

...go. [illegible] hē acrem, digerentem, attrahentem, et liquantem carnē ... modo teneram, sed etiam duram. Nō hīt v. gustū mordicat ærugo, ... ipsa etiā vlcera. [illegible] si ejus pauculū cerato non pauco admiscueris, ... ex ambobus exit mixtū citra morsū extergit. /.

...res, creditur partū accelerare, si femoribus alligetur, retardare, si super ... acho aut inter mammas gestetur. /.

...astrites, e marmorum generibus, plerumque albus et sub pallidū ... ad vasa ... ...dis et conservandis unguentis idonea reputatur. Crematus, resina aut pice ... duritias discutit, stomachi dolores cū cerato levat, gingivas comprimit. ... matthiolus.

...n, Odore crassior est ptium et multum astringit. Mediocriter calefacit, ...gat, vlcera putrida emendat, humida siccat, carnem superexcrescentē absumit ... tollit, scabiem sanat, ad multa medicamenta vlceribus destinata vtili... ...ccedit. /.

...ystus. Ebrietatem impedire, sed insomnia excitare dr.

...tus. /.

...itis terra, vt et Emigitis et Melia, quarum meminit Gal. et Dios. ... ignavæ sit virtutis, aut certe tales purum emendatos pollicentur effectus, ... a junioribus emendentur. Renod.

...onius, Stibiū, Stimmi.

...hū. Auro censetur frigidius, cujus tn vires et dignitatem quadam tenus refert. ... primi gradū obtinet. Frigidū et humidū est temperate; vnde membris ... libus auxiliari creditur. Valet ad cordis palpitationem; ipsū namque roborat ... rum adjuvat, efficitque laudabiliore. Dogmatici eo tm vtunt, vt auro, ... vel laminas tenuissimas redacto.

...eni Lapis; maculis multis et viridibus et cæruleis ... quadā subnigris distinguitur. Vnde Verdazuro quasi viride ... lleū appellant. Vires hē affines cū Lazulo vt dici facile ... ihi pt. In iisdē fodinis vterque reperitur in ærariis venis ... rgenteis. Lazulus tn potius in Aurariis. / Renod.

Aurum.] Quomodo potabile fiat calori nostro invincibile. Casp. Hofm: Inst. l. 5.

lcanthū. } Accepi chalcanthū loco chalcitidos
lcitis. } [illegible] fossilib, cui invenos, qd mihi constat,
nullibi hodie extant, ipsis in viribus
rt chalchanthus à Chalcitide nisi majoris aut minoris
mine, hi etiā raro puritis aut impuritis. Scholtzii Ep. 97.
halcanthi Oleum toti9 corporis [illegible] pmeat,
dine tollit & humiditās superfluas consumit.
ming crebro utendū in extenuatōe. Id. Ep. 161.

Tartarii: J.

Tartari pulvis albiss: & cremor crystallusq quidā,
tartarus vitriolatus pituitas biliosq educunt. Cremoris si
purgare volis ℥i addi gr: 3. vol. 4. diagridii. /.

Thracius lapis. Chimolia.
Tartarum, fæx vini.
Talchum.
Topaſius lapis.
Turcoſius, Feruzegi Meſues.
Teſtæ fornaceæ.

*Plura iiſdem ſimplicibus nomina, ſæpe condonamus, & diuerſa quandoque ſpecierum indiuidua diſtinguendo ſupponimus. Succedanea antiballomena in claſſes redigere minimè placuit, ne vel in ſubſtitutis audaculi, viliora & ſpuria, pro magis pretioſis & legitimis arripiant: hæc enim (quo decet) ſuo ſemper loco ſubiecimus. Simplicium capita ſic recenſuimus, vt ſub his recenſita enumeraſſe ſufficiat. Hæc ſi aduertant, dictum ſatis.*

Simplicia quæ Antonomasia quadam cæteris præstant, à quo eorum denominatio sumitur. /

| Simpliciter. | Intelligitur. |
|---|---|
| Aloe. | Succotrina. |
| Aristolochia. | Rotunda. |
| Acetum. | Vini: nō Zythi. |
| Balsamũ. | Nativũ ex arbore Ægyptiacâ. |
| Benjoin. | Amygdaloides. |
| Dictamn⁹. | Cretensis. |
| Dulcis radix. | Glycyrrhiza. |
| Endivia. | Cichoriũ latifoliũ. |
| Epithymus. | Cassutha thymo innata. |
| Fel terræ. | ~~Centaurium~~ minus. |
| Fæniculus. | Marathrum. |
| Granatum. | Acidum. |
| Gummi. | Arabicum. |
| Hedera. | Corymbifera. |
| Hellebor⁹ | Nigror. |
| Hepatica. | Lichen. |
| Hyoscyam⁹. | Albus. |
| Iasminum. | Album. |
| Lactuca. | Sativa. |
| Lilium. | Albũ ac bulbosũ. |
| Marrubium. | Prassiũ albũ. |
| Menta. | Vera et hortensis. |
| Nasturtium. | Semen tantum. |
| Nigella. | Semen tantum. |
| Nymphæa. | Alba. |
| Oleum. | Oliva. |
| Opium. | Thebaicũ. |
| Papaver. | Album. |
| Polypodium. | Quernum. |
| Quercula minor. | Chamædrys. |
| Quinquenervia. | Lanceolata. |
| Regina Prati. | Vlmaria. |
| Rosa. | Rubra. |
| Santalum. | Citrinum. |
| Stæchas. | Arabica. |
| Taps⁹ barbat⁹. | Albus. |
| Terebinthina. | Veneta. |
| Veronica. | Mascula. |
| Viola. | Nigra, vel poti⁹ cærulea. |
| Xyloaloe. | Nigricans. |
| Zinziber. | Malvaticũ, q̃d maxime omniũ expetitur. / |

| Simpliciter. | Intelligitur. |
|---|---|
| Alumen. | Scissile. Wecker⁹. Rupeũ. Ro[illegible] |

Corallium semp. intelligitur Rubrum.

# NVNCVPATIONVM QVARVNDAM COMMVNIVM INTERPRETATIO.

QVINQVE FLORES CORDIALES.

Roſarum.
Violarum.
Borraginis.
Bugloſſi.
Anthos, vel Meliſſæ.

QVINQVE HERBÆ EMOLLIENTES.

Althæa.
Malua.
Beta, Branca vrſina, Acanthus.
Mercurialis.
Violaria. Parietaria.

QVATVOR SEMINA CALIDA MAIORA, CARMINATIVA.

Aniſi.
Fœniculi.
Carui.
Cumini.

QVATVOR SEMINA CALIDA MINORA.

Ammeos.
Amomi.
Apij, Latifolij, criſpi, ſatiui.
Dauci, Pimpinellæ vulgaris.

QVATVOR SEMINA FRIGIDA MAIORA.

Cucurbitæ.
Cucumeris.
Citruli.
Melonum.

QVATVOR SEMINA FRIGIDA MINORA.

Endiuiæ, Anguſtifolij. } Intybi.
Cichorij, Latifolij }
Lactucæ.
Portulacæ.

QVINQVE RADICES COMMVNES APERITIVÆ, DIVRETICÆ, MAIORES.

Apij.
Aſparagi.
Fœniculi.
Petroſelini.
Ruſci.

RADICES DVÆ.

Fœniculi.
Petroſelini.

QVINQVE RADICES APERIENTES MINORES.

Graminis, i. Canini vulgaris.
Eryngij.
Capparis.

Ononidis.
Rubiæ. *majoris*

QVINQVE HERBÆ CAPILLARES.

Adianthũ { nigrum, ſeu Capillus Veneris. album, ſeu Ruta muraria. Saluiæ vitæ.
Polytricon aureum.
Trichomanes.
Aſplenium, Ceterach. Scolopendrium.

QVATVOR AQVÆ PLEVRITICÆ.

Cardui B. Mariæ.
Taraxaconis.
Cardui Benedicti.
Scabioſæ.

FLORES COMMVNES CALIDI.

Chamæmeli.
Meliloti.
Ireos, ſeu Lilij.

TRIA OLEA STOMACHICA.

Abſinthij.
Cydoniorum.
Maſtichinum.

QVATVOR VNGVENTA CALIDA.

Agrippæ.
Althææ.
Aregon.
Martiatum.

QVATVOR VNGVENTA FRIGIDA.

Album Caphuratum.
Populeon.
Refrigerans Galeni.
Roſatum Meſuæ.

QVATVOR VNGVENTA CHIRVRGIS AD MANVM.

Baſilicon, digerit, maturat.
Viride Apoſtolorum, mundificat.
Aureum, incarnat.
Album, cicatrizat. *consolidat.*
*Dialtheæ. ad mitigandũ. Guido.*

FRAGMENTA PRETIOSA.

Sapphyri, Syrtitæ.
Granati, Carbunculi Charcedonici.
Smaragdi.
Hyacinthi, Chryſolithi, Amethiſti.
Sardæ ſeu Corneoli, Sardini.
Rubini, Pyropi.
Margaritarum, Vnionum.

AQVÆ

b. 1.

## Aquæ Cephalicæ.

Aq: Basilici. (Ocimi)
Calamenthæ.
Calendulæ.
Juniperi.
Lilij convallium. —
Majoranæ.
Melissæ.
Pæoniæ. —
Primulæ veris.

Rosmarini. —
Salviæ.
Satureiæ.
Serpilli.
Stæchados. —
Flor. Tiliæ arboris —
Veronicæ.
Visci quercini.
Betonicæ. —

Oēs hæ Aquæ frigidor. humor. qui in cerebro sunt, pituitæ nempe et melancholiæ, p̃ſtāoī inserviunt, p̃cipue Aq: Basil. Beton: rorism: Salviæ, stæch: Serpilli; Apoplexiæ et reliquis ejusmodi soporiferis affectibus ex pituitâ et crudo humore natis dicatæ sunt. /.

## Aquæ ad Paralysin specificæ.

Aq: calendulæ.
Juniperi.
Primulæ Veris.
(q^æ herba palysiī dr̃.)

## Aquæ Antepilepticæ.

Aq: Pæoniæ.
Lilij Conval.
Flor. Tiliæ arb.
Visci quercini.
Cerasor. nigror.

## Aquæ Opthalmicæ.

Aq: Chelidoniæ.
Euphrasiæ.
Fœniculi.
Rosarũ et oculi rosar.
Caprifolij.
* Spermatis Ranar.

## Aq: Thoracicæ.

Aq: Bardanæ.
Camomillæ.
Enulæ camp.
Iridis.
Hyssopi.
Vrticæ.
Peti. ad Asthma.
Adianti.

Scabiosæ.
Tussilaginis.
Buglossi. Boraginis
Violar.
* Papaveris rubri. *
ad peripneumoniā et pleuresin.

Pectoris vitijs mirifice conducunt; Aliæ humori viscido et crasso bronchijs pulmonũ contento attenuando; et juvandæ expectoratiōi; aliæ v. tenuiori incrassando per se vel cũ Syrupo appropriato mixtæ. /.

## Aquæ Hepaticæ.

Aq: Cichorij.
Endiviæ.
Adianti.
Hepaticæ.
Agrimoniæ.
Eupatoriæ Avic.
Lapathi acuti.

## Aquæ Spleniticæ.

Aq: Ceterach.
Scolopendrij.
Genistæ.
Tamaricis.
Pomor. redolẽtiũ.

## Aquæ Cardiacæ.

Aq: Melissæ.
Scabiosæ.
Acetosæ.
Succi citri.
Succi limonũ.
Granator.
Cardui benedi.
Rosar. Violar.

Angelicæ.
Buglos: Borag
morsus Diaboli.
Vlmariæ
Lujulæ, seu Acet

## Aquæ Stomachicæ.

Aq: Absynthij.
Menthæ.
Ambrosianæ.
Cotoneor.

## Aquæ ad Hydropē. [illegible]

Aq: Granor. Ebuli et Sambuci.

## Aq: ad vesicā, renes,

Aq: Malvæ.
Bismalvæ.
Cucurbitæ.

Melonũ
Cucumeris.
Nymphææ.

## Aquæ ad Calculum.

Aq: Ceparum. Allior.
ex Suc: Cortic. virid: nuc.
Raphani.
Halicacabi.
Granor. Juniperi.
Limonum.
Paritariæ.
Milij Solis.
Esulæ minoris.

Verrucariæ
Apij, Asparagi. et R
Eryngij.
Saxifragæ.
Oenonidis. i. Restæ

# AQVÆ SIMPLICIORES DISTILLANDÆ, QVÆ VSVI, ET SVNT IN VSV.

Aqua Abrotoni.
Abſinthij vtriuſque.
Acac.prunell.ſylueſt.Flor.
Acetoſæ ſeu Oxalidis.
Acetoſellæ ſeu Luiulæ.
Adianthi.
Agrimoniæ.
Alchimillæ.
Alkekengi, Halicacabi.
Altheæ.
Alſines.
Anagalidis.
Anethi.
Angelicæ.
Anguriæ, Melopeponum.
Anthemidis.
Apij.
Aquilegiæ.
Arnogloſſi.
Arancior: Flor.
Ari.

Aqua Artemiſiæ.
Aſari rad.
Aſparag.
Auriculæ Muris.
Barbæ hirci, Scurzoneræ.
Bardanæ.
Baſilici. Cephalicas.
Berber.
Betonicæ.
Betulæ arb.
Borraginis.
Braſſicæ.
Brioniæ.
Bugloſſi.
Burſæ paſtoris.
Calami aromatici.
Calaminthæ vtriuſque. cephal.
Calendulæ. Cephal.
Capillorum Veneris.
Caprifolij florum.

Aqua Cardui Benedicti.
Centaurij.
Centinodiæ, ſiue Polygoni.
Ceparum.
Ceraſorum nigrorum.
Cerefolij.
Chamæmeli.
Chamępityos, Iuę arthetice.
Chelidonij.
Cichorij.
Citri Pomorum.
Citrulorum.
Cochleariæ.
Cochlearum.
Conſolidæ maioris.
Corticum Iuglandium.
Craſſulæ.
Cucurbitæ.
Cuſcutæ.
Cynogloſſi.
Cytoniorum.
Dentis Leonis.
Ebuli.
Endiuiæ.
Enulæ.
Eupatorij.
Euphragiæ.
Farfaræ ſeu Tuſſilaginis.
Florum Roriſmarini.
Cyani.
Fabarum.
Lamij.
Siliginis.
Tiliæ.
Tunicæ.
Fœniculi.
Fragariæ, & fragorum.
Fraxini.

Aqua Fumariæ.
Fungorum.
Galegæ.
Geniſtæ.
Gentianæ.
Geranij.
Graminis.
Hederæ vtriuſque.
Helxines, Volubilis.
Herniariæ.
Hippuridis, Caudæ equinæ.
Hirundinum.
Hyperici.
Hyſſopi.
Iridis.
Iuniperi ex granis.
Lactucæ.
Lapathi acuti.
Lauendulæ.
Leuiſtici.
Liguſtri florum.
Lilij Conuallium, & albi.
Linariæ.
Lupulorum.
Maioranæ.
Maluæ.
Marrhubij ſeu Praſij.
Matricariæ.
Meliloti.
Meliſſæ.
Mellis.
Melonum.
Mentaſtri.
Menthæ.
è Mercuriali.
Milij Solis.
Millefolij.
Mororum Celſi.

Mor-

## Aquæ Histericæ.

Artemisiæ.
matricariæ.
Marrubij.
Mercurialis.

## Aq: Arthriticæ.

Verbasci seu.
Tapsi barbati.
Barbæ hirci. seu
candelariæ.
buli.
Ivæ Arthriticæ.

Dolentibus linteamina apponant<sup></sup> imbuta aq. p<sup></sup>dict./.

## Aquæ Sudorificæ.

Cardui bened.
Vlmariæ.
Petasites.
Tormentillæ.

## Aquæ Vulnerariæ.

Aq: Alchimillæ.
Bursæ pastoris.
Caudæ equinæ
Consolidæ Vtriusq.
Pirolæ.
Plantaginis.
Veronicæ.

Renu. Vlceribus et excoriationi inserviunt. Externè.

## Aquæ ad Colicam.

Aq: Anethi.
Camemeli flor.
Sambuci.
Flor. nuc.
Rutæ.

Aqua Morſus Diaboli.
Naſturtij.
Nicotianæ.
Nucum immaturarum.
Nummulariæ.
Nymphææ.
Ononidis.
Origani.
Papaueris vtriuſque.
Parietariæ, Helxines.
Petaſitæ.
Petroſelini.
Periclymeni.
Picarum.
Pimpinellæ.
Plantaginis vtriuſque.
Pœoniæ.
Polygonati, i. Sigilli Salomonis.
Polytrichi.
Portulacæ.
Primulæ Veris.
Prunellæ.
Pulegij.
Pyrolæ.
Pyrorum ſylueſtr:
Quercus, ſc: germinum, fol:
Raparum.
Raphani.
Roris Maialis.
Roſarum { Albarum. Damaſcenarum. Rubrarum.

Aqua Rutæ.
Sabinæ.
Saluiæ vtriuſque.
Sambuci.
Saniculæ.
Satureiæ.
Satyrionis.
Saxifragiæ.
Scabioſæ.
Scolopendrij, Phyllitidis.
Scordij.
Scrophulariæ.
Sedi ſeu Sempervivi.
Senecionis.
Serpylli.
Solani.
* Spermatis Ranarum.
Spicæ Nardi.
Squamariæ.
Tamariſci.
Tanaceti.
Tormentillæ.
Valerianæ.
Verbaſci, Tapſi barbati.
Verbenæ.
Veronicæ.
Violarum.
Vitium lachrymæ.
Vlmariæ, Reginæ Prati, Barbæ Capri.
Vngulæ Caballinæ, Tuſſilaginis, Farfaræ.
Vrticæ.

*Diſtillare iam doctos non docemus, ſeu per aſcenſum, ſeu deſcenſum. Monemus modò, caueatur empyreuma.*

# AQVÆ COMPOSITÆ.

## AQVA ABSINTHII MINVS COMPOSITA.

℞ Abſinthij Sicci libras duas.
Semin: Aniſi libram dimidiam.
Macerentur in ſpiritus tenuioris aquæ vitæ congijs ſex, per horas viginti quatuor, deinde extrahatur ſpiritus per Alembicum addendo poſt diſtillationem,
Sacchari puriſſimi quantũ ſatis.
Eodem modo parantur
Aquæ Folior. Angelicæ cum toto.
Semin: Aniſi.
Cortic: Aurantiorum.
Limonum.
Herbar: Meliſſæ.
Menthæ.
Roriſmarini.
Saluiæ, &c.

## AQVA ABSINTHII MAGIS COMPOSITA.

℞ Abſinthij Romani,
Vulgaris ana. librã vnam.
Saluiæ.
Menthæ.
Meliſſæ ana. manipul. duos.
Radic: Galangæ.
Zingiberis.
Calami aromatici.
Enulæ Campanæ ana. drachmas tres.
Glycyrrhizæ vnciam vnam.
Vuarum paſſarum exacinatarum vncias tres.
Semin. Aniſi.
Fœniculi dulcis ana drachma ſex.
Cinnamomi.
Caryophyllorum.
Nucis Moſchatæ ana. drachmas duas.
Cardamomi.
Cubebarum, ana. drachmam vnam.
Incidantur incidenda, Contundantur contundenda, & in
Vini Hiſpanici libris viginti quatuor infundantur per horas viginti quatuor, deinde diſtillentur in Alembico ſecundum artem: poſt adde Sacchari ad gratiam. q.ſ.

## AQVA ANGELICÆ MAGIS COMPOSITA.

℞ Angelicæ libras duas.
Aniſi ſemilibram.
Coriandri.
Carui ana. vncias quatuor.
Zedoariæ conciſæ vncias tres.
Macerentur in ſpiritus vini tenuioris ſex congijs per horas viginti quatuor, deinde extrahatur ſpiritus fortis, qui Sacchavo edulcorandus eſt.

AQVA

De Aquis minus Compositis.

pt assignari ratio addendi semina anisi aquæ
bsynthij minus compositæ et non alijs ejusdem
imæ: vel ergo in hac omitti debet, vel alijs
|: melius autem est ut in omnibus omittantur,
e redduntur aquæ magis simplices, simplici
cuj intentioni respondentes, quibus alia
le pro re natâ addi possunt, ad arbitrium
dici, et secundum intentionem medicam:
mplices è mixturâ non difficulter red-
ntur Compositæ.

Quantitas aquæ destillandæ non determi
atur, unde Pharmacopœorum aliqui majorem
minorem quantitatem extrahunt, quod Medico
cribenti incertitudinem creat quâ aquæ vigo-
n ignorat: è congijs autem vi, extrahi
ntur congios 4or et ultimus sit terminus
uæ è Alembico relicta, vappida imo
fœtida evadet.

Ob quam rationem, consultius magis erit
spiritus vini, duplam aquæ pluvialis
misceri, et quantitas destillanda
urgat ad congios undecim vel
decim sic deducenda est aqua ad
atem mitiorem & magis temperatam.
iberi sic possint et in majore
titate propinari: quod exemplum in aliquibus
orum feci unde magis gratæ sunt
bsynthium magis sapiunt, aut aliâ
estillanda simplicia; & vim retinent
ati fortem, & calori nostro magis ana
ogum: Utrumque tamen libri, primò
recto retineri possunt sub Titulo
ritus absynthij,

llem ego ut omnes istæ aquæ simplices seu
nus Compositæ in Officinis præparentur
ibus vel solis, vel cum alijs mixtis
i possumus: unde etiam melius de
itate earum, et certâ præparandi methodo
icare ~~fecerimus~~ possumus.

Rorismarino destillato assurgit oleum
mbeum, è corticibus etiam oleum
quam supernatat: quod vel infundibulo
bent separari./

℞ Aqua Absynthij magis composita.

Non opus est ut herbæ melissa, mentha, Salvia, huic compositioni addantur, cum aquæ ex istis herbis seorsim destillantur.

Galanga & radix Enulæ ingrati sunt saporis; medicamento ergo stomachico misceri non debent.

Glycirrhiza destillando parum edit præter liquorem aquosum insipidum; in sua dulcedine mollitie & lubricitate consistit ejus, quæ non nisi soli Radici debentur.

Eadem est passularum ratio.

Sapor & odor Caryophyllorum parum convenit.

Quantitas aquæ destillandæ incaute omittitur.

Spiritus & Aqua Angelica magis composita

Aqua hæc in nova Pharm. ista quæ in veteri prostat præferenda est quippe ingredientia potentiorem istius aquæ (quæ qualitate Alexipharmaca de(?) [illegible]) magis quadrant.

Infusio Specierum ratione absona seorsim potius exhiberi poterit, si opus fuerit ~~[illegible]~~ in veteri, menstruum est spiritus vini, in nova Vinum Hispanicum: Veteris fortior est Spiritus, in nova magis alexipharmacus.

Quantitas Aquæ destillandæ male relinquitur prudentia Pharmacopœi, quod arguit Medicum ignorare justam aquæ extrahendæ quantitatem. Ego ad dimidiam quantitatem rem determinari judico, sic è aqua debiti vigoris esset, nec saperet Empyreumatis./

Spiritus Lavendulæ Compositus
Novæ Pharmacopœiæ.

...eur conficitur ista aqua, & artificiosè,
...anissimus Exceptis: Infusio enim sem: Pæoniæ
...Jujubarum fuit ut citius aqua putrescat.
...nfusio Perlarum et Smaragdorum omittenda potius
...st, reddit enim aquam turbidam, & oculis ingratum
...re opus est, cui addi possint ad placitum, si opus fuerit
...Ambra grisea et Moschus hystericis noxia; ob
...quam rationem, vel penitus omittenda, vel dimidia
...antum parti [illegible], virorum gratiâ, infundenda.

... optima aqua in morbis Capitis, paralysi præsertim
...nde paralytica vocatur) & omnibus affectibus
...omatosis:

## Aqua Bezoartica Langii.

Valet contra pestem et omne virus. Datur ℥ß [illegible] cum aquis Chelidoniæ, acetosæ, aut cardui benedicti [illegible] permixta ac [illegible] Theriacæ scrupuli duo vel [illegible] dissolvi potest in cura pestis. Langius 1. Optima est et probata contra pestem. ibid. Dosis [illegible]

valet etiam ad accelerandum partum, in quem [illegible] magna quantitas istius aquæ vendita fuit à Domino Clerke pharmacopœo, in ulteriori parte pontis [illegible] Londinensis habitante.

melius concinnatur in nova quam veteri: in [illegible] enim omittitur infusio Specierum, quæ non [illegible] vana est sed et incommoda, quia aquam [illegible] turbidam.

## AQVA BEZOARTICA BREVIS LANGII

lib. 3. epiſt. 1.

℞ Chelidonij cum radicibus lotis manipul. tres ſemis.
Rutæ manipul. vnum.
Scordij manipul. duos.
Dictamni Cretenſis.
Cardui benedicti ana. manipul. vnum ſemis.
Radic: Zedoariæ,
Angelicæ ana. drachmas tres.
Cortic: Citri,
Limonum ana. drachmas duas ſemis.
Florum Tunicæ.
Roſarum ana. drachmas duas.
Cinnamomi.
Caryophyllorum ana. drachmas quinq; ſemis.
Theriacæ Andromachi vncias tres.
Mithridatij vnciam vnam ſemis.
Camphoræ ſcrupulos duos.
Trochiſcorum de vipera.
Macis ana. drachmam vnam ſemis.
Xyloaloes ſcrupulos duos.
Santali Citrini drachmam vnam ſemis.
Conſeruæ florum Tunicæ vncias duas.
Semin: Cardui benedicti vnciam vnam.
Specierum Electuarij Liberantis ſcrupulos quinque.
Limaturæ cornu Monocerotis vel Cerui drachmam vnam ſemis.

Incidenda incidantur & per triduum macerentur in ſpiritus vini optimi, &
Vini Maluatici, ana. libris tribus.
Aceti florum Tunicæ libra dimidia,
Et lentiſſimo igne diſtillentur per B.M. S.A. in vaſe vitreo.

Poſtquam ad medias facta fuerit diſtillatio; Quod in vaſe erit, colari poſſit per pannum lineum, Colatura diſtillatione reduci in Extractum mellagineum, quod aſſeruerur ſub nomine Extracti Bezoartici; & hoc modo ex omnibus penè aquis compoſitis Extracta parari poſſunt.

## AQVA BEZOARTICA MATTHIOLI.

℞ Antidoti magnæ Matthioli.
Syrupi de corticibus Citri ana. libram vnam.
Aquæ vitæ factæ ex vino præſtantiſſimo, & per diſtillationes ſæpius repetitas rectificatæ & ad quintam eſſentiam redactæ libras quinque.

Ponantur omnia in Matratio vitreo capaciori, deinde optimè occluſo vaſe ne quid reſpiret, conquaſſentur ſimul diligentiſſimè, vt Electuarium optimè cum ſpiritu vini commiſceri poſſit; & ſic

ſtent

ſtent ſimul commixta per integrũ menſem, bis in ſeptimana vas vt prius concutiendo, Electuarium enim facilè in fundum reſidet: finito menſe, aquam claram Electuario ſupernatantem in aliud vas vitreum leniter effundes: vas optimè cera & charta pergamena occludendo; alioqui ſpiritus facilè in fumum euolabit.

## AQVA CAPONIS.

℞ Caponem euiſceratum, atque in fruſta inciſum, ademptâ pinguedine; decoque in quantitate ſufficienti aquæ ſecundùm artem.

℞ Brodij colati libras duas ſemis.
Aquarum Borraginis,
Bugloſſi.
Vini albi ana. libram vnam ſemis.
Flor: Roſarum.
Violarum.
Bugloſſi.
Borraginis ana. drachmas duas.
Micarum Panis recentis libram dimidiam.
Cinnamomi electi fracti vnciam vnam.

Diſtillentur in Alembico vitreo ſecundum artem.

## AQVA CINNAMOMI.

℞ Cinnamomi contuſi libram vnam ſemis.
Vini Hiſpanici libras duodecim.

Macerentur & diſtillentur per Alembicum. Extrahendo fortioris lib. iij. tenuoris q. ſ. Stillatitio liquori addatur Sacchari puriſſimi in tenuiſſimum pollinem redacti, quantum ſatis.

## AQVA CINNAMOMI MATTHIOLI.

℞ Cinnamomi contuſi libram vnam ponatur in matracium affundendo.
Aquæ Roſaceæ libras quatuor.
Vini Hiſpanici librã vnã ſemis, & optimè occluſo vaſe ponantur in Balneum tepidum per horas viginti quatuor, deinde aperto vaſe & ſuperpoſito roſtro diſtillentur ſ. a. iuncturis optimè clauſis, ne quid tranſpiret.

## AQVA CINNAMOMI CLARETA PER INFVSIONEM.

℞ Cinnamomi contuſi vncias quatuor.
Spiritus vini rectificatiſſimi libras duas.

Fiat infuſio per quatriduum vaſe amplo, vitreo, ſubere & veſicâ apprimè clauſo, vas quotidie bis terve agitando. Seorſim vero diſſoluatur libra dimidia Sacchari candi Cryſtallini in libris duabus Aquæ Roſar. Miſceantur iſti duo liquores colati, & indatur nodulus continens,

Ambræ

Aqua Caponis.

vires restaurandas.

Aqua Cinnam. /. Mat.

valde commendatur ad partũ celerandũ, secundinas expellendas, facultates renouandas, et flatus discutiendos. Rnod.

Ambræ griſeæ ſcrupulum dimidium.
Moſchi Orientalis grana quatuor.

## AQVA COELESTIS MATTHIOLI.

℞ Cinnamomi vnciam vnam.
Zingiberis vnciam dimidiam.
Santalorũ omnium ana. drachmas ſex.
Caryophyllorum.
Galangæ.
Nucis Moſchatæ an. drachmas duas ſemis.
Macis.
Cubebarũ ana. drachmam vnã.
Cardamomi vtriuſque.
Semin: Melanthij ana. drachmas tres.
Zedoariæ vnciã dimidiã.
Semin: Aniſi.
Fœniculi dulcis.
Paſtinacæ ſylueſtris.
Ocimi ana. drachmam vnam ſemis.
Radic: Angelicæ.
Caryophyllatæ.
Glycyrrhizæ.
Calami odorati.
Phu minoris.
Folior: Sclareæ.
Thymi.
Calaminthæ.
Pulegij.
Menthæ.
Serpylli.
Maioranæ ana. drachmas duas.
Florum Roſarum rubrarum.
Saluiæ.
Roriſmarini.
Betonicæ.
Stœchados.
Bugloſſi.
Borraginis ana. drachmam vnam ſemis.
Corticum Citri drachmas tres.

Terantur quæ terenda ſunt, & macerentur per dies quindecim in libris duodecim ſpiritus vini optimi, in vaſe vitreo optimè clauſo, deinde diſtillentur in B. M. ſ. a. Poſtea aquæ diſtillatæ adde
Specierũ Diambræ.
Aromatici roſati.
Diamoſchi dulcis.
Diamargariti frigidi.
Diarhodon Abbatis.
Electuarij de Gemmis an. drachmas tres.
Santali Citrini contuſi drachmas duas.
Moſchi,
Ambræ griſeæ in tela rara ligatorũ ana. ſcrupulum vnum.
Iulepi Roſati clari libram vnã.

Optimè ſimul conquaſſentur, vt Iulepum cum aqua benè incorporari poſſit, deinde clauſo vaſis orificio, cum cera & charta pergamena, reponantur, dum reſidentiam depoſuerint, & aqua ſit facta clara.

## AQVA CORDIALIS.

℞ Foliorum Angelicæ libram dimidiam.
Folior: Cardui benedicti vncias ſex.
Meliſſæ.
Saluiæ ana. vncias quatuor.
Semin: Angelicæ vncias ſex.
Semin: Fœniculi dulcis vncias nouem.

Herbæ ſiccæ, & ſemina craſſiuſculè contundantur, quibus adde
Specierum Aromatici Roſati Gabrielis.
Diamoſchi dulcis ana. vnciam vnam ſemis.

Infundantur per biduum in vini Hiſpanici libris triginta duabus, diſtillentur ſecundùm artem, lento igne, & extrahe aquæ fortioris libras decem, quibus poſt biduū, adde ſacchari libram vnam ſemis ſoluti in aquæ Roſaceæ libra vna ſemis ſuper ignem.

Ex reliquijs aquæ mitioris, libræ ſex aut plures extrahantur, pro vehiculis Cordialium.

## AQVA CORDIALIS FRIGIDA SAXONIÆ.

℞ Succi Borraginis.
Bugloſſi.
Meliſſæ.
Biſtortæ.
Verbenacæ.
Oxylapathi.
Acetoſæ.
Rutæ Caprariæ.
Myrrhidis.
Cyani maioris,
minoris, vel duplum minoris.
Roſarum.
Calendulæ.
Limonum.
Citri, ana vncias ſex.
Succi Pimpinellæ.
Pentaphylli ana vncias tres.
Aceti vini albi libram vnam.
Semin: Portulacæ.
Florum Nymphææ ana vncias duas.
Terræ Lemniæ.
Sileſiacæ.
Samiæ, ana vnciam vnam ſemis.
Specierum Diatrionſantalon drachmas ſex.
Margaritarum præparatarum cum acido Citri drachmas tres.

Infundantur ſpecies flores & ſemina omnia (præter terras & margaritas) in ſuccis, & aceto, factâ maceratione per tres dies diſtillentur in B. per Alembicum vitreum. Liquori ſtillatitio addantur terræ cum Margaritis, & affatim ei miſceantur.

AQVA

* Aqua Mirabilis pro Enterocelis.

℞. Vini rubri opt. lib. ij.
Fol: myrti
Olivarū viridiū. an. M. j.
Myrrhæ, Thuris. ana ℥j.
Distillentur hæc simul in B. M. /.

Usus. Hâc aqua omni nocte fomentetur Tumor, reponendo primò intestinū placide et sine dolore; Post fomentaōem applicetur Emplastrū, et ligatura apta & conveniens. Servit etiā hæc aqua ad Herniam umbelicalē. Ezech: de Castro lib. de Colostro. Puncto 3°.

* Aqua Antepileptica.

N.B. Ex his descriptis, additis rasurae ungulae Alcis ʒ[illegible] Cranei hominis antiquis ℥j. Corall. rub. ʒj. F[illegible] Smaragdi ʒß. pulverisati singuli et Mithrid. op[illegible] cum Syr. de Stæch. q. s. poterit facere mixtu[illegible] Comitiali, morbo efficacissimā. Langi l. 26.

## AQVA ANTEPILEPTICA LANGII.

Lib. 3. Epiſt. 1. *Sc. 2*.

℞ Florum Tiliæ manipul. tres.
Lilij Conuallium manipul: quinque.
Semin: Pœoniæ conquaſſatorũ vnciam dimidiam.
Infundantur in libris quinque vini albi optimi per dies octo, deinde diſtillentur in B. M. lento igne, poſteà
℞ Florum Roriſmarini manipul: dimidium.
Florum Lauendulæ manipul: vnum.
Herb: Rutæ manipul: vnum.
Betonicæ manipul: dimidium.
Flor: Stœchados Arabicæ pugil: vnum.
Radic. Pœoniæ drachmas duas ſemis.
Dictamni albi drachmas duas
Scillæ præparatæ drachmam vnam ſemis.
Pyrethri drachmam dimidiam.
Viſci Quercini drachmas duas.
Caſtorei optimi drachmã vnã.
Cubebarum.
Cardamomi ana. ſcrupul. vnũ.
Macis ſemidrachmam.
Caryophyllorum ſcrupul: duos.
Nucis Moſchatę ſcrupul: vnum.
Infundantur inciſa & conquaſſata per dies ſex in prædicta ſtillatitiâ, & iterum diſtillentur per Alembicum in B. M. lento igne, & ſeruetur in vitro exquiſitè clauſo. Extractum Antepilepticum efficax vnâ eâdemq; paretur operâ.

## AQVA HYSTERICA.

℞ Succi Radicum Brioniæ libras quatuor.
Succi Rutæ.
Artemiſiæ, ana libras duas.
Folior: Siccorum Sabinæ manipul. tres.
Matricariæ.
Nepetæ.
Pulegij regalis, ana. manipul. duos.
Folior: Ocimi.
Dictamni Cretici, ana manipul. vnũ ſemis.
Corticis Aurantiorum flaui recentis vncias quatuor.
Myrrhæ vncias duas.
Caſtorei vnciam vnam.
Vini Canarini generoſiſſimi libras duodecim.
Digerantur per quatriduum vaſe idoneo, mox fiat in Balneo diſtillatio, deinde ſub medium diſtillationis expreſſio, & colatura: & tandem per diſtillationis continuationem, & tincturæ inſpiſſationem, præparetur Extractum Hyſtericum.

## AQVA IMPERIALIS.

℞ Cortic: Citri ſicci.
Aurantiorum.

Nucis Moſchatæ.
Caryophyllorum.
Cinnamomi, ana vncias duas.
Cyperi.
Ireos Florentinæ.
Calami aromatici, ana vnciam vnam.
Zedoariæ.
Galangæ.
Zingiberis, ana vnciam dimidiam.
Summitat: Lauendulæ.
Roriſmarini, ana manipul. duos.
Folior: Lauri.
Maioranæ.
Hyſſopi.
Meliſſæ.
Menthæ.
Saluiæ.
Thymi, ana manipul. vnum.
Roſarum albarum.
Pallidarum recentium. ana manip. dimidium.
Aquæ roſarum libras quatuor.
Vini albi optimi libras octo, &

Contuſis contundendis infundantur per horas viginti quatuor in Alembico vitreo ſuper cineres calidos, deinde diſtillentur vt artis eſt.

## AQVA MELISSÆ MAGIS COMPOSITA.

℞ Meliſſæ libram vnam.
Thymi.
Pulegij, ana drachmas tres.
Cinnamomi drachmas duas.
Cardamomi minoris drachmã vnam.
Granorum Paradiſi vnciam dimidiam.
Semin: Fœniculi dulcis vnciam vnam.
Nucis Moſchatæ.
Zingiberis, ana drachmã vnam.
Galangæ drachmas ſex.
Calami aromatici.
Cyperi ana. drachmam vnam ſemis.
Dictamni drachmã dimidiam.

Contundantur omnia & infundantur in vini Hiſpanici libris octo, &,
Ceruiſiæ fortis libris ſex, horas viginti quatuor.
Diſtillentur per Alembicum extrahendo fortioris libras tres.

## AQVA MARIÆ.

℞ Sacchari candi libram vnam.
Vini Canarini vncias ſex.
Aquæ roſaceæ vncias quatuor.

Fiat Syrupus benè coctus, cui adde

### Aq. Pæoniæ composita.

Est aqua contra Epilepsiã artificiosè composita ~~ … ~~ folia à visci quercini parũ aut nihil addunt virtutis, omitti ergò possunt, quippe quæ nituntur opioni veterũ superstitiosæ: sed et etiã aquam reddunt magis ingratã.

Alia etiã aqua à me socijsq Doctoribus sic concinnatur.

℞. Flor primulæ veris recentiũ lbj.
Infundantur in vini Canarini opt. et generosi ℥iiij.
In eodẽ etiam vino infundantur tempore maturationis
Flor Lilior convalliũ. lbj. Pæoniæ ℥iiij. Tiliæ lbj.
Destillentur in B. M. ad siccitatẽ: In destillato liquore
macerentur Rad Pæoniæ maris debito tempore collectæ
℥iß. Angelicæ primulæ veris. Aristolochiæ longæ ana
℥ß. Fol. Rutæ Salviæ Rorismar. ana. M.ij.
Sem. Pæoniæ decorticator. ʒ ...
Rutæ. ℥ß.
Castorei. ʒij. Piperis ℥ß.
macis ℥ij. cinnam. elect. ℥ß.
Flor Rorismar. Lavend: Beton. ana. m.vj.
Stœchados ℥ß.
Tum succi cerasor. cũ nucleis contusor. lbiij.
adjectis destillentur in vitreis organis ad siccitatẽ
Et aqua in Nimbo usui reservetur. ~~(…)~~ (fere) septembris

Aq. à confecta, et circa mensem
proponda sic se habet.

℞. Rad Ari ℥iiij. Flor Rorismar. Beton Tiliæ. ana. M vj. Rad. Pæoniæ maris cũ Angel. ℥vj. Aquæ cerasor. nigror cũ nucleis contusi dest: lbvj. Spiritus vini rectificati. congiũ unũ. Aq: Pluvialis. Congiũ unũ gemin. Camphoræ ℥ß. Macerentur x circiter dies. Dest. in Alembico ad extractionẽ lbxviij. Aqua in Lagenis reservetur: quæ satis amica erit et in majori qtitate sumi possit, à pueris scil. ad ℥i. ab adultis ad ℥ij./

### Aqua Petasitidis

Est aqua Alexipharmaca, haud nimis farragin[…] è tribus tantũ Rad Alexipharmacis const[…] In Alla generosa destillatur; & possit su[…] in Largiori qtitate, quàm quæ è Spiritu destillentur./

### Aqua Raphani Compos.

Artificiosè satis concinnatur: valet cont[ra] Scorbutũ propriè dictum, morbum scil: mari[…] et Aquilonijs regionibus familiarẽ, ubi sa[…] nimis incrassatur ab Aere & dietâ salsâ, difficulter digestâ: male à utitur ubi sanguis est nimis tenuis, acris, et volatilis: qd ubiqs et frequenter [...] in Malâ ægror reni:

Destillentur ad 2as liquoris tertias.

de Aquæ cœleſtis libras duas.
Ambræ griſeę.
Moſchi ana. Grana octodecim.
Croci grana quindecim.
Santali citrini in aqua cœleſti infuſi dracmas duas. fiat aqua depurata.

## AQVA MIRABILIS.

℞ Caryophyllorum.
Galangæ.
Cubebarum.
Macis.
Cardamomi.
Nucis Moſchatæ.
Zingiberis,ana drachmam vnam.
Succi Chelidoniæ libram dimidiam.
Aquæ vitæ libram vnam.
Vini albi libras tres.
Infundantur viginti quatuor horas, & diſtillentur per Alembicum libræ duæ.

## AQVA RORIS SOLIS, vulgo dicta, ROSA SOLIS.

℞ Nucis Moſchatæ,
Semin.aniſi,
Coriandri, ana vnciam vnam.
Galangæ,
Zingiberis,
Caryophyllorum, ana vnciam dimidiam.
Roſarum rubrarum manipul: vnum.
Roris Solis manipul. ſex.
Glycyrrhizæ raſæ vncias duas.
Cardamomi,
Zedoariæ.
Granor: Paradiſi,
Calami aromatici, ana drachmam vnam.
Santali citrini drachmas duas.
Santali rubri.
Cinnamomi ana vnciam vnā ſemis.
Aquæ vitæ optimæ libras duodecim.
Infundantur ſ. a. per octiduum, & percolatis adde Sacchari libram vnam ſemis.

## AQVA DOCTORIS STEPHANI.

℞ Cinnnamomi,
Zingiberis,
Galangæ,
Caryophyllorum,
Nucis Moſchatæ,
Granor: Paradiſi,
Sem: Aniſi,
Fœniculi,
Carui ana drachmam vnā.
Herb: Thymi,
Serpylli,
Menthę,
Saluiæ,
Pulegij,
Parietariæ,
Roriſmarini,
Flor: Roſarum rubrarum.
Chamæmeli,
Origani,
Lauēdulæ, ana manipul. vnum.
Vini Gaſconici libars duodecim.
Infundantur omnia per horas duode-

duodecim, deinde in Alembico diſtillentur fortioris libræ tres.

## AQVA PROTHERIACALIS.

℞ Fol: Scordij,
Scabioſæ,
Cardui benedicti,
Galegæ, ana manip. duos.
Corticum Citri,
Aranciorum ſicc: ana vncias duas.
Semin: Citri,
Cardui benedicti,
Seſeleos,
Thlaſpios, ana vnciam vnam.
Florum Calendulæ,
Anthos, ana manip. vnũ.

Incidenda incidantur, & contundenda craſſiuſculè contundantur, & cum vini albi meraci libris quatuor, & aquæ Cardui bened: libris duabus, in vas vitreum immittantur bene obturatum, ità vt per duas hebdomadas inſolentur, vel in ſtupha furnaria per aliquot dies macerentur, factâ ſ. a. agitatione frequenti. Tum demum in B. M. diſtillentur, ità vt libræ duæ priores extillatæ per ſe ſeparatim vſui reſeruentur. Quæ verò poſteà per diſtillationem effluit aqua, itidem per ſe vſui aſſeruetur; tandemq; ſingulis libris admiſce.
Iulapij Alexandrini vnciam vnam.
Aquæ Cinnamomi cochleare vnum.

Haud nos latet plurima ſimplicia ingredi compoſitionẽ Theriacę, quorum virtutes diſtillatione factâ in B.M. elici nequeunt adamuſſim. Hanc igitur ex induſtria ſubſtituimus, cui tempore exhibitionis Medicus rationalis pro data indicatione vel Theriacam, vel Diaſcordium, vel Syrupum aliquem conuenientem poterit adijcere. Receptam tamen Theriacalis ſtillatitię vnam adiunximus, ne pręuaricati videamur.

## AQVA THERIACALIS LVGDVNENSIS PER INFVSIONEM.

℞ Vini optimi diſtillati aliquoties,
Vini Cretici,
Aceti acerrimi, (in quo ſeminũ Rutę vnciam ſemis fuerit incocta,) ana libras duas.
Theriacę electę,
Mithridatij optimi, ana libram dimidiam.

Miſce ac inſolentur, vel tepore Balnei aliquandiu calefiant ac deinde aſſeruetur vſui aqua colata.

## AQVA THERIACALIS STILLATITIA.

℞ Succi putaminis viridis nucum Iuglandium libras quatuor
Succi Rutę libras tres.
Succor: Cardui benedicti,

Calen-

Aqua Theriacalis Lugd:

[Lu]gdunenses Medici efficacius remedium nullum hâc
[a]quâ experti sunt, q^m^ caeteris, non omissis quae ad hanc
[cura]tionem ptinent, ad p̃cautionem à Lue pestifera mane
[e]xhibuerunt ad cochlearia duo: In curatione v. ℥ij.
c̃ aquae Scabiosae vel Cardui benedicti ℥vj dederunt.
[D]isp. Norimb.

Aqua Febrifug[redacted]
Pet: Poterij.

℞. Hederæ terrestris cū folijs & Radic. Apij item integri, Cichor: Acetosæ, Centaureæ min. an. M. vj./ Macerent^r triduo' herbæ oēs ɔtusæ, et p Bal. Mar. proliciat^r aqua, q^a recentib^9 herbis reaffusa; iterum extillet^r ut prius. In dictæ Aquæ ℥iiij, si p nocte infundat^r Magne=sia Saturninæ bis calcinatæ ℥ß. et mane' colet^r fit Aqua verè Febrifuga. Cujus dosis erit ℥iiij. v. vj. paulo' ante Paroxysmum. de Febrib^9 Lib. 2. c. 19°.

× Ex Zingibere, infuso in suff. quant. "Vini, per 15: dies, & postea' per "calorem Balnej Mar. exugit^r Aqua, "quæ ad ℥ij. exhibita, vnâ aut alterâ "horâ ante poxismum, ipsum mirificè "sublevat, & minuit: Idem ibid./.

## Aqua ꝯtra Calculū Ren:

℞. Rad: Apij, oinones, eryngij et raphanorꝫ p taleolas incisarꝫ an: ℥ij. Siliquarꝫ virid: fabarum ℥iij. Saxifragarꝫ oium, cristæ marinæ, pimpinellæ, ameos, summitatū Altheæ an. m. ij. granorꝫ Alkekengi, cicerꝫ rubrorꝫ. Sem: milij Solis an: ℥ij. mala citria in orbiculos secta. m. iij.
Macerent integrā diem in vino albo. Postea destillentur, Aqua reponat vase idoneo, cui pū Spir: vitrioli misce, vt acescat, viresq habit majores.
Mira e huius aquæ vis ad calculū atterendū, et expellendū, vrinā ciendā, menses movendos, ꝑtum accelerandū, viscidos humores attenuandos, tollendas obstructiones.
Dis 2° Cochlearia aut paulò plus ꝓ sumentis ætate et virib9: mane jejuno stomacho, vel longe à pastu.

## Aqua ad Gonorrheam.

℞. Fol: acanthi, et lapathi hortensis concis: summit. Altheæ an. m. ij. florꝫ nenuph. m. iij. Sem: Lini, Senelorꝫ an. ℥ß. Sem: quat. frig: majorꝫ an. ℥j. macerent p diem in lacte asinino vel vaccino, postea destillent in balneo.
Facultatē ht leniendi, acrimonias auferendi, sordes renu, et ptiu p quas et lotiu, et semo excernunt, expurgandi, et intemperies corrigendi.

Spiritus Castorei

Medicamentum longo usu approbatum satis artificiose concinnatum. detur ℈ß vel ℈j pro vice in affectibus hyster[illegible] ventriculi flatibus, morbisque nervos[illegible] in convenienti aliquo vehiculo.

Destillari possunt ℔ iiij: nec conv[illegible] est ut ulterius destilletur, ne [illegible] Empyreuma: et quia Spiritus vi[illegible] ad siccitatem fere destillatus [illegible] ingratum & foetidum habet sap[illegible]

Desideratur in Pharmacopoeia Amstelredamen[illegible]

Calendulę,
Meliſſæ, ana libras duas.
Radicum Petaſitæ recentium libram vnam ſemis.
Radic: Bardanæ libram vnam.
Rad: Angelicæ } recentiũ, ana
Imperatoriæ } vncias ſex.
Folior: Scordij manip. quatuor.
Theriacæ Andromachi veteris & probatæ,
Mithridatij, ana vncias octo.
Vini Canarini generoſiſſimi libras duodecim.
Aceti vini albi acerrimi libras ſex.
Succi Limonum libras duas.

Fiat per biduum digeſtio in fimo equino, vel Balneo, vaſe optimè clauſo, deinde per arenam diſtillatio: & hinc inter diſtillãdum paretur extractum Theriacale.

## AQVA VITÆ vulgò ſic dicta, vbique venalis, ad vſum pauperum.

℞ Ceruiſiæ, & fœcum vini, ana quantum vis, extrahatur ſpiritus tenuis in Alembico amplo, cuius roſtrum per aquam frigidam tranſeat, in cuius ſpiritus congijs decem macera ſemin: Aniſi parùm contuſorum libram vnam, per horas viginti quatuor, deinde extrahatur ſpiritus fortis.

## AQVA VITÆ COMPOSITA.

Fit ex ſpiritibus tenuioribus vini, in quorum congijs ſex, macerentur per biduum.
Sem. Aniſi ſemi libra,
Fœniculi,
Carui, ana vnciæ duæ.
Caryophillorum.
Cinnamomi.
Zingiberis an: vncia dimidia.
Et poſteà extrahatur ſpiritus fortior.

## SPIRITVS CASTOREI.

℞ Caſtorei recentis vncias quatuor.
Florum Lauendulæ recentium vnciam vnam.
Summitat. Saluiæ & Roriſmarini, ana vnciam dimidiam.
Cinnamomi drachmas ſex.
Macis.
Caryophyllorum an. drachmas duas.
Spiritus vini rectificati libras ſex.

Digerantur in Phiala, ad tertias tantum repletâ, veſicâ bubulâ & ſubere optimè clausâ per biduum in cineribus tepidulis vel arena, deinde ſpiritus eliciatur per B.M. vaſe diligentiſſimè obturato aſſeruandus.

## VSQVEBACH.

℞ Aquæ vitæ fortioris libras viginti quatuor, quibus per quatriduum
Infunde Glycyrrhizæ libram vnam.
Vvarum paſſarum libram dimidiam.
Caryophyllorum vnciam dimidiam.
Macis,
Zingiberis, ana drachmas duas.
ſeruetur colatura pro vſu.

## AQVA ALVMINIS *FALLOPII.*

℞ Aquarum Plantaginis.
Roſarum rubrarum ana libram vnam.
Aluminis Rochæ,
Argenti viui.
Sublimati ana drachmas duas.
Alumen & Sublimatum terantur, deinde ponantur cum aquis in vas vitreum, anguſti oris, bulliantq; ſimul ad conſumptionem medietatis, deinde ſtent per dies quinque vt deſideat ſublimatum & fœx aluminis, poſtea effundatur aqua limpidiſſima, & ſeruetur in vaſe vitreo. *Fall. morb. Gal. c.* 93.

VINA

# VINA MEDICATA.

## VINVM ABSINTHITES.

Confert ſtomacho roborando, coctionē juvat, alvi Lumbricos enecat. /.

℞ Abſinthij ſicci manipulum pro vnoquoque Congio vini, immittatur in vas benè obturatū & ſic maneat in infuſione.

## VINVM ANTHOSATVM.

Fit eodem modo, quo vinum Abſinthites: ſic fit & vinum Euphragiæ, vt & reliqua omnia, quando Medico videbitur.

## VINVM SCILLITICVM GALENI.

℞ Scillæ albæ montanæ circiter Canis ortum collectæ in laminas conciſæ, libram vnam.

Per dies decem in vmbra refrigera, deinde ſcillæ laminas refrigeratas in vitreum vas mitte, & ſuperinfunde vini albi veteris Gallici ſextarios duodecim, & ſuſpenſum vas per dies quadraginta habeto, poſtea ſcillam exime, & abijce.

Commendat ad Cerebri et nervorū frigidos affect⁹. Admodū incīdit. Vomitū provocat &c.

ACETA

# ACETA MEDICATA.

## ACETVM DISTILLATVM.

℞ Aceti optimi quantum ſufficit; impleatur alembicum ad tertiam tantùm partem, imponatur vas in cineres, & diſtilletur primò lento igne vt phlegma ſeparetur; deinde ſenſim ignem augendo, tandem forti abſoluatur.

## ACETVM ROSACEVM.

*MES.*

℞ Roſarum rubrarum mediæ maturitatis, præſectis & abiectis vnguibus, abſque rore, ſine pluuia collectarum, in vmbra extra ſolem ad triduum aut quatriduum expanſarum & reſiccatarum libram vnam.

Aceti ſextarios octo.

Inſolentur diebus quadraginta, deinde coletur acetum ac reponatur; mutari etiam folia Roſarum poſſunt, & ſic odore gratius fiet acetum.

## ACETVM SAMBVCINVM.

*MES.*

Fit ex floribus ſiccatis Sambuci, vt Roſaceum.

Eodem modo parari poſſunt Aceta ex floribus ſiccatis,

Anthos.
Calendulæ.
Saluiæ.
Tunicæ. &c.

## ACETVM SCILLITICVM.

*MES.*

℞ Scillæ laminę inter corticem & cor mediæ, ex arte purgatæ, & in taleolas ſectæ, Soli aut remiſſo calori exponantur per triginta aut quadraginta dies: dein libra vna minutim conciſa (cultro è candidiore ligno parato, aut eburneo) in lagenam demittatur, optimi aceti

Acetu Theriacale Norimb.
Q: Nices. Vtimur temporae pestis et in morbis ...
dam inter ... extra. dpus. Norimb.

ceti libris ſex affuſis: vaſculum ritè obturatum (ne quid exhalet) exponatur æſtiuo tempore radijs ſolaribus, triginta aut quadraginta dies: poſteà aperto vaſe totum tanſcoletur, & lagenis diligenter occluſis adſeruetur.

## ACETVM THERIACALE.
*NORIMBERG.*

℞ Radic: Chelidonij maioris vnciam vnam ſemis.
Angelicæ.
Oſtrutij.
Gentianę.
Biſtortę ſiue ſerpentarię.
Phu veri, Valerianę.
Pimpinellę.
Dictamni albi.
Helenij,
Zedoariæ ana drachmã vnam.
Plantaginis maioris drachmam vnam ſemis.
Folior: Piloſellæ.
Saluiæ.
Scabioſæ.
Scordij.
Dictamni cretici.
Cardui benedicti, ana manipul. dimidium.
Corticum &

Semin: Citri ana drachmam vnam ſemis.
Boli Armeni Orientalis drachmam vnam.
Croci drachmas tres.
Cornu Ceruini drachmam vnam ſemis.

Ex his, Crocus, Cornu Ceruinum, Dictamnus, & Bolus Armenus in linteo ligentur, ac macerentur vna cum præſcriptis in libris quinque aceti acerrimi per plures dies in vaſe vitreo benè clauſo ad temperatum calorem.

In colatura diſſoluantur
Theriacæ optimæ drachmæ quinque.
Et ſæpiùs conquaſſentur, & ſeruentur ad vſum.

## ACETVM THERIACALE.

Optimum etiam parabitur Acetum Theriacale, ſi aquæ Theriacalis propriâ ſectione deſcriptæ magmati addantur Caryophyllorum vnciæ duæ, florũ Lauendulæ vncia vna ſemis, atq; affundantur aceti Roſacei & Sambucini acerrimi ana libræ quatuor, fiatq; ſine ebullitione digeſtio in fimo per octiduum, mox per manicam colatura.

# DECOCTA.

Eſt ad univerſu humores ad expulſionem præparat: incidit, tenuat, concoquit, aperit, abſtergit,

Flatus potenter diſcutit; ob id Colicos dolores mitigat. Inditur potiſſimu Enematibus, ubi pituita frigida ac craſſi flatus turbant. Phar: Aug:

## DECOCTVM CARMINATIVVM.

℞ Semin: Aniſi.
Dauci.
Fœniculi.
Cumini.
Carui, ana drachmas tres.
Florum Chamæmeli manipul. dimidium.
Vuarum Paſſarum vnciam vnam ſemis.
Coque in libris duabus aquæ ad medietatem ferè.

## DECOCTVM COMMVNE PRO CLYSTERE.

℞ Maluæ.
Violariæ.
Parietariæ.
Betæ.
Mercurialis ana manipul. vnum.
Semin: Fœniculi vnciam ſemi.
Coquantur in ſ. q. aquæ ad libram vnam.

## DECOCTVM COMMVNE PRO MEDICINA, *GVAYNERII.*

℞ Hordei mundati pugil. vnum.
Prunorum dulcium numero ſex.
Vuarum Paſſarum.
Tamarindorum.
Glycyrrhizæ ana vnciam dimidiam.
Sem. Aniſi.
Fœniculi, ana Drachmas duas.
Æſtate adde,
Semin. quatuor frigidorũ maiorum, ana drachmas duas.
Flor: trium Cordialium, ana Pugil. vnum ſemis.
Fiat decoctio in libris duabus aquæ ad partis mediæ conſumptionem.

DECOC-

## De Clysteribus seu Enematis

æ.
Enemata admodum conducunt, et nobilissima
et mitissima in omnibus passionibus, et Affectibus
Capitis.
Cathartico exhibito, si 2 aut 3 horas nullam
fuerit operationem, applicetur Enema medi-
e, ut attrahat. /.
Si Patiens satis diu Enema non reti-
nuerit, ordinetur statim aliud, et si etiam hoc
cito exierit, illico tertium; non enim sunt
ndi ægri, ut retineant, sed alia ordinanda.
uo Enemata vulgariter una die adminis-
ntur, aut ad summum tria, ultra quod non facile,
raro est procedendum, sintque ad minus 4or
e inter unum et alterum.
Si a. unum Enema bene fuerit operatum, et
extet debilis, sit hoc uno contentus.
Epilepsia, Apoplexia, Spasmo, Paralysi
communiter Clysteribus acribus utendum, modo
adsit unum, atque alterum quod impediatur.
Dysenteria propter ulcera in intestinis,
ysteria sint tepida, non calida.
In Calculo Renum et Vesicæ, nihil præstantius
pro eductione superfluitatum, quam clysteres:
quantitas illorum interdum debet esse minor so-
, quia repletio auget intestinorum dolorem:
ea materia ita evacuata, mundificata,
olore quietato detur diuretica.
quoque Enemata aliquot, vel diversa, uno et
die exhibita, etiam ex fortissimis cathar-
composita, nullius essent operationis, sumatur aqua
nè et vehementer salita, et fiat Enema,
lide injiciatur. Hoc nunquam fallit, sed cum
a peccantium excrementorum copia semper redit.
secretum magnum. E. G. ℞. Aq: calidæ ℔j.
Com. ℥iß. Mixta et soluta fiat Enem. indantur.
uicunque habet difficultatem anhelitus ad
rendum Enema omnino non est cogendus. /.
iorum Enematum descriptiones Vide apud
ian. à Mynsicht. In Thes. med. Chy. S. 32.

Decoctum pro Scabie. Fumariæ.
℞. Cichor: cum toto, acetosæ, lupuli, agrim:
recentium an. M. j. absinth: rorism: an: p. 2.
in coque in sero lactis recenti ad consump. 4tæ partis
et instilla aceti sambuc. vel rosacei cochl. 2.
hujus seri vel cum ℥j syrup. cichor. cum Rhabar
haustum mane et vesperi quotid. bibat ad dies
aliquot. Addi potest, Sassafras, Cort: Frangulæ,
fragaria, cuscuta, epithymum, Scabiosa, Beccabung.
Nasturtium aquat: Ad Festum:

### Ad Viscerum infarctus et hypochondr. affectiones, Scorbutum et Quartanam,

### Decoctum Veteris Galli.

℞. Rad: Turbith alb. gummos. ʒvj. Hellob.
nigr. præpar. Polypod. Quern. Asari, Peuced.
Acetosæ, Centaur. min. an. ʒij. Herbarum Cochlear.
Epithymi, Fumar. Scolopend. an. M. j. Veronicæ, Ca-
pill. Ven. an. M. ß. Cort: frangulæ ℥ß. Rad. Capp.
Tamaris. an. ʒij. Fol. Sen: Alexan. ℥iß.
Florum borag. buglos. Anthos an. p. j. Sam-
buci, p. ij. Sem: Fraxini excorticati, Pastina-
cæ, an. ʒij. Sem: anis. ℥ß. Crem. Tart. ʒvj.
Passul. ℥iß. Trita infarciantur gallo, coquantur
et fiat, ut moris est.
Hujus decoct. ℥ß. affund: ℥j. Syrup.
sequentis pro dosi quotidiana.

℞. Succi Cochl. recent. ℔j. Acet. ℥ß.
Nastur. hort. Fumar. beccabungæ an: ℔ß.
Vini Rhen: ℔j. Rad. Turpet. ℥j Rhab. ℥ß.
Fol. Sen: Al. ℥iij. Crem. Tart. ℥ß. Zinzib.
ʒiij. Sem: Anis. ℥ß. Spicæ ʒij. Infundantur,
ebulliant leniter, exprimantur, Colaturæ
adde sacchari q. s. f. Syrupus.

## Decoctum Pectorale.

Vires. Celebre in Thoracis vitiis, anhelantibus, sputo promovendo, et distillationibus expectorandis. Foesius Pharm: August.

### Aliud decoctum pectorale.

℞ Anisi, foeniculi, adianti, glycyr: an: p. aeq: Cinnam. mastic: an: ʒj. Coq: ad 4tae partis consumptionem.

Vires. Exasperationes faucium et thoracis asperitates lenit: robur quoque visceribus addit, et ventriculi facultates excitat, flatusque intestinorum abunde dissipat. Foesius.

## Decoctum Epithymi.

Hoc medicamentum Venetis medicis, praesertim egregio M.
in usu celebre.

Vires. Egregie bilem evacuat atram; Cancro, Elepha
caeterisque affectibus melancholicis confert. Corporis ulcera
cutis oppugnat, easque potissimum quae ex Lue Hispanica ortu
in quas non dubitatus est effectus. Foesius in Pharm:

## Decoctum Raporum.

Accipiantur rapae, et cortices ad man
tum incidantur, & affusa aqua coquantur
abijciatur aqua, deinde alia affundatur;
exprimatur, cui addatur butyri recentis,
Sacch. candi q. s. Expertum in catarrhis
alibus. Scholtzius. Consil. 221. fine.

## Decoct: Florum et Fructuum.

Vires. Moderate refrigerat, lenit, et humectat: cor,
et pectus recreat, humores ad commodam evacuationem apparat.

DECOCTVM EPITHYMI, *M. E. S.*

℞ Myrobalanorum Indarum.
Stœchados Arabicæ.
Vuarum Paſſarum.
Epithymi, ana vnciam vnam.
Myrobalanorum Chebularum.
Fumiterræ, ana vnciam dimidiam.
Folior: Sennæ, vnciam vnam.
Polypodij quercini drachmas ſex.
Turpeti albi vnciam dimidiam.
Eupatorij drachmas quinque.
Seri lactis caprini, vel vaccini libras tres.

Bulliant omnia ſimul præter Epithymum ad conſumptionem librarum duarum, tunc adde Epithymum, & ſemel ferueſac: tolle ab igne, & adde,

Hellebori nigri drachmā vnam.
Agarici drachmā dimidiam.
Salis Indi drachmā vnam ſemis.

Stent per octo horas vel decem macerata; factâ deinde optimâ expreſſione colentur.

DECOCTVM FLORVM ET FRVCTVVM.

℞ Caricarum numero quinque.
Prunorum Damaſcenorum numero quindecim.
Iuiubarum.
Sebeſten, ana numero viginti.
Tamarindorum vnciam vnam.
Florum Roſarum.
Violarum.
Borraginis.
Bugloſſi, ana drachmam vnam.
Capillorum Veneris.
Lupulorum.
Endiuiæ, ana manipul. dimidium.
Glycyrrhizæ drachmas duas.

Incidantur & contundantur pro vſu, & in libris tribus aquæ fontanæ decoquantur ad tertiæ partis conſumptionem.

DECOCTVM PECTORALE.

℞ Vuarum Paſsarum mundatarũ vnciam vnam.
Sebeſten.
Iuiubarum, ana numero quindecim.
Dactylorum numero ſex.
Caricarum pinguium numero quatuor.
Hordei purgati vnciam vnam.
Glycyrrhizæ vnciã dimidiam.
Capillorum Veneris.
Hyſſopi.
Scabioſæ.
Tuſſilaginis, ana manipul. dimidium.

Incidantur & bulliant in libris tribus aquæ fontanæ, dum libra vna abſumatur.

## DECOCTVM SENNÆ. *GEREONIS.*

℞ Foliorum Sennæ vncias duas ſemis. Fol. Sen: ℥j. Folliculorum ℥ß. Ph: August.

Zingiberis drachmam vnam.

Florum Borraginis,
Violarum,
Roſarum rubrarum.
Anthos, ana drachmas duas.

Radic: Polipodij quercini vnciam dimidiam.
Vuarum Paſſarum Purgatarum vncias duas.
Sebeſten,
Prunorum, ana numero duodecim.

Vires. Affectib' melancholicis, Quartanis, Cancro, Lui veneræ et similib' idoneum. Ph: August.

Aquæ fontis libras quatuor.

Fiat decoctum ſecundùm artem ad dimidias, ità vt Senna parùm ebulliat, & vas optimè obturatum per ſex horas dimittatur, deinde exprimatur.

## LAC VIRGINEVM.

℞ Aluminis crudi vncias quatuor.
Decoquantur ad tertias in aquæ fontanæ libris duabus, poſteà
℞ Lithargyri libram dimidiam.
Aceti Vini libram vnam ſemis.
Decoquantur ad libram vnam, colentur & commiſceantur ambæ aquæ, & agitentur dum albeſcant.

Potio

Emulsiones.

* Emulsiones in mortario aeneo factae movent vomitum ut probat Crato in Scholtz. Ep. 179.

# Potio Vulneraria.

* De potionib[us] vulnerarijs magna c[on]certatio apud Chirurgos. De ijs optime p[rae]cepit Felix Wurtzius in Chirurgia sua c. 5. part. 4. Cujus c[on]sideratione & admonitiones cu[m] c[om]poni[bus] earunde[m] potionu[m] vulnerariaru[m] N. Vide illic. Q[uo]d si ex ijs simplicib[us] tales potiones p[rae]parandae sunt, meo c[on]silio praxis optime institueretur, si Arcana ipsor[um] philosophice parata deinde miscerentur, & usui accommodarentur, dosibus admodu[m] exiguis. Haec n. maxime penetrativa sunt, & una vel altera dosis t[antu]m p[rae]stat, quantum aliae plures decoctiones Vulnerarior[um].

* Imprimis a. Arcanu[m] Prunellae est q[uo]d instar o[mn]ium. Dosi q[uo]d ℈j ad ʒß vel ʒj in vino data, illico vulneris emendatione[m], bonu[m]q[ue] successu[m] [illegible], cujus operatio[n]i nihil aequale reperit[ur]. Crollij Basil. Chym. in Admon: pag. 382.

# Potio vulneraria, vulgo decoctum Sclopetarium.

℞ Cancrorum fluuiatilium calcinatorum, & in puluerem ſubtiliſſimum redactorum drachmas duas.
Radicum Ariſtolochiæ rotundæ, & Conſolidæ maioris.
Foliorum Prunellæ,
Baccarum Lauri leuitèr contuſarum ana drachmam vnam.
Omnia includantur nodulo lineo raro, & bulliant in libris tribus Vini albi, ad tertiæ partis conſumptionem, addendo circa medium decoctionis, Vincæ Peruincæ pugillum vnum. Fiat colatura ad vſum.

Iſtud autem decoctum paretur ſaltem in rem præſentem iubente Medico, vti & reliqua decocta ferè omnia.

SYRVPI

canu Prunellæ ʒi ad ʒi in vino data
ieni emendacionem [illegible] bonũ ſucceſſũ illico dedit.

Syr: non ſolent ſervari ultra annu; quis aliq. perducunt sed fiunt in [illegible] nisi ſint valde aromatici. Norimb.



X. a [illegible] traho et [illegible] ſucc. quaſi ſucc. extract.

# SYRVPI SIMPLICIORES VNA CVM COMPOSITIS QVI SVNT IN VSV.

## SYRVPVS ACETOSVS SIMPLEX, LONDINENSIS.

℞ Sacchari albi libras quinque.
Aceti vini albi libras duas.
Liquentur in ſyrupum ſ. a.

## SYRVPVS ACETOSVS SIMPLEX, MESVÆ. Foeſi.

Vires. Humorum craſsitiem incidit, tenuat, obſtructiones levat, aperit, abſtergit. In affect: calidis et biliosis utiliſſ: et ex mixta [illegible] natis. Bilis [illegible] et tenuitate frangente, reprimit, incraſſat, refrigerando extinguit, Vrinas movet, ſudores elicit, ac Peſtilentiæ et putredini reſiſtit. Phar: Aug:

℞ Aquæ puriſſimæ libras quatuor.
Sacchari albi libras quinque.
Coquantur deſpumando, clarificando ad conſumptionem medietatis aquæ, affunde interim,
Aceti vini albi libras duas, &
Coquantur rurſus in ſyrupum.

[illegible]: in vaſe [illegible], aut lapideo: na[m] aceto in vaſe aeneo aeruginis aliquid contrahit. Meſues.

## SYRVPVS ACETOSVS COMPOSITVS, MES.

Valet cum priori: et ventriculum bile ac craſſa pituita [illegible] alleviat: nec non renum, jecoris, et lienis infarctus penetrat. Ph: [illegible]

℞ Radic: Apij.
Fœniculi.
Endiuiæ, ana vncias tres.
Semin: Apij.
Fœniculi.
Aniſi, ana vnciam vnam.
Semin: Endiuiæ vnciam dimidiam.
Aquæ puriſſimæ libras ſex. 1 lb. Aug. [illegible]
Coquantur in vaſe vitreato lento igne, donec dimidium aquæ ſuperſit, tum adde percolatis
Sacchari libras tres.
Clarificentur, & adijce
Aceti vini albi libram vnam ſemis. Phar: Aug: lb ij.
Coquantur in ſyrupum.

SYRV-

De Syrupis.

Syrup⁹ Acetoſ: Citri.

Vires. Refrigerat, humectat, bilioſas et aeſtuantes [illegible] etiam ſitis intolerantiam ſedat. Viſcerum phlegmonas, ac [illegible] mentum, et bilioſos affectuſ omnes corrigit. Cor, ventriculum, [illegible] viſcera ab intemperie calida imbecilla firmat; ſpiritus a calo[illegible] attenuatos reſolui prohibet; Ipſorum, ut et humorum, et aeris [illegible] reſiſtit. Febres peſtilentes aut gigni vetat, aut jam natas [illegible] et venenis adverſatur. Phar. Auguſt.

SYRVPVS ACETOSITATIS CITRI, *MES.*

℞ Succi Citri colati ſine expreſſione, & depurati libram vnã.
Sacchari libras duas & ſemis.
Leuitèr coquantur in ſyrupum.
Eâdem proportione parentur Syrupi acidi ex Agreſta.
Succo Berberorum.
Ceraſorum } acid:
Cydoniorum
Granatorum.
Limonum.
Luiulæ.
Oxalidis.
Ribes.
Et ex reliquis ſuccis, acidis, clarificatis.

SYRVPVS DE BETONICA SIMPLEX.

℞ Succi Betonicæ depurati libras tres.
Sacchari clarificati libras tres.
fiat Syrupus ſecundùm artem.
Eodem modo parentur Syrupi ex ſucco Borraginis.
Bugloſſi.
Cardui Benedicti.
Chamæmeli.
Cichorij.
Endiuiæ.
Fragorum.
Fumariæ.
Hederæ terreſtris.
Hyperici.
Lupuli.
Mercurialis.
Plantaginis.
Pomorum.
Scabioſæ.
Tuſſilaginis.
Veronicæ.
Et ſic ex reliquis ſuccis non acidis.

SYRVPVS DE BETONICA COMPOSITVS.

℞ Betonicæ manip. tres.
Maioranæ manip. vnum ſemis.
Thymi.
Roſarum, ana manip. vnum.
Violarum.
Stœchados.
Saluiæ, ana manip. dimidium.
Sem: Fœniculi.
Aniſi.
Ammeos, ana vnciam dimidiam.
Radic: Pœoniæ.
Polypodij.
Fœniculi, ana drachmas quinque.
Fiat decoctio in aquæ libris ſex ad medietatis conſumptionem: colaturæ adde
Succi Betonicæ libras duas.
Sacchari libras tres, ſemis.
fiat Syrupus ſecundùm artem.

SYRV-

Et ab Arab. Dynam. & Diurethic et purgans Veteres. Non a denario vel pecunia, ut multi putant.

## SYRVPVS BIZANTINVS SIMPLEX, *MES.*

Ubi fuerit qualis. vel quod inventus a medico quodam Byzantino inventus descripsit.

℞ Succi Endiuiæ,
Apij, ana libras duas.
Lupulorum,
Bugloſſi, ana libram vnã.

Bulliant dum ſucci purgentur & clareſcant; his deinde libris quatuor remanentibus, addantur Sacchari optimi libri quatuor, lento igne percoquantur in ſyrupum ſ. á.

## SYRVPVS BIZANTINVS COMPOSITVS. *MES.*

/Vterque Syr: parari solet, sed simplex intermittere, qui compositum habebit. Renodaeus/.

℞ Succorum depuratorum analogicè (vt in ſimplici Syrupo) libras quatuor. Quibus incoque
Roſarum rubrarũ vncias duas.
Glycyrrhizæ vnciã dimidiam.
Sem: Aniſi,
Fœniculi,
Apij, ana drachmas tres.
Spicæ Nardi drachmas duas.
Colaturæ adde
Aceti libras duas.
Sacchari libras quatuor.
Coquantur in Syrupum ſ. a.

## SYRVPVS CYDONIORVM. *MES.* miva vocat.

Hæc media est inter simplicem et compositam, et utriusque vices obtinet. Plantius.

℞ Succi Cydoniorum defœcati libras ſex.
Coque prunis lentis ad medias ſenſim deſpumando, deinde affunde,
Vini rubri adſtringentis libras tres.
Sacchari albi libras quatuor.
Denuò decoquantur ad Syrupi conſiſtentiam, qui condiatur
Cinnamomi drachmâ vnâ ſemis.
Caryophyllorum,
Zingiberis, ana ſcrupulis duobus.

## SYRVPVS DE FVMARIA COMPOSITVS *FERNELII.*

℞ Endiuiæ.
Abſinthij Romani.
Lupulorum.
Caſſuthæ.
Scolopendrij veri, ana manipul. vnum.
Epithymi vnciam vnam ſemis.
Coquantur in libris quatuor aquæ ad medias, colatis adde
Succi Fumarię expurgati libram vnam ſemis.
Succi vtriuſque Bugloſſi, ana libram dimidiam.
Sacchari albi libras quatuor.
Coquantur in ſyrupũ bonę conſiſtentiæ ſecundùm artem.

SYRV-

Syr: Bizantin.

est aperiens, incidens, attenuans. Confert obstructio hepatis lienis, mesenterij. Utiliter datur ictero curando, hydropibus, et febribus sanandis, quae a viscidorum humorum ... oriuntur. Renodaeus.

hepaticorum reliquias a purgatione valide expurgat, curatque ... Plantius.

Syr: Cydoniorum.

Ventriculum hepatique roborat, concoctionem juvat, excitat ... tiam, vomitum et lienteriam compescit. Fernel.

Syr: de fumaria.

... illa descriptio e multis syr. de fumo terrae, ... entior, et usu facilior ad expurgandam omnem san... impuritatem. Plantius.

... salsos et exustos humores expurgat, pruritum, ... impetiginem, lepram, omniaque cutis vitia emendat, maligna ... que ulcera, cancrum et Elephantiasim demulcet. Fernel.

Syr: Capillor Veneris.

Ad ptiũ quarũcunq; ꝑcipuè Thoracis, Jecoris, Lienis, Renum, & Vteri quosvis affect. oppugnandos, & ad humores tenuandos, et ꝑpandos Vtilissimus. Bilem ẽ. tempat et concoquit, pituitam incidit, Succũ Melancholicũ ad expurgatoem faciliore reddit & longo vsu sæpè ipse eosdem humores ꝑ alvũ blandè subducit, et expectoratoem movet, et humores bronchiis pulmonum stertos incidit et coquit, et ꝑ anacatharsin educit. Renod:/.

Syr: de Tussilagine.

Tussi confert, OrthopnϾæ, Asthmati, Tra[…] asperæ asperitudini, sputo movendo, coquendo et expecto[…] Debet v. sensim assumi lambendo instar eclegmatib, ut d[…] hæreat œsophago, et aliqd decurrat inter lingendũ ꝑ […] arteriæ amplitudinem. Renod:.

## SYRVPVS DE PORTVLACA. *MES.*

℞ Semin: Portulacæ craſſiuſculè tritorum libram dimidiam.
Succi Endiuiæ cocti & depurati libras duas.
Sacchari libras duas.
Aceti vncias nouem.
Macerentur ſemina in ſucco Endiuiæ viginti quatuor horas, poſteà lento igne coquantur ad dimidias, colatura tùm demùm cum Saccharo coquatur in Syrupi conſiſtentiam, ſub finem acetum affundendo.

*potenter refrigerat, sitim inexhaustas sedat, febriu ardores, ventriculi & jecoris intemperie calida mitigat. Eo efficaciter utimur, ad lumbricos et ... animalia, cortice citri indito. Pl. Aug:*

## SYRVPVS DE TVSSILAGINE COMPOSITVS, *RENODÆI.*

℞ Tuſſilaginis recentis manipul. ſex.
Capill: Veneris ver: manipul. duos.
Hyſſopi manipul. vnum.
Glycyrrhizæ raſæ vncias duas.
Coquantur in libris quatuor aquæ pluuiæ, vel fontis, ad quartæ partis conſumptionem, decoctio coletur, & clarificetur, cui adde
Sacchari albiſſimi libras tres.
Fiat Syrupus perfectè coctus.

## IVLAPIVM ALEXANDRINVM.

*H. Regium. Ipsi rege Alexandro dignum! Parata facile et ... nulli Pharmacopolia carere juste potest.*

℞ Aquæ roſarum rubrarum libras quatuor.
Sacchari albiſſimi libras duas.
Fiat ſ. a. Iulapium.

*Hic Julepus ... cardiacus et bechicus roborativus, et thoraci, ventriculo, hepati, siti, & ... calori prodest. Renod:*

## IVLEPVM ROSATVM, *MES.*

℞ Aquæ Roſarum libras tres.
Sacchari clarificati libras tres.
Coque ſ. a. & fiat Iulepum.

## IVLEPVM VIOLATVM, *MES.*

Conficitur eodem modo vt Iulepum Roſatum.

## OXYSACCHARVM SIMPLEX, *NICOLAI.*

*Ad idem valet, ac Syr. de Berberis.*

℞ Sacchari albi libram vnam.
Succi Malorum Granatorum vncias octo.
Aceti optimi vncias quatuor.
Coque ad ignem lentum ad Syrupi conſiſtentiam.

## SYRVPVS CAPILLORVM VENERIS, *MES.*

℞ Glycyrrhizæ vncias duas.

Capillorũ Veneris vncias quinque.

Ex infuſis in aquæ fontis libris quatuor, decoctis leuiter, colatis fortiter, cum

Sacchari clarificati librâ vnâ ſemis.

Fiat ſyrupus ſecundùm artem.

## SYRVPVS DE CINNAMOMO.

℞ Cinnamomi craſſo modo contuſi vncias quatuor.

Macerentur in vini albi libra vna, per triduum; in vaſe vitreo ad lentum ignis calorem, Colentur, Colaturæ adde

Sacchari albi librâ vnam ſemis.

Lentè omnia coquantur, & fiat ſyrupus ſ.a.

Eodem modo parari poſſunt ſyrupi ex ſemin: Aniſi.
Fœniculi dulcis.
Caryophyllis.
Nucibus Moſchatis.
Zingibere, &c.

## SYRVPVS è CORALLIIS SIMPLEX.

℞ Corallij rubicundiſſimi, tenuiſſimè pulueriſati q. v.

Diſſoluatur in matracio vitreo in B.M. in ea ſucci berberorum optimè depurati quantitate, vt materiam quatuor digitos ſupernatet: Collum Matracij ſubere, vel cerâ occludatur, illicque ſtet per triduum. Effunde quod fuerit diſſolutum, & nouum ſuccum depuratũ fœcibus affunde, & in cæteris procedatur vt priùs, vſque dum Corallium fuerit diſſolutum, & repetatur ſæpiùs, dum ſuccus acidus quid è Corallijs exuxerit. Ad librã vnam dicti ſucci colati, adde Sacchari albiſſimi libram vnam, & decoquantur ad ſyrupi conſiſtentiam. In hoc autem ſyrupo parando cùm artificio, tum dexteritate ſingulari opus, ne à ſcopo aberret artifex.

## SYRVPVS è CORALLIIS COMPOSITVS.

℞ Corall: rubicundiſſ: vncias ſex.

Reducantur in Alkool læuigando ſuper porphyrite, cùm pauca aqua Roſarum, adde

Succi depurati Limonum in B. M. à phlegmate liberati vncias ſedecim.

Succi depurati Berberis vncias octo.

Aceti vini albi acerrimi.

Succi limpidiſſimi Luiulæ, ana vncias ſex.

Fiat digeſtio in Balneo, vel in fimo equino per octiduum, in phyala vitrea ampla, ſubere & veſicâ bubulâ optimè clauſa, vas quotidiè concutiendo, mox fiat per chartam Emporeticam colatura, de qua cape libram vnã ſemis.

Succi

Syr: de Cinnamomo.
os Spiritus plurimum recreat; Cor et ventriculum à
xe languidum reficit: oris halitum commendat, coctioni
t, nec non universas corporis vires fulcit. Ph. Aug:

Syr: è Corallijs.
rculum cor confortat; ejusque robur plu-
um auget; Jecoris, Lienis, et Renum
mpieram calidam mitigat, illorumque obstruc-
bus mire succurrit. Haemorrhagiam
t. Sanguinis in universo corpore mun-
at. Cholerae medetur. Vomitum biliosum
imit. Praeterea ad refrigerandum
iculum et astringendum, ceteraque viscera
ris intemperie dissoluta, recreanda et
nanda efficacius. Unde in Dysenteria,
teria, Diarrhaea, Caeliaca passione,
xu Hepatico, Gonorrhea, Fluore uterino
secretum est. Contagiosis quoque mor-
fert, et fluxionibus colliquantibus et
gnis. Foetum in utero fortificat, conser-
et ab abortu prohibet, si gestationis tem-
ejus Cochleare dimidium singulis mensibus
accipiant. Adr. Mynsicht. de Syrup.
osis ℥ß, ad ℥i per se, vel cum vehiculis
ropriatis. Idem.

Syr: Infuſ: Caryophyllore. /.

Syr: e' Corticib9 Citri.

Ventriculu' et cor roborat, corruptos, putres, et fatidos ventriculi humores obtundit, oris halitu' commendat. utimur in Opiati, ad Febres, Cor et Stomachu' roborat. Pestilentib9 morbis et venenatis reſiſtit. Ph: Aug:

Syr: nymphea Compoſ:

Inſigniter refrigerat, Venereis inſomnia cohibet, immodica' fluens retinet, ſomnu' conciliat, viſceru' aeſtus, capitis ardores, phrenitides, vigilias compeſcit, ſitim 1. destillaoum aſpitatos lenit. Rhod: Frenel.

Succi puriſſimi Cydoniorũ libram dimidiam.

Sacchari Roſati vncias duodecim.

Miſce, & lentiſſimo Balnei calore ſuperfluus liquor euocetur, donec fiat Syrupus, cui indantur Syrupi florum Vetonicę rubrę vnciæ ſedecim & nodulus continens

Ambræ griſeæ drachmam dimidiam.

Moſchi orientalis grana quatuor.

Seruetur ad vſum.

## SYRVPVS INFVSIONIS FLORVM CARYOPHYLLORVM, Seu VETONICÆ RVBRÆ.

℞ Florum Caryophyllorum pręciſis vnguibus librã vnam.

Infundantur ter in aquæ fontis libris tribus per noctem, poſteà cũ Sacchari libris duabus, coquantur in ſyrupum ſecundùm artem.

## SYRVPVS DE CORTICIBVS CITRI, *MES.*

℞ Corticum exteriorum & tenuiſſimorum Citri ſiccatorum vncias quinque.

Granorum Kermes, vel ſucci eorum aduecti drachmas duas.

Aquæ fontanæ libras quatuor

Macerentur per noctem, & coquantur ad medietatis conſumptionem, colaturæ adde

Sacchari optimi libras duas ſemis.

Fiat Syrupus ſ. a.

Aromatizetur Moſchi orientalis granis ſex, inuolutis in Syndone & impendentibus.

## SYRVPVS FLORVM NYMPHÆÆ SIMPLEX, *NICOLAI.*

Syr: nymph: simplex parum utilis. Fern: Plantius.

℞ Partium albiſſimarum florum Nymphææ albæ libram vnam.

Infunde in aquæ calidæ libris tribus per horas ſeptem, deinde bulliant parùm, colaturæ denuò adde parem florum recentium quantitatem, & par fiat maceratio & expreſſio; idque ter repetatur; colaturæ clarificatæ adde æquum ſacchari pondus, & fiat ſyrupus ſ. a.

## SYRVPVS NYMPHÆÆ COMPOSITVS *FERNELII.* 3·

℞ Florum Nymphææ recentium libram mediam.

Florum Violarum vncias duas.

Foliorum Lactucæ manipul. duos.

Sem: Lactucæ.

Portulacæ.
Cucurbitæ, ana vnciam mediam.

Coquantur in libris quatuor aquæ, dum tres ſuperſint: expreſſo adde,

Aquæ Roſarum rubrarum ſtillatitiæ libram mediam.
Sacchari albi libras quatuor.

Percoquantur in ſyrupum ſ. a.

## SYRVPVS DE MECONIO, *MES.*

℞ Capitum Papaueris albi mediocriter maturorum & recentium vncias octo.
Capitum Papaueris nigri mediocriter maturorum & recentium vncias ſex.
Aquæ pluvialis libras quatuor.

Coquantur ad dimidias, deinde adde colaturæ

Sacchari vncias ſedecim, &

percoquantur in ſyrupum ſ. a. pro Diacodio qui poteſt vſurpari.

Uſus. In tenuibus fluxionibus ad aſperam arteriam, & in pulmones deprimentibus, quæ huiuſ uſu incraſſantur & ſistuntur. Item ad ſomnum conciliandum: ſic & Diacodium.

## SYRPVS è PAPAVERE MINVS COMPOSITVS.

℞ Capitum Papaueris albi,
Nigri, recentium, ana vncias ſex.
Seminum Lactucæ,
Florum Violarum, ana vnciam vnam.
Aquæ libras octo.

Coquantur dum capita intabuerint, & colaturæ addantur Sacchari libræ quatuor: ad iuſtam cõſiſtentiam rurſum coquantur.

## SYRVPVS è PAPAVERE MAGIS COMPOSITVS, *MES.*

℞ Capitum cum Seminibus Papaueris albi & nigri, ana drachmas quinquaginta.
Capillorum Veneris drachmas quindecim.
Glycyrrhizæ drachmas quinque.
Iuiubarum numero triginta.
Sem: Lactucæ drachmas quadraginta.
Sem: Maluæ & Cydoniorum, in linteo raro ligatorum, ana drachmam vnam & ſemis.

Coquantur in libris octo aquæ vltra medietatis conſumptionem.

℞ Colaturæ libras tres.
Penidiorum,
Sacchari, ana libram vnam.

Fiat Syrupus.

## SYRVPVS DE PAPAVERE ERRATICO, ſeu rubro.

℞ Florum recentium Papaueris rhæadis libras duas.

Infundantur in libris quatuor aquæ fontanæ per viginti quatuor horas, cum

Sacchari libris tribus.

Perco-

## 1. Syr: e Papavere magis Comp.

...lici efficacior. Auxilio est defluxionib. calidis, tenuib.
acrib. in Thoracem, quae asperam arteriam et fauces exasperant,
...mnidamq. faciunt. Tussim ex fluxionib. natam sedat, et
...tore suo gutturis asperitatem lenit, caloris incendium mitigat,
...m extinguit, somnum conciliat, in aegris, viribus refrigerando
humectando; in ex acrimonia sedanda tussi quae insomnia pit.
... utili Profluvio alvi et dysenteriae, quae ex materiae
...is et biliosae effluxu excitatur. Intemperiem cal. siccam
...tinorum emendat. /. Ph: August. /.

## Diapapaver Jo: Cratonis.

℞. Capit. papav: n. 10.
Passul. enucleat. ℥j.
Liquirit. incis. ℥ß.
Decoq. in ℔iij. aq. purae font. ad medietat.
consumpt. exprimantur fortiter et reponatur in
loco frig. donec residat, deinde coletur
diligenter. Colat. adde Sacch. puris. ℥xiiij.
f. confectio in rotulis. Scholtzii. Cons. 8.
Utile est iis qui syrupis offenduntur, et humidib.
quam est in forma solida.

## Syr: Papav: Rhaeadis seu Erratici.

...Pap: rhaeadis antiq. nemo locutus est. Recentiores
adinvenerunt, ad usus Pleuritidem, cujus initio valde
... Qlitem e. fit astringentem, roborantem, bechicam,
...noticam, impeditq. ne humor e Capite ad Thoracem
... Quod ut melius praestet portio sacchari rosati coit
Impedit ne nova fluxio Pleuritidis excitatur, vel
... ut prior sistatur. Renod: /.

## Syr: Papav. rubei. Quercet.

℞. Succi papav. rubei mense Julii, quo
in campis segetes rubescere conspiciuntur ℔. iiij.
digeratur et depuretur per se in balneo Mar.
(ut succ. violatum supra.) additis postea ℔. ij.
Sacchari et tantundem penidiorum. in Syrupum
reducantur omnia.
X Vel eundem praeparo licet per infusionem
Florum cum ipsorum aqua propria, quae deinde aequis
ponderib. sacch. candi et penid. in Syr. coquatur.
Usus. Singulare remedium est, in omnib. inflamationib.
Thoracis, in peripneumonia, et in ipsis pleurisib.
Dosis. ex cochleari aliquot vicib. idq. vel per se,
vel cum aq. scabiosae et cardui bened. et
mirandos videbis effectus. /. Pharmac. c. de Syr.

## Syr: ex Flor: Persicor.

℞. Tinctura flor. Persicor. ℥iv.
Extractæ cū aqua Tiliæ, Pæoniæ,
aut rutæ caprariæ, vel Lilij
convallium, s[ecundu]m intentionē medici;
Fiat acidula cū guttulis Sp. Vitrioli;
addatur mellis rosati saccharati q. s.
fiat syrupus delicatus.
Datur puerulis a 3 ad 7 annos: benignissime
purgat, & refrigerat, abstergit, re=
-solvit et vermes enecat.
Datur Infantibus dimidiū cochlearis. /.
Facit effectū mirabilē.
× Ezech: de Castro. lib. de Colostro.
puncto. 3. Fine. / Probatum est.

## Syr: Ros: Sol: Helleb.

Utebatur eo Montanus medicus olim Patavinus clarissi-
mus affectibus Melancholicis, Lue Gallica, Psora, Lepra,
Impetigine, Lichenibus, Cancro, Elephantia. Ph: Aug:

## Syr: ex Floribus Persicorum. /

Vim habet aquas et bilem ducendi, Vermes enecandi,
mesenterium infarctu liberandi. Non solum e . . .
diducit, sed humores incidit, et educit. Renod.
× Syr: hic non conficitur ex pluribus infusionibus, propter sa . . .
facturam, penuriam, et amaritudinem. Id:

## Syr: Rosarum siccarum. Fern:

Calidos Cerebri affectus temperat, sitim extinguit, ventri[culum]
roborat, somnum conciliat, tenues defluxiones cohibet. F[ern]
Ad omnem alvi fluorem commendatur hic Syrupus. Valet p[ar]ti[bus]
internis confirmandis et roborandis: et ulceribus agglu[ti-]
nandis, blandeque detergendis. Vomitum sedat. Ren: Planti[us]

## Syr: Ros: Solutivus. mes.

Usu creberrimus est ad Ventriculi incendium, et ig . . .
calorem febrilem sitimque sedandam. Febribus pesti-
lentibus praestantissimus. quod putredini, Venenis, et aeris vitio substan . . .
et aromatica sua qualitate resistat, viscera nimio c . . .
dissoluta refrigerando et leniter astringendo . . .
rat, et ad temperiem reducit, febrium in omnia loc . . .
& alvum modice subducit. Ph. Aug:

Percoquantur in ſyrupum ſ. a.

## SYRVPVS EX FLORIBVS PERSICORVM.

℞ Florum Perſicorum recentium libram vnam.

Macerentur in libris tribus aquæ tepidæ, horas duodecim, deinde bulliant parùm & exprimantur. Tum par florum quantitas infundatur & exprimatur; quinquies iteretur, poſtremæ colaturæ libris tribus, adde

Sacchari libras duas ſemis.

fiat ſyrupus ſ. a.

## SYRVPVS DE ROSIS SICCIS, *MES.* Fernelij.

℞ Aquæ ſimplicis libras quatuor, in qua tepida macera horis viginti quatuor,

Roſarum rubrarum arefactarũ libram vnam, in expreſſo ſolue

Sacchari albi libras duas.

Coquantur in ſyrupum ſ. a.

## SYRVPVS ROSACEVS SOLVTIVVS, *MES.*

℞ Infuſionis Roſarum ex Roſis pallidis Damaſcenis recentibus novies infuſis (infuſio fiat eâ proportione vt pro qualibet libra Roſarum ſumantur aquæ libræ quatuor. in quibus, reiectis prioribus floribus, recentes infundantur) libras ſex.

Sacchari libras quatuor.

fiat decoctio ſ. a. in ſyrupum.

## SYRVPVS ROSACEVS SOLVTIVVS CVM AGARICO.

℞ Agarici electi conciſi vnciam vnam.

Zingiberis conciſi drachmas duas.

Salis gemmę drachmam vnam.

Polypodij craſſo modo contuſi vncias duas.

Irrorentur vino albo, deinde infundantur per biduum in infuſionis Roſarum pallidarũ ſupraſcriptæ libra vna ſemis, in cineribus calidis, poſteà expreſſioni adde

Sacchari libram vnam.

fiat Syrupus ſ. a.

## SYRVPVS ROSACEVS SOLVTIVVS HELLEBORATVS, *MONTANI.*

℞ Corticum Myrobalanorũ omnium, ana vncias quatuor.

Contundantur craſſè, & deinde infundantur in libris duodecim infuſionis roſarũ ſupraſcriptæ per horas viginti quatuor, addendo

Foliorum Sennæ.
Epithymi.
Polypodij quercini,
ana vncias quatuor.

Caryo-

Caryophyllorum vnciam vnã.
Sem: Citri.
Glycyrrhizæ, ana vncias quatuor.
Corticum Radicum Hellebori nigri veri drachmas ſex.

Decoquantur omnia ſimul lento igne ad quartæ partis conſumptionem, adde poſteà

Sacchari clarificati libras quinque.
Rhabarbari electi in nodulo ligati drachmas ſedecim.

Fiat Syrupus ſ. a.

## SYRVPVS VIOLARVM.

℞ Florum Violarum mundatorũ libram vnam.
Aquæ fontanæ calentis libram vnam ſemis, vel quantitatem ſufficientem.

Ponantur in vas fictile vitreatum, quod ſubere optimè claudatur, & relinquantur per horas viginti quatuor, deindè fiat fortis expreſſio per prælum: expreſſionis cape libram vnam.

Sacchari puriſſimi libras duas.
Miſce, & ad leuem calorem (vt Balnei) fiat ſacchari diſſolutio, & ſeruetur ad vſum.

## SYRVPVS è SVCCO VIOLARVM.

Paretur etiam ex ſucco, cum ea quantitate ſucci quæ ſit ſufficiens ad diſſoluendum ſaccharum ſine coctione.

## SYRVPI COMPOSITI QVORVM SIMPLICES NON PARANTVR.

## SYRVPVS DE ABSINTHIO. *MES.*

℞ Abſinthij Romani ſiue Pontici libram mediam.
Roſarũ rubrarum vncias duas.
Spicæ Indicæ drachmas tres.
Vini albi antiqui generoſi.
Succi Cydoniorum, ana libras duas ſemis.

Macerentur in vaſe fictili horis viginti quatuor, dein coquantur ad conſumptionem medietatis, & colaturæ addantur

Sacchari libræ duæ.
Fiat ſyrupus ſ. a.

## SYRVPVS DE ALTHÆA. *FERNELII.*

℞ Radicum Althææ vncias duas.
Cicerum rubrorum vnciam vnam.
Radic: Graminis.
Aſparagi.
Glycyrrhizæ mundatæ.
Vuarum Paſſarum enucleatarum, ana vnciam mediam.
Cymarum Althææ.
Maluæ.
Helxines.

Pim-

Syrupus de Absinthio.

Ventriculi, hepatis, et viscerum aliorum imbecillitatem etiam [...]ificam, et Cachexiam præsertim à caussâ frigidâ juvat: dejectam [appet]entiam excitat: intestinorum et viscerum mollitiem delet; et retentricem [...]im confirmat: flatus discutit, felle suffusos et Auriginosos juvat: et [...]es per urinas expellit. Datur in albo et pituitoso mensium [fluor]e. Sumitur ex aq. menthæ in Ventriculi Affectibus; nam in [rob]orando stomacho et jecore mire est potens. Foesius & Ph. Aug.

Syrupus Violarum.

Bilis acrimoniam frangit, calorem viscerum temperat, ventrem leniendo ac molliendo subducit, et thoracis vitiis confert. Præcipuo est auxilio, pectoris & lateris inflammationibus, et asperæ arteriæ scabritiei; et in æstu febrium, biliosis et acutis morbis præcordiorum ardoribus, et siti sedanda commendatur. Renod.

Syr: de Althea.

Ardorem Urinæ demulcet, ac citra manifestum calorem, obstruentemque pituitam, nec non viscidam purulentamque renum arenulas blande ac clementer expurgat. Ph. Aug. Foesius.

Syr: de Artemisia.

Vires. Potens est in aperiendis obstructionibus, ex crassis, viscidis glutinosisque humoribus ortum ducentibus; incidit et aperit, [illegible] potentissime. Uteri affectibus prodest; cumque elocatus [illegible] pristinae, flatus, frigidosque humores, quibus is plerumque [illegible] at aliquando etiam removere, dissipans, doloresque supprimens. interim roborat, menstrua impellit, urinam [illegible] humanae ap[illegible] ejusdemque exitum provocat. Ph. Aug:

Pimpinellæ.
Plantaginis.
Adianthi albi & nigri, ana manipul. vnum.
Quatuor ſeminum frigidorum maiorum & minorum, ana drachmas tres.

Coquantur ex aquæ libris ſex, dum quatuor ſuperſint, & colatura cum

Sacchari albi libris quatuor,

Fiat Syrupus.

## SYRVPVS DE ARTEMISIA *MATTHÆI DE GRADI.*

in lib. 9no Rhasis ad Almansorem, Cap. 90. mensium suppressione.

℞ Artemiſiæ manipul. duos.
Pulegij.
Calaminthæ.
Origani.
Meliſſæ.
Perſicariæ, ſiue Hydropiperis.
Dictamni Cretici.
Sabinæ.
Sampſuchi, i. Maioranæ.
Chamædryos.
Perforatæ, i. Hyperici.
Chamæpityos.
Matricariæ cum flore.
Centaurij minoris.
Rutæ.
Betonicæ.
Bugloſſi, ana manipul. vnum.
Radic: Fœniculi.
Apij.
Petroſelini.
Aſparagi.
Ruſci.
Saxifragię.
Enulæ.
Cyperi.
Rubiæ tinctorum.
Ireos.
Pœoniæ, ana vnciam vnam.
Baccar: Iuniperi.
Sem: Leuiſtici.
Petroſelini.
Apij.
Aniſi.
Nigellæ.
Carpobalſami, ſiue
Cubebarum.
Coſti, ſeu Zedoariæ.
Radic: Aſari.
Pyrethri.
Caſiæ ligneæ.
Cardamomi.
Calami aromatici.
Phu, ana vnciam dimidiam.

Trita, quaſſata infundantur in libris duodecim aquæ per horas viginti quatuor, poſteà decoquantur ad medietatis aquæ conſumptionem, & tunc dimittantur ab igne, donec aqua tepuerit, & fricata colentur, & colaturæ addantur Mellis & Sacchari, ana libræ duæ, Aceti acuti vnciæ quatuor. Fiat Syrupus, & aromatizetur cum

Cinnamomi & Spicæ, ana drachmis tribus.

Aromata ſub finem bulliant.

SYRV-

## SYRVPVS AVGVSTANVS, VEL DE RHABARBARO AVGVSTANORVM.

℞ Rhabarbari optimi,
Foliorum Sennæ; ana vncias duas ſemis.
Florum violarũ, manip. vnum.
Cinnamomi drachmam vnam ſemis.
Zingiberis drachmam dimidiam.
Aquarum Betonicæ.
Cichorij.
Bugloſſi, ana libram vnam ſemis.

Infundantur per noctem: colatura mane facta decoquatur in ſyrupum cum
Sacchari electi, libris duabus, addendo
Syrupi roſati ſolutiui ſequentis vncias quatuor.

## SYRVPVS ROSATVS SOLVTIVVS, SINE HELLEBORO.

℞ Myrobalanorum omnium, ana vncias duas.

Contundantur craſſo modo, fricentur oleo Amigdalarũ dulciũ, & infundantur in libris quindecim infuſionis roſarum, horis viginti quatuor, cui adde
Radicum Polypodij vncias duas ſemis.
Sem: Carthami vnciã vnã ſemis.
Sem: Aniſi.
Fœniculi, ana drachmas ſex.
Foliorum Sennæ vncias tres.
Epithymi vnciam vnam ſemis.
Corticum citri vnciam vnam.
Caryophyllorum vnciam dimidiam.
Nucis Moſchatę drachmas tres.

Fiat rurſus infuſio horis viginti quatuor, quibus elapſis, fortiſſima fiat expreſſio, & adde ad liquoris ſingulas libras duas,
Sacchari libram vnam.

Fiat ſyrupus. Et hic ingreditur compoſitionem Syrupi de Rhabarbaro Auguſtanorum.

## SYRVPVS DE CICHORIO CVM RHABARBARO.

℞ Hordei integri.
Radic: Apij.
Fœniculi.
Aſparagi, ana vncias duas.
Cichorij.
Taraxaci, i. dentis leonis.
Endiuiæ.
Cicerbitæ ſeu Sonchi læuis, ana manipul. duos.
Lactucæ domeſticæ.
Lichenis, i. Hepaticæ.
Fumariæ.
Summitatum Lupuli. ana manipul. vnum.
Capillorum Veneris.
Adiãthi albi, ſeu Rutę Murariæ.
Ceterach, ſeu Aſpleni.

Gly-

## Syr: Augustanus.

a, molestias putris et delicatulis alvum subducit, camque bilem deturbans, et omni usu quotidiano.

## Syr: Rosat: Sol: sine Hellob.

cuius ingredientia eadem Syr: prioris Augustani.

## Syr: de Cich: cum Rhab:

Ad jecoris ~~intemperiem~~ calidam, obstructiones, fellis suffusionem seu Icterum efficax. Melancholicis et Splenicis confert, Cachexiam et Visceris impuritatem, et omnem venenatam maliciam solvit, nutritionis instrumenta roborat, humoresque vitiosos per Urinam et secessum educit. Peculiariter Epilepticis confert, maxime pueris et eum in hoc casu mirifice commendat Montanus. Ph. Aug:

Syrupus de Lacca contra Variolas.

℞. Caricarum pinguium ℥i. Lentium decorticatarum ℥ij. Seminis Fœniculi ℥i. / Gummi Laccæ lotæ, & Tracacanthi an: ℥ß. Coquantur in lib. iij Aquæ font. ad Tertias coletur & cum Sacch: fiat Syrupus, aromatizetur pulv. Sant: rubr. ʒij. Alij sine Tracacantho duplicant quantitatem Laccæ.

Usus. Specificum remedium contra variolas. datum infanti & nutrici.

Dosis. Datur infantibus in pro quantitate suæ ætatis; mane cum aqua Boraginis, aut cardui benedicti scabiosæ, & Scorzonera, tepida: et in die capiat in cochleare lambendo. nutrici vero datur unciæ duæ cum ʒiß de aquis prædictis; & de Theriaca smaragdina ℈.s.

Syr. Diasereos Ander. /.

Glycyrrhizæ.
Semin: Alkakengi.
Cuſcutæ, ana drachmas ſex.
Coquantur in libris duodecim aquæ fontanæ ad tertiæ partis conſumptionem: in colatura diſſolue,
Sacchari libras ſex.
Cui dum fit coctio, adde
Rhabarbari vncias ſex.
Spicæ Nardi drachmas ſex.
Hæc in nodulo ex panno raro ſemel aut iterum bulliant, præmacerata calente decocto, & ſæpiùs exprimantur, & in ſyrupo iam perfectè cocto relinquantur.

## SYRVPVS DIASEREOS *ANDERNACI.*

℞ Intybi Latifolij ſeu Endiuiæ.
Cichorij ana manipulum.
Adianthi albi.
Nigri ſeu Capillorum Veneris.
Ægrimoniæ.
Scolopendrij ſeu Ceterach.
Lupuli fumariæ ana manip. ſemis.
Granorum Halicacabi.
Cuſcutæ ana drach: tres.
Radic: Apij.
Fœniculi.
Aſparagi ana vnciam ſemis.
Polypodij Quercini vnciam vnam.
Glycyrrhizæ drach: ſex.
Seminis Cnici vnciam vnam.
Sem: quatuor frigid:
Maiorum ana drach: duas.
Hordei excorticati pugill. vnum.
Seminum Endiuiæ.
Cichorij ana drach: vnam ſemis.
Vuarum Paſſarum vnciam vnam.
Pruna Damaſcena, numero viginti.
Florum Borraginis.
Bugloſſæ.
Violarum ana pugillũ vnum.
Myrobalanorum Citrinorum.
Chebulorum ana vnciam ſemis.
Omnia in aqua ad tertia decoquantur, & in huius decocti iure colati libra & ſemiſſe macerentur ſeorſim per noctem.
Rhabarbari electi vnciæ duæ ſemis.
Agarici Trochiſcati vncia.
Foliorum Sennæ orient. vncia vna ſemis.
Zingiberis.
Cinnamomi ana drachma.
Expreſſis colatiſque iterum adde Sacchari optimi libram.
Syrupi roſati ſolutiui vncias tres.
Mixta omnia rurſus modicè coquantur ad iuſtam ſpiſſitudinem.

## SYRVPVS DE EPITHYMO. *MES.*

℞ Epithymi boni drachmas viginti.
Myrobalanorum Citrinarum.
Indarum, ana drachmas quindecim.
Cuſcutæ.
Fumiterræ, ana drachmas decem.
Thymi.
Calaminthæ.
Bugloſſi.
Stœchados.
Glycyrrhizæ.
Polypodij.
Agarici.
Myrobalanorum Emblicarum.
Belliricarũ, ana drachmas ſex.
Roſarum rubrarum.
Semin: Fœniculi.
Aniſi, ana drachmas duas ſemis.
Prunorum dulcium numero viginti.
Vuarum paſſarum purgatarum vncias quatuor.
Tamarindorum, vncias duas ſemis.

Poſt macerationem viginti quatuor horarum coquantur in aquæ libris decem ad libras ſex, dein remota ab igne, exprimantur, & expreſſis addantur,

Sacchari clarificati libræ quinque.

Percoquantur in ſyrupum.

## SYRVPVS DE EVPATORIO, *MES.*

℞ Radic: Apij.
Fœniculi.
Cichorij, ana vncias duas.
Glycyrrhizæ.
Schœnanthi.
Cuſcutæ.
Abſinthij.
Roſarum, ana drachmas ſex.
Capillorum Veneris.
Bedeguar. { vel eius vice rad: Card. Mariæ.
Suchahæ. { vel eius vice rad: Caryophyllatæ.
Florum aut radicum Bugloſſi.
Sem: Aniſi.
Fœniculi.
Eupatorij, i. Agerati, ana drachmas quinque.
Rhabarbari.
Maſtiches, ana drachmas tres.
Spicæ Nardi Ind: cæ.
Folij, ſeu ſpicæ Romanæ, ana drachmas duas.

Coquantur in aquæ libris octo ad tertiæ partis conſumptionem; Expreſſum cum

Sacchari albi ſoluti libris quatuor,
Succorum Apij clarificati, &

Endi-

## Syr: de Epithymo. Ph. Aug:

Syr: ä purgans viribus assimis Syr: Fumariæ
q̃ calidior est, magis purgat, potenti⁹ aperit
ructiones, et humores melancholicos apparat.
stag, utimur in humorib⁹ et. Affectib⁹ pituitosis, &
lancholicis à bile adusta et atra, occulta vulnera,
stulosa et sinuosa curat, fœdã corporis Scabiem
nigrã, Capitis areas et impetiginem emendat, leprã
rã, Cancrũ, Elephantiasin, morbũ Gallicũ pellit. /.

## Syr: de Eupatorio.

o'm febrib⁹ diuturnis ac tertianis Nothis ex pituitã
aut bile, q[æ] jecoris aut Lienis obstructiones parit, partesq
cias, et vires concoctrices Labefactat, ortum ducentibus. /.
incidit, tenuat, terget, et digerit; appetentias excitat, et
firmat; robur Ventriculi suscitat, Hydropi succurrit, et
ymias, Cachexiamq; emendat. Vitiosos succos p vrinas educit.
em frigida delet. Flatus ventriculo aut jecori innatos
, hypocondriorq doloremm ac tensionem levat, Totius Corporis
ionem, quæ male affectũ Ventriculũ et Hepar sequitur,
at. Ph: Augu[st].

## Syr: è Glycyrrhizâ.

Thoracem et pulmones expurgat. Diuturnæ ac
tussi opem fert; ut et Pleuritidi. Aspit, dilatat
Asperam arteriam et partes spirituales lenit; tamen ad m
Expectorandas confirmat. Thoracis affectibus incip
frigidis et pituitosis salubre est, calefacit, incidit
expurgat, lenit, et siccat, omnibus præstat moderate. Rh.

## Syr: de Hyssopo.

Eundem fere effectum cum Syr: de glycyrrhizæ. Utimur e
Thoracis morbis invalescentibus, ex frigida crassa et
materia natis, ubi attenuatione, detersione et expurgatione m
opus est. Asthmaticos et tussiculosos juvat, obstructi
liberat, hypocondriorumque dolori utilis; ac renum calculis sal

## Syr: Jujubinus.

Ad Tussim siccam, Arteriæ asperitatem, ceterosque thoracis et p
spiritualium affectus à fluxionibus calidis accommodatus.
tenue suo lentore maturat, incrassat, glutinat, expecto
Violato Syr: viribus affinis, sed minus refrigerat. Mana
ad Vesicæ ulcera celebrat, ad quæ lentore dulci, frigido
mucoso, ideoque leniente opus est. /.

Endiuiæ, ana libra dimidia.
Percoquatur in ſyrupum.

## SYRVPVS è GLYCYRRHIZA. *MES.*

℞ Glycyrrhizæ recentis raſæ & contuſæ vncias duas.
Adianthi albi, ſeu Polytrichi vnciam vnam.
Hyſſopi ſicci vnciam dimidiá.
Macerentur ſimul per horas viginti quatuor in aquæ pluuiæ ferueſactæ libris quatuor; dein coquantur ad dimidias; colatura expreſſa clarificetur, cum
Mellis optimi vncijs octo.
Sacchari vncijs ſedecim.
Demùm coquantur in Syrupum, additis ante perfectam illius coctionem
Aquę roſarum rubrarum ſtillatitiæ vncijs ſex.

## SYRVPVS DE HYSSOPO. *MES.*

℞ Aquæ fontanæ libras octo.
In quibus circiter horam dimidiam coquatur,
Hordei mundati vncia dimidia.
Dein inijciantur
Radicum Apij.
Petroſelini,
Fœniculi,
Glycyrrhizæ, inciſarum, ana drachmæ decem.

Et per quartam horæ partem elixentur; poſteà addantur
Iuiubarum,
Sebeſten, ana numero triginta.
Paſſularum mundatarũ vncia vna ſemis.
Ficuum ſiccarum,
Dactylorum pinguium, ana numero decem.
Mox imponantur
Semin: Maluæ.
Cydoniorum.
Tragacanthæ linteo raro incluſorum, ana drachmæ tres.
Poſtremò indantur,
Hyſſopi mediocriter ſicci drachmæ decem.
Capillorũ Veneris drachmę ſex.
Coquantur ad libras tres, expreſſioni clarificatę adde,
Sacchari libras duas ſemis.
Fiat Syrupus.

## SYRVPVS IVIVBINVS. *M E S.*

℞ Iuiubarum numero ſexaginta.
Violarum.
Semin: Maluæ, ana drachmas quinque.
Capillorum Veneris.
Glycyrrhizæ raſæ & tuſæ.
Hordei mundati excorticati, ana vnciam vnam.
Semin: Papaueris albi.

Melonum.
Lactucæ.
Cydoniorum.
Gummi Tragacanthæ, ana drachmas tres. } in nodulo.
Coquantur in libris ſex aquæ pluuialis vel fontanæ ad dimidias, adde colatis
Sacchari libras duas.
Fiat Syrupus.

## SYRVPVS EX IVA ARTHRITICA, Seu DE CHAMÆPITY,

℞ Chamæpityos manipul. duos.
Saluiæ.
Roriſmarini.
Lolij.
Origani.
Calaminthę.
Mentaſtri.
Pulegij.
Hyſſopi.
Thymi.
Rutæ ſatiuæ & ſylueſtris.
Betonicæ.
Serpylli, ana manipul. vnum.
Radic: Acori.
Ariſtolochiæ { longæ. rotūdæ.
Bryoniæ.
Dictamni.
Gentianæ.
Peucedani.
Phu, ana vnciam vnam ſemis.
Radic: Apij.
Aſparagi.
Fœniculi.
Petroſelini.
Ruſci, ana vnciam vnam.
Stœchados.
Semin: Aniſi.
Ammeos.
Carui.
Fœniculi.
Liguſtici.
Seſeleos, ana drachmas tres.
Radic: Pyrethri vnciam ſemis.
Paſſularum vncias duas.
Coquantur ex aquæ q. ſ. poſteâ cum
Mellis, &
Sacchari, ana libris duabus
Para, & aromatiza
Cinnamomo.
Nuce Moſchatâ, &
Cubebis. ſ. a.

## SYRVPVS MAGISTRALIS AD MELANCHOLIAM.

℞ Succi Pomorum odoriferorum (vulgò **Pearemaynes**) ſeſquilibram.
Borraginis.
Bugloſſi, ana vncias nouem.
Fol: Sennæ orientalis mundatæ ſemilibram.
Semin: Aniſi.
Fœniculi dulcis, ana drachmas

Syr: Melissophylli.

Omnium maxime Cordis palpitationi et Syncope suc[curit] peculiariter v. pestilentium et venenatorum morbor[um] malignitatem et obtundit. Fernel.

Syr: de Mentha.

Commendatur in Ventriculi intemperie frigida, ideoque Vomitum, N[auseam] et Singultum sedat: Alvi fluxum à retentricis imbecillitate [ortum] refrenat. Stomachum et ventrem totum inferiorem blando calore, leniq[ue] astrictione confortat. /.

mas tres.
Epithymi Cretenſis vncias duas.
Agarici albiſſimi.
Rhabarbari optimi, ana ſemunciam.
Zingiberis.
Macis, ana ſcrupulos quatuor.
Cinnamomi ſcrupulos duos.
Croci ſemidrachmam.

Agaricus & Sena conciſa cum ſeminibus, Zingibere, atque Mace craſſiuſculè contuſis, macerentur cum Epithymo in ſuccis præſcriptis, horas viginti quatuor. Bulliant deinde lento igne, vſque ad deſpumationem, & per manicam Hippoc: colentur. Colaturæ iam factæ adijciatur Sacchari albiſſimi ſeſquilibra, & coquantur ſ. a. nec ſine deſpumatione, ad conſiſtentiam Syrupi, modò inter coquendum, Crocus panno lineo ligatus infricetur. Tum demùm admiſceatur Infuſio Rhabarbari conciſi, cum Cinnamomo craſſiuſculè cōtuſo, in Vini albi, & ſucci Pomorum, ana vncijs duabus, interim facta, & fortiter expreſſa. Denuò ferueant parùm commiſta ad ignē pro ſyrupo.

## SYRVPVS MELISSOPHYLLI. *FERNELII.*

℞ Radic: Dictamni.
Pentaphylli.
Vetonicæ.
Doronici Romani, ana vnciam dimidiam.
Folior: Meliſſophylli.
Stœbes, vel Scabioſæ.
Succiſæ, i. Morſus Diaboli.
Florum Bugloſſi vtriuſque, &
Roriſmarini, ana manipul. vnum.
Semin: Oxalidis.
Citrij mali.
Fœniculi.
Cardui benedicti.
Ocimi, ana drachmas tres.

Coquantur in aquæ libris quatuor ad dimidias: expreſſo adde,
Sacchari albi libras tres.
Succi Meliſſæ.
Aquæ Roſarum, ana libram dimidiam.

Percoquantur in Syrupum condiendum, cum
Cinnamomi &
Santali Citrini, ana vncia dimidia.

## SYRVPVS DE MENTHA MAIOR. *MES.*

℞ Succi Cydoniorum dulcium & muzorum, i. acidodulcium.
Succi Granatorum acidodulcium, dulcium, acidorū, ana libram vnam ſemis.
In ſuccis miſtis macera per horas viginti quatuor.

Menthę

Menthæ ſiccæ libram vnā ſemis,
Roſarum rubrarum vncias duas.

Coquantur ad dimidias, colentur, & addendo,

Sacchari libras quatuor,

Coquantur ad Syrupum: cùm reponitur, aromatizetur cum

Galliæ Moſchatæ tritæ & in ſyndone ligatæ, & ex orificio vaſis ſuſpenſæ drachma vna.

## SYRVPVS MYRTINVS
*NICOLAI.*

℞ Baccharum Myrti vncias duas ſemis.
Santali albi & rubri.
Sumach ſeu Rhois Culinariæ.
Balauſtiorum.
Berberorum.
Roſarum rubrarũ, ana vnciam vnam ſemis.
Meſpilorum libram dimidiam.

Contuſa omnia coquantur in libris octo aquæ fontis ad medias, expreſſo adde,

Succi Cydoniorum.
Granatorum acidorum, ana vncias ſex.
Sacchari libras tres.

Coque in Syrupum ſ. a.

Commodiſſime parat hic Syr: Autumno, cum Meſpila matura quidem, ſed duriuſcula ſint./

## SYRVPVS DE POMIS,
*FERNELII.*

℞ Succi Malorum noſtratium vocatorum
**Pearemaynes** vel **Pippins** libras quatuor.
Succorum Bugloſſi domeſtici, ſylueſtris.
Aquæ Roſarum ſtillatitiæ.
Succi Violarum è folijs, ana libram vnam.

Coque ſimul & depurentur, deinde adde

Sacchari libras ſex.

Percoquantur in Syrupum.

## SYRVPVS DE POMIS REGIS* SAPORIS.

M E S.
Ad eius sanitati conservandam inventus fuit [illegible]

℞ Succi Pomorum dulcium libras duas.
Succi Borraginis,
Bugloſſi, ana libram vnā ſemis.
Foliorum Sennæ vncias duas.
Sem: Aniſi vnciam ſemis.
Croci drachmam vnam.

Senna maceretur viginti quatuor horis in ſuccis, ſemel aut bis ferueſiat, coletur, & cum

Sacchari libris duabus.

Percoquatur in Syrupum ſ. a. Crocus in petia ligatus inter coquendum confricetur.

SYRV-

## Syr: Myrtinus.

…e, ad Thoracis et pectoris affectus, ubi contra indicaõ
…ultatem parit, ac astringentibus simul et vacuantibus
…u est, ut in hæmorrhagia pulmonum tenui, et calida tussi.
…is etiam profluviũ tranquillat, hæmorrhagias om̃i, ut pote
…is, renum, uteri, ac abundantia menstrua cohibet. /.
…tem reprimit, et om̃ immodicam vacuationem sistit, quia
…gerat, siccat, Astringit. Viscera ab intemperie calida
…ita confirmat. Ventriculi subversionem et vomitus compescit.
…m quæ Diarrhœam sequitur, exterminat. Ph: Aug:

## * Syr: de Pomis Fernelij.

…lancholiæ tetros vapores infringit, pavores, mærores,
…oremq; sedat et exhilarat. / . Fernel.

…uibus videretur Syr: e pomis tanqm pomarius simplex, Syr:
…et alij ad Melancholiã vel atrã bilis succi accessissent. /.

## * Syr: de Pomis Saporis.

…i ad om̃s affect: melanch: Maniam, melancholias, et
…is robur plurimũ auget. Ph. Aug:
…s Spiritus recreat, mentem exhilarat, melancholicũ
…m̃ temperat et purgat, crassos et lentos humores
…at, flatus discutit, ventrem blande subduat, reddit
…inem puriorem. Renod:

## Syr: de Prassio.

Validissime incidit, tenuat, detergit, expurgat Thoracis pulmonumque vitia: strenue confert inveteratis, ex crassa lentaque pituita, ut Asth[…] Tussi veteri, empyemati. Quinetiam peripneu[…] et pleuritidi jam inclinatae confert. Fernel.

Syr: Violarum et Zizypharum sunt [...], humectantib[…] abunde lenientib: et Syr: de hyssopo [...], moder[…] detergente, incidente, et expurgante pectoris vitia a. summe incidens et detergens [...], ut extremis et in[…] vatis affectib[us] mederetur. Hunc [...] quisquis volet superiores dompabit. Plantius in Fernel.

## Syr: Raphani

Renes et Vesicam validius expurgat, calculos [et] arenulas exturbat, suppressam urinam deduci[t].

Magno usu ad renum calculos, et arenulas exturba[ndas] inventus est hic Syrupus: qui apte ex iis compositus, summa vis est comminuendi calculos, integre [...] lenientib[us] et detergentib[us]. Planti[us] in Fern:

## SYRVPVS DE PRASIO.
*FER.*

℞ Praſij albi recentis vncias duas.
Glycyrrhizæ.
Polypodij quercini.
Radic: Apij.
Fœniculi, ana vnciam dimidiam.
Adianthi albi.
Origani.
Hyſſopi.
Calaminthæ.
Thymi.
Stœbes, vel Scabioſæ.
Satureiæ.
Tuſſilaginis, ana drachmas ſex.
Semin: Aniſi.
Bombacis, ana drachmas tres.
Vuarum Paſſarum expurgatarum, vncias duas.
Caricarum pinguium, numero decem.
Coquantur in libris octo hydromelitis diluti ad dimidias; expreſſum coquatur in Syrupum, cum
Mellis & Sacchari albi, ana libris duabus.
Condiatur,
Radic: Iridis Florentinę vnciâ vnâ.

## SYRVPVS RAPHANI.
*FERNELII.*

℞ Radicum Raphani domeſtici, Sylueſtris, ſeu Ruſticani, ana vnciam vnam.
Radic: Saxifragæ albæ.
Ruſci.
Leuiſtici.
Eryngij.
Ononidis.
Petroſelini.
Fœniculi, ana vnciam dimidiam.
Folior: Betonicæ.
Pimpinellæ.
Pulegij.
Cymarum vrticæ.
Naſturtij aquatici.
Crithmi.
Callitrichi, ſeu Capillorum Veneris, ana manipul. vnum.
Fructuum Halicacabi,
Zizyphorum, ana numero viginti.
Semin: Ocimi.
Bardanæ.
Petroſelini Macedonici.
Seſeleos.
Carui.
Dauci.
Lithoſpermi.
Cortic: Radic: Lauri, ana drachmas duas.
Vuarum paſſarum expurgatarũ.
Glycyrrhizæ, ana drachmas ſex.
Coquantur ſecundùm artem in libris duodecim aquæ dum octo ſuperſint, è quibus colatis, cum
Sacchari libris quatuor, &
Mellis expumati libris duabus,
fiat Syrupus clarus & conditus
Cinna-

Cinnamomi vnciâ vnâ,
Nucis Moſchatę vnciâ dimidiâ.

## SYRVPVS DE QVINQVE RADICIBVS, *MES.*

℞ Radic: Apij.
Fœniculi.
Petroſelini.
Ruſci.
Aſparagi, ana vncias duas.
Aquæ fontis libras ſex.
Coquantur ad tertiæ partis conſumptionem; expreſſum coquatur denuò cum
Sacchari libris tribus,
Addendo in fine
Aceti vini albi vncias octo.

## SYRVPVS SCABIOSÆ COMPOSITVS MAGISTRALIS.

℞ Radic: Enulæ Campanæ.
Polypodij quercini, ana vncias duas.
Macerentur in vino albo horas 24.
Paſſularum maiorum enucleatarum vnciam vnam.
Sebeſten numero viginti.
Farfaræ.
Pulmonariæ.
Satureiæ.
Calamenthæ, ana ſeſquimanipulum:
Glycyrrhizæ raſæ ſemunciam.
Tabaci optimi folium vnum integrum.
Sem: Vrticæ,
Bombacis, ana drachmas tres.
Coquantur in ſ. q. aquæ mulſæ dilutæ, ad vncias octo. Quibus adde percolatis
Succi Scabioſæ depurati vncias quatuor.
Sacchari albiſſimi vncias decem.
Fiat Syrupus ſ.a. clarificatus, ſuperaddendo deinde,
Olei Sulphuris guttas viginti.

## SYRVPVS DE SCOLOPENDRIO, *FERNELII.*

℞ Polypodij è quercu.
Radic: vtriuſque Bugloſſi.
Cortic: Radic: Capparis.
Cortic: Tamariſci, ana vncias duas.
Scolopendrij veri manip. tres.
Lupi ſalictarij.
Caſſuthæ.
Capillorum Veneris.
Meliſſophylli, ana manip. duos.
Coquantur in aquæ libris nouem, dum ad quinque redeant, Colato adde
Sacchari albi libras quatuor.
Percoquantur in ſyrupum expurgatum & clarum.

SYRV-

Syr: de Quinque Radicibus

rum obstructiones levat, humorum crassitiem, egit, tenuat, purgat; Urinas promovet ~~febres~~ compositas, rthas adjuvat. Ventriculum bile ac pituita refertum at, Renum, Lienis et Jecoris infarctus penetrat./.

Syr: e Scolopendrio. seu Ceterach.

ra terrenamque Melancholiam, extenuat, mollit, fluxamque .. Lienem obstructione liberat, tumentemque solvit. Valde Melancholiae, Quartanis, diuturnisque febribus. Ph: Aug:

~~tia Virgini dandus~~

## Syrupus Cephalicus.

℞ Succi depur. Card. Bened. et
Millefolij. an. ℔ j. Aq: Lavendulæ,
Botonicæ an. ℔ ß. Rad: Caryoph:
Pæoniæ, an. ℥ ß. Cassiæ Lignoæ. Nu:
Moscatæ, Cubebarum, an. ʒ ß. Herbarum
Major: Verbenæ, Rosmar. Origani. an.
Flor. ʒ iij. Flos. Lil. Convall. Tiliæ. Prim..
Veris, Anthos, Ros. rubr: an. ʒ ij. Sem.
Fœnic. Lavend. Salviæ. Pœon. ana
ʒ iß. Ligni Aloes. Visci Quercini, Croci
Orient. an. ʒ i. Coquantur ad ʒ tertiæ
partis consumpt: Postea colat. clarif:
& addita sacchari albiss: q. s. Fiat
syr: justæ consistentiæ: Aromatiz.
Specieb. Diamosc. dul. & Diambræ, an.
ʒ i. s. Artis.

Usus. In omnibus periculosis Capitis affectibus,
Cephalæa, Hemicrania, Epileps.
Apopl. Paralysi est mirabilis. Caput,
Cerebrum, Ventric. corroborat, & ijs qui
Capite & Corde tremunt, convenit.

Dosis ab ʒ ß. ad ʒ i. per se vel cum alijs
appropriatis. Adr. Mynsicht. /

## Syr: è Stoechade.

Cerebri atque nervorum affectibus frigidis, ut Paral.
Epilepsiæ, Convulsioni, Tremori, et destillationi
quovis procumbenti mire conducit. Fernel.

## Syr: de Symphyto.

Tabidorum et ulceratorum pulmonum saniem et pus bla[nde]
et leniter expurgat sine motu exputui sanguinis,
pulmones pariter corroborat. Fernel.

## SYRVPVS DE STOECHADE, *MES.*

℞ Florum Stœchados vncias quatuor.
Thymi,
Calaminthæ,
Origani, ana vnciā vnam ſemis.
Saluiæ.
Betonicæ.
Florum Roriſmarini, ana vnciam dimidiam.
Semin: Rutæ,
Pœoniæ,
Fœniculi, ana drachmas tres.
Coquantur ex aquæ libris decem ad dimidias: expreſſum cum
Sacchari, &
Mellis, ana libris duabus
denuò coquatur in ſyrupum.
Condiatur cum
Cinnamomi,
Zingiberis,
Calami odorati, ana drachmis duabus.
Quæ raro linteo illigata in ſyrupum ſint appenſa.

## SYRVPVS DE SYMPHYTO *FERNELII.*

℞ Radic: & Cymarum Symphyti maioris, minoris, ana manip. tres.
Roſarum rubrarum,
Betonicæ,
Plantaginis,
Pimpinellæ,
Polygoni,
Scabioſæ,
Tuſſilaginis, ana manipulos duos.
E tuſis omnibus recentibus exprimatur ſuccus, coquatur ad libras tres, & expumetur, addendo
Sacchari albi libras duas ſemis.
Fiat Syrupus.

## SYRVPVS CARDIACVS, VEL IVLEPVM CARDIACVM, NON.

℞ Vini generoſi Rhenenſis libras duas.
Aquæ Roſaceæ vncias duas ſemis.
Caryophyllorum ſcrupulos duos.
Cinnamomi drachmam mediam.
Zingiberis ſcrupulos duos.
Sacchari optimi vncias tres cum dimidiâ.
Decoquantur ad conſiſtentiam Iulepi, poſteà addantur,
Ambrę grana tria,
Moſchi granum vnum.

Sunt Syrupi qui nō Saccharo, ſed melle dulcorant: nec ex radicum foliorum, florum & decoctis fiunt, ſed ex ſuccis ſolis limpidis & aquatis.

# MELITA & OXYMELITA.

## DIACARYON, SEV DIANVCVM, *GALENI*.

℞ Succi nucum Iuglandium viridium ab externo cortice expreſſi libras duas.
Coquendo inſpiſſetur, & additâ
Mellis librâ vnâ
Rurſus percoquantur ad mellis conſiſtentiam.

## DACODIVM, *GALENI*.

℞ Capita Papaueris albi, nec nimiùm viridia, nec nimiùm matura, numero viginti.
Aquæ pluuiæ aut fontanæ libras tres.
Macera horis viginti quatuor, poſt coque, donec capita contabuerint, dein cola, & colaturæ adde
Mellis libras duas.
Coque ad iuſtam conſiſtentiam.
Fit & cum
Sapæ Vini dulcis libris duabus,
Succi Glycyrrhizæ vncijs duabus.

## DIAMORON, *NICOLAI*.

℞ Succi Mororum, Celſi & Rubi immaturorum, ana libram vnam ſemis.
Mellis libras duas.
Coquantur lento igne ſ. a. ad mellis conſiſtentiam.

## MEL ANTHOSATVM, *MES*.

℞ Florum Roriſmarini libram vnam.
Mellis boni benè deſpumati libras tres.
Miſce in Olla vitrea, vel vitreata, oris non valdè patuli; inſola & ſerua ad vſus.

## MEL è MERCVRIALI.

℞ Succi Mercurialis libras tres.
Mellis libras duas.
Coque ad mellis conſiſtentiam.

## MEL PASSVLARVM, *NICOLAI*.

℞ Vuarum paſſarum ab acinis purgatarum, libras duas.
Infunde viginti quatuor horas in libris ſex aquæ calentis; deinde coque ad medietatem; colaturâ fortiter expreſsâ, denuò coquantur ad conſiſtentiam mellis, cum libris duabus mellis deſpumati.

MEL

## Mel Anthosatum.

...alicā et nervalem h̄t vim, utiliter miſcetur clyſte-
...ad catharrū, apoplexiam et Comatoſos affectus
...ripti. Frigidas p̄hum intempies calore ſuo corrigit,
flatus diſsipat. Renodæus.

## Diacaryon Gal.

Stomachicū ē modic: admodū efficax ad phlegmonas
oris, et Synanchas, deſtillaōēs tenues in fauces, Pueris,
mulieribꝰ et n̄ris humidis, magnopē commodatū. Aug:

## Mel Mercuriale.

...hij uſui q̄m clysteribꝰ inſervit, ut eorū vis
magis abſterſoria et purgatoria. Renod.

## Diacodium. Gal:

Diacodium Gal. & veterū cū forma opiatæ potēs, multiſq;
diſplicebat (ſaccharū. nō recipit, ſed alia multa inſuavia
et forſā inutilia), nunc minime patꝰ. Cuiꝰ loco ꝓſtat
in Officinis Syr. ex decocto capitū papaverū et Sacch:
confectꝰ, qui impprie à multis Practicis Diacodium
vocatꝰ. Renod:

*Diacodiū Jo: Cratonis opt.
℞ Capit. Papav. alb. n. 20. Siliquar. ping. v.
Enucleat. ℥iiß. Glycyrr: myrtillorū. an. ℥iß. Rad.
Tuſsilaginis ℥i. Decoq. in lib. 10. Ag: font. dū
3es remanant: & adde ſacchari Penid. ℔ i.
Coq: ad ſpiſsitudinē mellis currentis. Scholtziub
in Epist. 243. *

## Mel Paſsulatum.

...admodū gratū est, vimq; bechicam habet.
...Eclegmati quocunq; ꝯpoſitioni apte ingreditꝰ,
...clegmati de Pinis. Renodæꝰ.

## Diamorum. Nic:

Huiꝰ uſus ferē exolevit: vim h̄t eandē cū moris, inmaturis
quæ refrigerant, et ſiccant ordine ferē 3°. et valenter
aſtringunt, atq; ad oris et fauciū inflamaōēs ꝯducunt.
ait Dioſc: c. 18. l. 1. Matura v. humectant et refrigerant:
adverſus ſitim valent, appetentiā ꝓstratā revocant, nō
adverſantꝰ ventriculo, pciſsime à. corpꝰ nutriunt. Renod:

## Mel Violatum.

Commendat[ur] ad affect[ibus] Thoracis, ad abstergendum, lenien[dum], refrigerandum, roborandu[m]; ob id utiliter et clysterib[us] multis, & gargarismis miscet[ur]. Atq[ue] Ulcerib[us] detergendis adhibet[ur]. Renod:

## Oxymel Simplex.

Oxymel crassos et viscidos humores incidit, attenuat et ad expurgationem apparat, et promiscuo affectib[us] calidis et frigidis confert; et ad vict[us] attenuationem est accomodissimu[m]. Renod:

## Oxymel Compositu[m].

Vires. Humores viscidos, lentos, et pituitosos; incidit, attenuat, et abstergit. Obstructionib[us] hepar, lienem et viscera liberat, renu[m] et vesicæ sabburra[m] pellit, et urina[m] pellit. /.

## Mel Rosatu[m]. Rhodomeli.

Fluxiones calidas cohibet, stomacho benefacit, ... et roborat; tam sumptu[m], q[uam] adhibitu[m]. Renod:

## Mel rosatu[m] Hisp. usitatu[m].

℞. Succi ros. rubrar. lib. iij Succ...
rosar[um] comuniu[m] lib. j. Mellis virg...
& sacchari clarificati an: p...
æquales ad conficiendu[m] syrupum...
Dat[ur] Infantib[us] recens natis ad p[rae]se[r]-
-vation[em] c[on]tra convulsionem, Epileps...
variolas, & mala Lactis Colostrati...
Vel. ℞. Mellis p[rae]dicti ℥ß. Olei sesa...
et Amygd. dulciu[m] sine igne extracti a...
℥ij. sacch. candi violati [illegible] ℥ß. Radi...
pæoniæ ℈ij.

Huius etiam mellis paulu[m] dant recen...
natis si signa fuerint vel metus tremo...
aut convulsionis, in Julepo hoc modo...
℞. Mellis p[rae]scripti ℥i. Theriaca An...
℈ß. cu[m] aq. cerasor[um] nigror[um], Tiliæ, a...
Lilliorum convallium: sed no[n] dant T...
-riaca nisi post mensem unu[m] aut alt...

## MEL ROSARVM COMMVNE, *MES.*

℞ Roſarum rubrarum nondum penitùs apertarum libras duas.
Mellis optimi libras ſex.
Inſolentur ſecundùm artem.

## MEL ROSARVM *NICOLAI.*

℞ Mellis albiſſimi optimi deſpumati libras decem.
Succi recentium Roſarum rubrarum libram vnam.
Ponantur in Cacabo ad ignem, & cum bullire incœperint, adde
Roſarum rubrarum recentium cum forcipibus vel cultello inciſarum ab vnguibus libras quatuor.
Bulliantque ad conſumptionem ſucci, continuè agitando. Colatura ponatur in vaſe fictili & ſeruetur ad vſum.

## MEL ROSARVM SOLVTIVVM.

℞ Infuſionis Roſarum pallidarum multiplicis libras quinque,
Mellis deſpumati libras quatuor,
Coquantur in Syrupi conſiſtentiam.
Simili modo paretur Mel Roſarum ex infuſionibus Roſarum rubrarum.

## MEL VIOLARVM.

Mel Violarum eodem modo paratur, quo Mel Roſarum.

## OXYMEL SIMPLEX, *MES.*

℞ Mellis optimi, aromatici, & deſpumati, libras quatuor.
Aquæ puriſſimæ,
Aceti optimi, anà libras duas.
Coquantur ſecundùm artem, donec Syrupi liquidioris conſiſtentiam acquirant; cauendum ne nimiâ coctione fiat ingratum.

## OXYMEL COMPOSITVM, *MES.*

℞ Cortic: Radic: mundat: inciſar:
Fœniculi,
Apij,
Petroſelini,
Ruſci,
Aſparagi, ana vncias duas.
Semin: Apij,
Petroſelini,
Fœniculi,
Aniſi, ana vnciam vnã.
Aquæ libras ſex. Renov: l. 12. et coquat ad medietatem.
Aceti optimi libram vnam ſemis.
Mellis deſpumati libras tres. Renov: 4.

 Coquan-

Coquantur ſecundùm artem, ad Syrupi liquidioris conſiſtentiam.

## OXYMEL ELLEBORATVM GESNERI MAIVS.

℞ Rutæ,
Thymi capitati,
Dictamni Cretici,
Comæ Hyſſopi,
Pulegij,
Marrhubij,
Cardui Benedicti,
Radicularum Nardi Celticæ ſine folijs,
Cortic: Sambuci interiorum, ana manipul. vnum.
Calaminthæ Cattariæ montanæ pugil. duas.
Semin. Aniſi,
Fœniculi,
Ocimi,
Vrticæ Romanæ,
Anethi, ana drachmas duas.
Radic: Angelicæ,
Althææ.
Ari,
Scillæ præparatæ.
Ariſtolochiæ, { rotundæ, longæ, clematitidis,
Turpeti,
Iridis noſtræ,
Coſti, qui violas olet, aut Zedoariæ,
Polypodij,
Cortic: Limonum, ana vnciam vnam:
Ellebori nigri fibrarum integrarum,
Eſulæ, ana drachmas duas.
Cortic: Radic: Ellebori albi vnciam dimidiam.
Agarici drachmas duas, quas ſub finem decoctionis inijcies.

Omnia ſicca, trita, infundantur in * Poſcæ (factæ ex æquis partibus aquæ & aceti) libris octo, Sapæ vncijs duabus; triduo in Sole, vel ad fornacem, in vitreo, aut figulino vaſe obturato: Tum decoquantur in terreo aut lapideo tornato vaſe ad dimidium ferè: cocta colabis modicè exprimendo, addeſque,
Mellis Roſacei, in quo vnciæ duæ corticis Citri fuerint infuſæ libram vnam ſemis, & ad conſumptionem poſcæ decoques, vt fiat Syrupus, qui ſub finem aromatizetur, cum
Caryophyllorum,
Croci,
Zingiberis,
Galangæ,
Macis, in ſacculo ſuſpenſorum, ana drachmâ vnâ.

Seruetur in vaſe vitreo, aut fictili vitreato.

## OXYMEL IVLIANIZANS.

℞ Corticum radicum Capparum,
Radic: Ireos,
Fœniculi,

Joannis Mesue Grabadin, sive
Antidotarium. Edit. 1494. 1540. &c folio. 4.to et 8.vo

In eundem monachorum
censura. &c Venetiis. 1543. fol.

Nicolai Myrepsi de compositione
medicamentorum opus Latine reddit.
à Leonhardo Fuchsio. Basil. fol. 1549
Francofurt. 8.vo 1625. &c.

Nicolai Alexandrini de composit.
medic. secundum loca Latine reddit.
à Nicolao Rhegino. 1541. 8.vo

Nicolai Antidotarium parvum.
apud Jenson. 14 quarto. & in
Supplem. oper. Mesue. fol. 4.to & 8.vo

Lumen Apothecariorum Quiricii de
Augustis Tortonensis. Lugdun. 1505. fol.

Thesaurus Aromatariorum Pauli
Suardi Mediolan. Lugd. 1505. fol.

Luminare majus Joannis Jacobi
de Manliis de Bosco Alexandrini.
fol. Lugdun. 1528.
haec tria simul edit.

Nicolai Prepositi dispensatorium
ad aromatarios. Lugdun. 1505. 4.to

Urbium Pharmacopeia publica

Pharmacopeia Norimbergenſis
Valerii Cordi 1542. fol. 4$^{to}$ & 8$^{vo}$.

Pharmacopeia Auguſtana.
Adolph. Occo. ~~[illegible]~~ Edit. 1$^{a}$ — 1564 } 4$^{to}$. oblong.
Edit. 5$^{ta}$ 1597. · 1573. . .

Ricettario Fiorentino. 1561
1567. folio.

Pharmacopeia Coloniensis.
Editio &c. 1565.

Pharmacopeia Romana.
1585. 4$^{to}$.

Pharmacopeia Bononienſis. 1574
4$^{to}$.

Pharmacopeia Bergomenſis.
1581. fol.

Pharm. Mantuana. 1559. 4$^{to}$.

- - Veneta Marinetti
1616.

. . Londinenſis. 1618. fol.
Tis inchoat ante 1605.

. . Pariſienſis. 1638. 4$^{to}$.

&c

## Oxymel Helleboratum.

q. d. vsu in Pharm: August:/.
... à Gesnero magnopere celebratum, contra morbos
... tiales, febres quartanas, et alios ejusmodi morbos
... altius radices egerunt; et quorum occulta sunt seminaria./.

---

## Oxymelita, et Hydromelita. s.

... qui primi Sacchari vsum introduxerunt, in eam sunt,
... ponendi varia Oxym: et Hydrom: gra, mutata
... in ea q. syruporum ... Cum extra dubium sit omnes
... et Oxym: ... ; maxime ... q. melicrati dr, longe
... liora, commodiora, m. magis idonea ob ... curandi
... ionibus q. sint Syrupi. Quercet: Pharmac: Dogm:/.
... dromel, Mulsa, Melicratum, ejusdem potus, noia sunt,
... hm, non re discrepant.
... a. mulsa alia dilutior, alia intracior, alias decuplum
... alias decuplum, alias duodecuplum aquae fontanae sumitur
... ia e. mellis ad aquam proportio, pro vario Medici scopo,
... sumentis temperatura. Aestatis e. tempore et juvenibus
... osissimum pscribitur. Hyeme, et Senibus & pituitosis
... is vinosa, meracius seu mellem. Sapore e. et calore
... ajusdam generosi, vt malvatici referre videtur.
... Saccharo purius ... defaecatius et ... magis
... Saccharum e. ... sal quidam dulcis non exiguo calore
... cui qualitas quaedam obstruens et glutinans conjungitur; vnde
... aptum e. ad ..., alterationem, mitigationem humorum
... excretione; ... rei cam ... Syrupis vtimur./.
... octio ... ad perfecta despumationem mellis; vel donec
... recens injectum in eo supnatet et non submergatur.
... et dolia lignea idonea infundatur, presertim ea quae
... vinum continuerint, & fermentari et defervere finit=
... q. ... fit diebus Canicularibus ad Solis radios, vel
... loco alias calido. Ad fermentationem promovenda, et for=
... ciliandum alij sacculo in vas suspendunt semen Sinapi,
... faeces cerevisiae, et vt diutius durent, flores lupuli adjiciunt./.
Sputum potenter movet, pituitam concoquit calorem fovet
... et stomachum roborat; ad crassiorum humorum
... tenuationem, coctionem, et expurgationem conducit./. Renod:
... provectae aetatis hominibus pituitosis, asthmaticis,
... lyticis, epilepticis, podagricis, calculosis, et similibus
... vini vsus interdicitur. Quercet. Pharmac:/.
Per 3 menses reservetur in cella.

Oxymel; Arab. Secaniabin. acetum mulsum Pharm.
dictum, à mulsa saltem aceti admistione dictum. Potus apud
antiquos frequentissimus, vt ex Hipp: Gal. Aëtio, Oribasio
Tralliano, &c. videre est. Est potus Dulcoacidus. Sapore
vt mistum est et varium, sic vires mistas, tam ratione mellis
ad acetum, quam aceti ad seipsum. Aceti e. pugnantibus constat
qualitatibus, i. quia Galeno, calidum et frigidum, discussorium et
repulsorium. lib. 1. simpl. med. et lib. 2. comp. med. loc.
Cum Melicrati facultas caetera omnia habeat, quae ad
acutos morbos valent, in vno duntaxat displicet, quod contraria
q. supcalfacta in bilem convertatur; hanc ejus mutationem
aceti mixtio cohibet, et praestantiss. efficit medicamentum
Tantumque aceti Melicrato addendum est, quantum satis sit
vt facultas in bilem convertendi corrigatur. Quercet.
Quod valde acre est, intestina abradit, expectorationemque impedit
sed quod mediocriter est acre pulmonis et thoracis prodest
affectionibus./. Renod.
Vires. Morbis calidis prodest et frigidis, humores crassos
et lentos incidit, obstructiones aufert, humores frigidos
ad expulsionem praeparat, calidos temperat, sitim ex-
tinguit. Omni aetati et ... valetudini vtiliss
est neque mali succi est neque stomacho infensum, neque vlla
alias absurdam facultatem habet. Quercet./.

Hydromeliti et oxymeliti, radices, herbae, semina, aromata
infunduntur, ad varios et admirandos effectus. Vide Querc.
Spiritum crassum et flatulentum in Hypochondrijs
secat; flatus rumpit, ad vrinas serosa et biliosa
excrementa deducit./.
Antiqui Oxymel etiam in febribus vsurparunt: Etsi
v. mel aliqui dicatur bilescere et febres accendere; tamen ...
id in aceto mulso metuendum non sit ... reddit Hi...
aceti e. inflamabilitatem in melle cohibet, et ne in
bilem vertatur, impedit. Sennert. Instit./. ex Gal. Hip.
: Dilutius et quod in febribus etiam vsurpari potest,
paratur ex. Aquae lib. xii. mellis pt. ii. Aceti pt. i
Coquuntur simul lento igne et despumantur, additoque ovi
albumine clarificantur, et per pannum laneum aliquoties
colantur, vt fiat potus clarus et limpidus.
Hipp: et Gal. Oxymel etiam in pleuritide, in ...
biliosa exhibere non metuunt, nulla distinctione
causae morbificae addita. Licet e. materia quae pleuritidem
parit tenuis sit; tamen in loco inflamato infixa aliquandiu
et impacta haeret, et crassior evadit; praecipue cum mul...
ac in pus vertitur. Sennert. ibid. de Oxymelite./.

## Mel Anacardinum.

Memoriæ jacturas resarcit, labantes ſensus reficit, diſ[...] oblivionem, ac mentem exacuit. Cerebri morbis frigi[...] & humidis conducit, nervorumq; resolutioni opitulatur. [...]

*Mel Anacardinum nolo parari ob ejus vires ſi nō n[...] certè parum utiles, et vix ſanitati tuendæ vel reſarci[...] convenientes. Renodæ. pag. 784.

## Oxymel Scilliticum.

Craſſos humores attenuat, lentos detergit, et v[...] ſolvit infarctus; obſtructionem pulmonis ab humo[...] valenter impactis ſolvit. Epilepſiam, vertiginem, [...] Lalgiam, et Hemicraniam ſanat. Renodæ.

Fœniculi.
Petroſelini,
Ruſci,
Cichorij,
Aſparagi,
Cyperi, ana vnciam dimidiam.
Herb: Scolopendriæ,
Scœnanthûs,
Tamaricis, ana manipul: medium.
Semin: Fœniculi dulcis vnciam dimidiam.

Coquantur poſt debitam infuſionem in * Poſcæ acidioris libris tribus ad libram vnam ſemis: ex colatura cum
Mellis optimi, &
Sacchari deſpumatorum, ana libra dimidia
Fiat decoctio ad Syrupi conſiſtentiam.

* Poſca fit ex Aqua & Aceto, idq; ex re præſenti, vel acidior, vel dilutior, pro intentione Medici.

## OXYMEL SCILLITICVM SIMPLEX, *NICOLAI.*

℞ Mellis deſpumati libras tres.
Aceti Scillitici libras duas.
Coquantur ſecundùm artem.

## OXYMEL SCILLITICVM DEMOCRITI, *MES.*

℞ Origani,
Hyſſopi ſicci,
Thymi,
Liguſtici,
Cardamomi,
Stœchados, ana drachmas quinque.

Coque in libris tribus aquæ ad librarum duarum conſumptionem, colaturam percoque cum
Mellis libris duabus.
Mellis Paſſulati libra dimidia.
Succi Bryoniæ vncijs quinque.
Aceti Scillitici libra vna ſemis.
Semper deſpumando in Syrupum.

## MEL ANACARDINVM, *AZARAVII.* **

** Hæc mella seq: et præcedentem, et Scilli nullius aut rariſſimi in Medicina vſus reperiuntur. R. Enodæus.

℞ Anacardios recentes, tere, & in aqua decoque, donec mellaginem quandam in rubeo colore fuſcam remittant, eam aquæ innatantem auferto, ac reponito.

## MEL EMBLICARVM, *AVG.* **

** Pro eo vtimur Loch paſſulato. Ph. Aug.

℞ Myrobalanorum Emblicarum numero quinquaginta.

Contundantur mediocriter, & decoquantur in libris tribus Aquæ ad conſumptionem librarum duarum: reſiduo colato adde Mellis tantundem, & ad iuſtam conſiſtentiam mellis percoque.

Succaginos medicatæ: Græcè ἀποχυλίσματα.

# ROB SIVE SAPÆ ET SVCCI.

## ROB SIVE SAPA SIMPLICITER.

Seu vinu coctu. Rob simpliciter dictum, Antonomasia quidam de sapa [illegible], sicut succo coctione inspissato intelligendu est; de alijs cu additione plantæ, ex cuius fit succo: ut Rob Berberis, Rob Cornorum &c.

℞ Vini recenter, ex vuis albis, generoſis & maturis expreſſi, libras duodecim.

Coque igne lento, donec libræ tantùm quatuor ſuperſint, vel vt conſiſtentiam mellis acquirant. Repone in vaſe vitreo, vel fictili vitreato.

## ROB DE BERBERIS.

℞ Succi Berberorum optimè colati libras octo.

Coque igne lento ad conſiſtentiam mellis, repone in vaſe vitreo aut fictili. Paratur etiam cum ſaccharo, addendo pro ſingulis libris ſucci, ſacchari libram vnam, & coquendo ad mellis ſpiſſitudinem.

## ROB DE CORNIS.

Ejusdem facultatis est Rob de Agresta.

℞ Succi pulpæ Cornorum libras duas.

Sacchari libram vnam ſemis.

Coquantur ſecundùm artem, ad mellis conſiſtentiam.

## ROB CYDONIORVM.

℞ Succi Cydoniorum depurati libras ſex.

Coque ad duarum partium conſumptionem, addendo ſacchari libras duas, denuò bulliant ad mellis ſpiſſitudinem: & poteſt parari ſine Saccharo.

## ROB PRVNORVM ACIDORVM.

Fit ex ſucco Prunorum acidorũ, vt Cydoniorum.

## De succis.

Succi depurati ex viridibus plantis expressi clarificantur vel p albume Ovi, vel p colaturā sæpius repetitā, vel p̄stantius p digestione, ut liquor clarus à fæcibus subsiden-
=tibus quotidie separetur, donec nihil amplius subsideat, quo m° parati succi p annū integris viribus servantur, eo fine ut hyeme sint loco herbarum virentium.

Vt expressi succi diutissime serventur absq; putredine sal admiscetur, vel reponuntur in vaso oris an-
=gusti, supfuso oleo ad digiti crassitudine. Renod.

## Rob sive Sapa simpliciter.

datur p̄cipue ad morbos oris. Non modo e. quādam icitate roborat, et mei̅ē fluentis motū inhibet, chiā jam fluxū humorē abstergit, et digerit. Renod:

## Rob de Cornis.

Virtute astrictoriā potissimū commendatur. Ob id solet p̄scribi ad fluorē quemlibet sistendū, dysenteriam, cœliacū affectū, cholera morbū, et Vomitū. Renod: /.

Cum multos Syrupos astringentes et refrigerantes habeam, ut Syr: ros: sicc: Cydoniorum. myrtinū. Alexandrinum. vix unqm ad Rob Cornorum confugimus. Id: /.

## Rob Cydoniorum.

Astrictoriam ht q̄litem et roborantem, unde cū p̄dictis eundem fortitur effectū. /. Renod:

## Rob de Berberis.

refrigerandū et astringendū. Sitim restinguit, à ventriculo calefacto, tū ab aliorum viscerum calidā, et intempie ortam. Convenit et Cholera morbo, fluxuq; pico laborantibus, disentericis & alvi freqnti p̄ritāe atis. Renodæus.

u succurrit pestilenti cœlo efficax, undiq; nata ex- mata sanat, ebrietati resistit. Ph: Aug:

## Rob de Ribes. /.

multiplicis d^ll Facultatis, Refrigerat, adstringit, robo[rat,] cor recreat. Intemperiei calidae alterandae, et imbe[cillitati] adjuvandae utiliter datur, Cordis morbis et pugnan[tibus,] vomiturientibus juvandis. Suâ e. clementi stip[ticitate] et aciditate delectabili; quicunque palatum attingit, [...] Renodaeus. /.

Affinis d^ll Rob de Berberis. Fructus etiam fit a[...] colore, magnitudine, viribus. /.

## Succus Glycyrrhizae.

In omnibus qualitatibus temperata dicitur, ad calorem tamen magis ac[cedit.] Asperitates lenit arteriae, et Vesicae scabrae, conver[...] Tussi, expectoratum movet; & ad pulmonum et Thora[cis] omnia vitia utilis. Renod:

## Miva Cydoniorum.

Adversus alvi profluvia biliosa, Ventriculum et viscera reliqua firmat, & vomitum reprimit. Ph. Aug:

## ROB DE RIBES.

Paratur vt Rob de Berberis. Vt autem probè ſuccus depuretur, debet priùs calefieri, dein reſideat, vt clareſcat, tum lento igne coquatur. Sic enim ſpiſſitudinem idoneam acquiret.

## SVCCVS PRVNELLORVM PRO ACACIA SVBSTITVTVS.

℞ Succi Prunellorum ſylueſtrium ſ. a. depurati q. v. inſpiſſetur lento Balnei calore ad iuſtam conſiſtentiam.

Succi inſpiſſati ex Abſinthio,
Eupatorio,
Fumaria,
& reliquis quibuſuis,
fiunt ex herbis ipſis tenellis, non adultis, contuſis, expreſſis, & ad ignem feruefactis, donec bullire incipiunt, denuóque colatis, & ad iuſtam ſpiſſitudinem lento igne euaporatis.

## SVCCVS GLYCYRRHIZÆ.

℞ Radicum Glycyrrhizæ boni ſaporis probè mundatarum & parùm contuſarum q. v. macerentur per triduū in aquæ fontanæ eâ quantitate, vt duobus vel tribus aqua ſupereminèat digitis: dein parùm ferueſiant & colentur: expreſſus denuò liquor leuitèr coquatur ad iuſtam ſpiſſitudinem, & in placentulas, Trochiſcos, aliáſue ad placitum formas effingatur.

## MIVA CYDONIORVM, *M. E. S.* sive gelatina. /.

℞ Succi Cydoniorum depurati libras duodecim.

Coquantur ad medietatis conſumptionem; tum adde vini albi veteris libras quinque.

Coquantur lento igne, ſæpiùs deſpumentur ad tertiæ partis abſumptionem. Poſtquam reſederint, cola, & adde Sacchari ſat puri libras tres.

Coquantur ad iuſtam Miuæ conſiſtentiam.

## LOHOCH,

Gr. ἐκλεικτόν, et ἀρτηριακόν. Lat. Linct9. Lambitiv. Bechica.

# LOHOCH, SIVE ECLEGMATA.

## LOHOCH è CAVLIBVS. *GORDONII.*

℞ Succi Caulium rubearum depurati & clarificati libram vnam.
Croci drachmas tres.
Mellis deſpumati,
Sacchari, ana libram dimidiam.
Fiat Lohoch ſ. a.

## LOHOCH DE PAPAVERE. *MES.*

℞ Papaueris albi drachmas viginti quinque.
Amygdalarum dulcium,
Nucleorum Pineorum,
Gum: Arabici,
Tragacanthi,
Succi Glycyrrhizæ, ana drachmas decem.
Amyli drachmas tres.
Semin: Portulacæ,
Lactucæ,
Cydoniorum, ana vnciam dimidiam.
Croci drachmam vnam.
Penidiorum alborum vncias quatuor.
Syrupi de Papauere minus compoſiti ( quem vide pag. 28.) libras tres. Omnia contundantur & incidantur & cum ſyrupo excipiantur ſecundùm artem.

## LOHOCH è PASSVLIS. *AVG.*

℞ Radic: Pœoniæ maris vnciam dimidiam.
Hyſſopi.
Meliſſæ.

Scolo-

# Eclegmata.

[E]gmata ab Electuario non differunt, nisi quod consistentia[m] inter Syr: et Elect: quasi mediam; et in specie affectibus thoracis et pulmonum variis dicantur. Exhibentur non solum jejuno stomacho, sed etiam vesperi, ac inter pastus saepe ad leniendum, detergendum, incrassandum, incidendum, expectorandum, sanguinem sistendum.

Oportet nonnihil exhiberi, ut sic in via diutius cunctando in Thorace detineatur nec confestim in ventriculum dilabatur, faucibus quasi adhaerens sensim in asperam arteriam defluat, sputum concoquat, et moveat ad excludendum, quod felicitate successu suscipitur, dum sputo cocto per anacatharsin. /.

Fiunt praecipue ex medicamentis pectori et pulmoni [dic]atis: viridium recipiunt species et pulveres, conserva, succi [c]rassati, mucilagines, Syrupi, Julepi, Oxymel. Parandi [et]iam eadem denique quae Electuariorum.

Displicent valde amara et acerrima, quae sc. praeter [no]xam quae adferunt palato sensui, Tracheam asperam, fauces exasperant, et pulmonibus molestiam lacessunt. [Aci]da his praescribuntur interdum ad crassos humores. /. [Vel] v. solis dulcibus Bechica componuntur. Renod. /.

In Catarrhis et sputo sanguinis non satis tutum [e]st nimium diu et saepe uti Eclegmatibus, quia non tam [con]sunt pectori, quam ventriculum et hepar debilitant. [C]ruditates hinc et ex dulcedine obstructiones. etc. [Conce]ditur in isto casu uti Bechicis, quae in ore retinentur, et fumis ut ex Tussilagine et similibus ... ato in Scholtzij Ep. 183.

Eclegmata vel sunt:
- Calefacientia, attenuantia, incidentia, detergentia humores frigidos, lentos, viscidos et crassos.
- Refrigerantia, incrassantia et lenientia humores calidos, acres et tenues, qui erosionum et exulcerationum autores existunt. Quercet.

Ex his remediorum generibus, componitur unum tertium quod inter utrumque medium obtinet, attenuando et incrassando simul. quod confert tam ad causam conjunctam, quam antecedentem: ad humorem n. crassum in pulmonibus jam collectum, qui incidendus est, et detergendus: et ad tenuem, per asperam arteriam in pulmones influentem, qui incrassandus. /. Quercet.

Fortius incidentia et detergentia.

Looch de succo Scyllae simpl. Gal. comp. Mes.
Looch sanum et expertum.
Looch de pino.
Looch de prassio. Pauli.
Looch de carthamo. Mes.

Looch passulatum.
de Farfara, seu Tussilagine.
de Caulibus Gord.
e pulmone vulpis — minus.

Incrassantia fortiora.

Looch de papavere
Diacodion simp. Gal.
Diacodion Jo. Montani

De Psyllio.
De Portulaca.
Ex Tragacantha. — Leniora.

Haec ipsa ad sputum sanguinis commendantur. Posteriora duo potissimum ex rebus adstringentibus composita, venarum ruptionibus constringendis et agglutinandis conveniunt. /.

---

Looch de Althaea, et Passulatum Quercet: vide Pharm: dogm: cap. 19. /.

℞. Syr: e succ: heder: terrest: Quercet: ℥ij. Flor: sulph: q. s. f. Looch. /.

De quo Empyricus exhibeo 4tum in die, mane a prandio circiter hor: 4ta hora somni, et nocte primis vigiliis idque ad dies plusculos et mira praestabis. Multos desperatos et incurabiles aegrotos jam conclamatos, hoc desideratissimo remedio. Quercet. Phar:

## Lohoch de Caulibus.

[Qu]e confert Asthmati, antiquae tussi, sputo coquendo, [mo]vendo, et excludendo. Renod:

## Lohoch e Papavere.

[Asper]itati gutturis, et tussim ex catarrho calido, et tenui [mul]tum juvat, Catarrhum e. talem quem sputum liquidius [ind]icat, coquendo incrassat. Febri ardenti, dolori pectoris et pleuritidi salubre. Melichius de Lohoch.

1. Lohoch è pulmone Vulpis.

Saluberrimum est phthisicis, mirum est in modum expu[rgat] pulmones, & roborat. Methichi dicti Lohoch.

2 Lohoch è Pino.

Tussi antiquæ convenit, Asthmati, Sputo viscido, [et] difficultati, Vocis asperitati, humorum coctioni et [...] Atque Pulmonis et Thoracis affectus, qui ab humore noxia qualitate proficiscuntur, curat. Renodæus./.

3. Eclegma Sanum et expertum.

Vt cætera Eclegmata valet ad Tussim, raucedinem ab intemperie frigida contractam, multum incidit, terget, et humores præsertim frigidos concoquit.

Scolopendrij, ſiue Ceterach, ana manipul. dimidium.
Glycyrrhizæ vnciam dimidiam.
Decoquantur in ſufficienti quantitate aquæ pluuiæ. Colaturæ cum expreſſione valida factæ, addatur Paſſularum exacinatarum in mortario benè contuſarum libra vna:
Rurſum fiat decoctio, & per pannum lineum validè exprimatur, expreſſioni adde
Sacchari libram vnam.
Fiat Lohoch.

## LOHOCH è PINO. *MES.*

℞ Nucleorum Pineorum drachmas triginta.
Amygdalarum dulcium,
Auellanarum aſſatarum,
Gum: Tragacanthi,
Arabici,
Puluer: Glycyrrhizæ, & ſucci eiuſdem,
Amyli,
Capillorum Veneris,
Radic: Ireos, ana vnciam dimidiam.
Carnis Dactylorum fuluorum drachmas triginta quinque.
Amygdalarum amararũ drachmas tres.
Mellis Paſſulati,
Sacchari albi tabarzet,
Bûtyri recentis, ana vncias quatuor.
Mellis optimi q. ſ. aut libras tres.
Diſſoluantur quæ diſſoluẽda ſunt, in ſufficienti quantitate decocti Capillorum Veneris, & reliqua addantur ſecundùm artem, vt fiat Lohoch.

## LOHOCH è PVLMONE VVLPIS, *MES.*

℞ Pulmonis vulpis præparati,
Succi Glycyrrhizæ,
Capillorum Veneris,
Semin: Aniſi,
Fœniculi, ana vnciam vnam.
Sacchari aqua Tuſſilaginis clarificati vncias quindecim.
Tritis terendis tenuiſſimè Sacchаro excipiantur omnia & ad debitam formam redigantur.

## LOHOCH SANVM ET EXPERTVM. *MES.*

℞ Cinnamomi,
Hyſſopi ſiccæ,
Glycyrrhizæ, ana vnciam dimidiam.
Iuiubarum,
Sebeſten, ana numero triginta.
Vuarum paſſarum enucleatarũ,
Ficuum ſiccarum,
Dactylorum pinguium, ana vncias duas.
Semin: Lini,
Fœnugræci, ana drachmas quinque.

Capillorum Veneris manipul. vnum.
Semin: Aniſi,
Fœniculi,
Radic: Iridis,
Calaminthę, ana vnciam dimidiam.

Coquantur ſ. a. in aquæ clariſſimæ libris quatuor ad conſumptionem medietatis: colaturæ expreſſæ adde

Sacchari albiſſimi libras duas.

Coquantur rurſum ad conſiſtentiam ſyrupi, poſteà inſperge ſequentia minutiſſimè inciſa & contuſa,

Nucleorum Pineorum mundatorum drachmas quinque.
Amygdalarum dulcium,
Glycyrrhizæ,
Gum: Tragacanthi,
Arabici,
Amyli, ana drachmas tres.
Radic: Ireos drachmas duas.

Agitentur omnia ſimul diligenter & celeriter, donec albeſcant.

Ex iiſdem conſtat, quibus mel Scilliticum; ſed diuerſo modo ac præparato, et proportione mellis ad Scillam confectum. Renod:

## ECLEGMA SCILLITICVM.

*MES.*

℞ Succi Scillæ depurati.
Mellis deſpumati ana libras duas.

Coquantur ſimul ſ. artem ad conſiſtentiam mellis.

Vires. Craſſos et viſcidos humores partibus reſpiratoriis impactos potenter incidit, et apparat ad expulſionem. Aſthmaticis valde congruit, difficulter ſpirantibus, et quibus viſcidæ pituitæ copia in pulmonibus, vel Thoracis ſpatio continetur. Renodæus.

CON-

# CONDITA.

Condiuntur Saccharo diligenter clarificato ſecundùm artem.

- Caules
  - Angelicæ.
  - Cynaræ.
  - Lactucæ.
- Cortices
  - Aurantiorum.
  - Cinnamomi.
  - Citrorum.
  - Ligni Guaiaci.
  - Limonum.
- Flores
  - Aurantiorum.
  - Borraginis.
  - Citri.
  - Geniſtæ nōdum aperti.
  - Primulæ veris.
  - Roriſmarini.
  - Roſarum.
- Fructus vt ſunt
  - Amygdalæ.
  - Berberes.
  - Cappares.
  - Caryophylli.
  - Ceraſa.
  - Corna.
  - Citria.
  - Cydonia.
  - Mala
    - Armeniaca.
    - Perſica.
    - Vulgaria.
  - Meſpila.
  - Myrobalanorum quinque genera.
  - Nuces
    - Auellanæ.
    - Iuglandes.
    - Moſchatæ.
  - Paſſulæ.
  - Pineæ.
  - Piſtaciæ.
  - Oliuæ.
  - Piper in racemis ex India.
  - Poma.
  - Pruna
    - Hortenſia.
    - Sylueſtria.
  - Pyra.
  - Vuæ.

Pulpæ { Caſiæ. Citri. Cucurbitæ. Cydoniorum. }

Radices { Acori vulgaris, Calami Aromatici, Galangę. Angelicæ. Borraginis. Bugloſſi. Cichorij. Crethami agreſtis. Enulæ Campanæ. Eryngij. Pimpinellæ. Satyrij. Scolymi. Siſari, Siſeris, Secacul. Symphyti maioris. Zingiberis. Zedoariæ. }

*Et ſurculi, & ſæmina præter hæc condiuntur.*

Modus condiendi ſit, vt quæ magis amara, aut ſubſtantiâ duriora fuerint, aliquandiù macerentur, primùm in lixiuio claro facto ex cineribus lignorum, deinde in aqua fontana calida, donec amaritudinem depoſuerint, aut humectata tenereſcant; pòſt aquâ leuiter expreſsâ, coquantur in Iulepo lento igne, deinde recondantur in vaſe vitreo, aut fictili vitreato, affundendo Iulepum cui incocta fuerunt; poteruntque condiri aromatibus, vt & moſcho, & ambrâ, pro libitû.

*Quæ minùs amara, molliora, non opus lixiuio vt macerentur, ſed leniori ebullitione, Saccharum vt imbibant, & condiantur itidem.*

CONSER-

# CONSERVÆ & SACCHARA,
## HERBARVM, FOLIORVM, FLORVM ET FRVCTVVM.

CONSERVAE.

Abſinthij.
Acetoſæ.
Acetoſellæ ſiue Luiulæ.
Adianthi.
Auranciorum.
Betonicæ.
Borraginis.
Bugloſſi.
Cardui benedicti.
Centaurei.
Ceterach, Aſpleni.
Chamædryos.
Caryophyllorũ, ſeu Tunicæ.
Cichorij.
Cochleariæ.
Conſolidæ maioris.
Citrariæ.
Cynosbati.
Enulæ.
Euphragiæ.
Fumiterræ.
Geniſtæ non planè maturorum.
Granatorum.
Lauendulæ.
Liliorum alborum.
Lilij Conuallium.
Maluæ.
Nymphææ, Nenupharis.
Pœoniæ.
Perſicæ.
Primulæ veris.
Prunellæ.
Roſarum { Damaſcenarũ. Rubrarum.
Roriſmarini ſiue Anthûs.
Saluiæ.
Sambuci.
Scabioſæ.
Stœchados.
Tiliæ.
Tuſſilaginis.
Violarum.
Galegę ſiue Rutę caprarię.
Gratiolæ.
Hyſſopi.
Maioranæ.
Meliſſæ.
Menthæ.
Rutæ.
Satureiæ.
Scordij.
Symphyti.

Folia & Flores minutiſſimè incidantur, & ſingulis libris florum aut foliorum addantur

Sacchari albiſſimi libræ tres.

Sed vt flores & herbæ, non itidẽ parantur Berberes, Prunella, Fructus acidi: in iſtis, exempli gratiâ.

℞ Fruct: Oxyacanthæ ſiue Berberorũ q. v. in aquæ fontanę q. ſ. ſuper prunas viuaces bulliãt, dum pulpa ab arillis per rarum ſetaceũ conuenienter decoletur, deprimẽdo: dein

℞ Pulpæ præcolatæ libras ſex,

quas

Pone in vitreato vaſe terreo (quòd acida ab æreo ingratùm ſapiant) & ad ignem lentum aquoſam humiditatem euapora: bacillo ligneo ſubinde agitando, ne ſuccus aduratur: demùm admiſce

Sacchari albi clari (vt eſt artis) libras decem,

ad conſiſtentiam coquendo debitam.

DIACODIVM SOLIDVM SIVE TABVLATVM.

℞ Capitum Papaueris albi mediocri magnitudine, nec nimis viridium, neque ſuprà modum maturorum numero viginti.

Aquæ pluuiæ aut fontanæ libras tres.

Macerentur horis viginti quatuor, deinde coquantur donec contabuerint capita & colentur, ad extremum adde Sacchari quantitatem ſufficientem, & coquatur vt artis eſt, vt exindè fiant tabulæ.

MANVS CHRISTI SIMPLEX ET PERLATA.

℞ Sacchari optimi libram vnam.

Aquæ Roſarum pallidarum ſemilibram.

Coquantur ſecundùm artem, & projciendo ſuper marmor, fiat Manus Chriſti: Si ſub finem coctionis addatur Margaritarum præparatarum & tritarum vncia dimidia, cum folijs auri octo vel decé, fit Manus Chriſti perlata.

MANVS CHRISTI AD LVMBRICOS.

℞ Rhabarbari electi ſcrupulos quatuor.

Agarici trochiſcati,
Corallinæ,
Cornu Cerui vſti,
Dictamni Cretici,
Sem: Santonici,
Acetoſæ, ana ſcrupulum.
Cinnamomi,
Zedoariæ,
Caryophyllorum,
Croci, ana ſemiſcrupulum.

Sacchari albiſſimi tenuiter triti libram vnam.

Diſſoluatur Saccharum in aquæ Abſinthij vncijs quatuor cum Vini Abſinthites vncia, & aquę Cinnamomi Cochleari vno, vt cum ſpeciebus præſcriptis fiant ſecundùm artem Manus Chriſti.

PENIDIA.

Conſtant ex Saccharo, & aqua Hordei, eâ proportione & arte coctis, vt maſſa quædam exurgat admodùm ſolida, & ita tractabilis, vt digitis non adhæreat, & facilè in

Manus Christi Simplex et Perlata.
pl. Dejectis virib. ardentib. febrib. et imaginaões
as abdent. Myli. Basil. Chym: l. 4. c. 22. p. 407.
fectio man. Chri. plata cu extr. Angelicæ
e multu prodest. Scholzius Epist. 248.

in fila ducatur tenuiora, craſſiora, breuiora aut longiora, contorta pro libitu; Plures addunt nonnihil Amyli.

## CONFECTIO DE THVRE, *NOR.*

℞ Sem: Coriandri præparati vnciam ſemis.
Nucis Moſchatæ.
Thuris albiſſ: ana drachmas tres.
Glycyrrhizæ.
Maſtichis ana drachmas duas.
Cubebarum.
Cornu Cerui præparati ana drachmam vnam.
Conſer: roſarum rubrarum vnciam vnam,

Cum ſufficienti quantitate Sacchari albiſſ: fiat confectio in morſellis pondere drachmarum duarum.

## SACCHARVM ROSATVM.

℞ Florum Roſarũ rubrarum non dùm plenè maturarũ vnciam vnam.

Forcipibus omnis albedo amputetur, deinde in vmbra ſiccentur, & terantur poſteà optimè in mortario lapideo, tunc cum vncijs duodecim Sacchari optimi ſoluti in aqua Roſarum rubrarum, coquantur ſecundùm artem, dum aqua fuerit abſumpta: deinde projiciatur ſenſim maſſa ſuper marmore, & fiant vel Manus Chriſti, vel placentulæ pro libitu. Sunt qui inter coquendum addunt Conſeruæ Roſarum rubrarum vncias quatuor optimè immiſcendo, vnde Saccharum, & magis coloratum, & guſtui gratius redditur.

Eodem modo Saccharum conflatur Violatum, tabulatum.

Sic è Bugloſſo.
Capill: Veneris,
Cichorio.
Iride Flor:
Rad: Enulæ.
Symphyto, & alijs.

SPECIES

# SPECIES SIVE PVLVERES.

### AROMATICVM CARYOPHYLLATVM, *MES.*

℞ Caryophyllorum drachmas ſeptem.
Macis,
Zedoariæ,
Galangæ minoris,
Santali Citrini,
Trochiſc. Diarhodon,
Cinnamomi,
Ligni Alôes,
Spicę Nardi Indicæ,
Piperis longi,
Cardamomi, ana drachmam vnam.
Roſarum rubrarum drachmas quatuor.
Galliæ moſchatæ,
Glycyrrhizæ raſæ, ana drachmas duas.
Folij,
Cubebarũ, ana ſcrupulos duos.
Ambræ griſeæ optimæ drachmam vnam.
Moſchi ſemiſcrupulum.
Sacchari albiſſimi q. ſ.
Tritis omnibus diligentiſſimè fiat Puluis.
Cum Syrupi è Citro admiſti q. ſ. Electuarium fieri poteſt.

Cor, Ventriculum, et reliqua nutritionis viscera roborat, et vomitum reprimit, flatus dissipat, putredine hum... ventriculo arcet, et infirmæ concoctioni opitulatur.

### AROMATICVM ROSATVM GABRIELIS.

℞ Roſarum rubrarum drachmas quindecim.
Glycyrrhizæ raſæ drachmas ſeptem.
Ligni Aloes.
Santali citrini, ana drachmas tres.
Cinnamomi electi drachmas quinque.
Caryophyllorum,
Macis, ana drachmas duas ſemis.
Gum: Arabici,
Tragacanthi, ana drachmas duas & ſcrupulos duos.
Nucis Moſchatæ,

Carda-

Aromat: Rosatum.

[illegible]regnter vtimur in humidis ventriculi excrementis. Coctionē
[illegible]vet, putredinē phibet, stomachi mollitiem corrigit, imbecillitatē
[illegible] ventrē totū inferiorem et nutritionis instrumenta roborat./
[illegible]dissipat, appetentiā excitat, nauseam sedat: stomachicis confert
Convalescentes ac e morbo diuturno emergentes multū recreat./

[illegible] predicaverat de virtutibus huius medica:
seu [illegible] multū aliter se res habet: [illegible]
[illegible] (et que [illegible] eo melius, [illegible]
ventriculi qui istos [illegible] ferre possunt

Pulvis Cardiacus major.

Cor mirificè corroborat, & munit, ne in pestilenti [illegible]
stagione offendatur: in ardenti febre et cœlo æstuoso
q[illegible] moderato sit calore. Fernel.

Pulvis ad Contusos.

Viros. Propinatur præcipitatis, ruptis, contusis, fractis, ex vin[illegible]
astringente vel cui miscuerint quæ astringendi vim habent, ut
Rosas, Balaustia, Cytinos, Malicoria, Myrtos, Rubi cacu[illegible]
Sumach, &c. Hoc vino intincta lintea et expressa cali[illegible]
laboranti circumvoluta, omnem ex ictu et præcipitio offens[illegible]
mirificè juvant. Est Hispanis celebre nec contemnendum [illegible]

Cardamomi minoris,
Galangæ, ana drachmam vnã.
Spicæ Indicæ,
Ambræ griſeæ, ana ſcrupulos duos.
Moſchi ſcrupulum vnum.

Pulueriſentur ſecundùm artem, & puluis ſeruetur in vaſe vitreo, vel fictili vitreato ad vſum.

Parari poteſt ſine ſpica propter ingratitudinem, quo nomine & in reliquis ſpeciebus cordialibus Spica omitti poteſt.

## PVLVIS CARDIACVS MINOR, *FERN.* l.5.c.21.

℞ Cornu Cerui,
Vnicorni,
Margaritarum ſplendidarum,
Scobis Eboris, ana grana ſex.

Fiat Puluis tenuis: ſi reſeruandus, ſingulorum quantitas augetur analogicè.

## PVLVIS CARDIACVS MAIOR, *FERN.*

℞ Radic: Tormentillæ,
Dictamni,
Tunicæ,
Scabioſæ,
Sem: Acetoſæ,
Coriandri præp:
Citri,
Cardui benedicti,
Endiuiæ,
Rutæ, ana drachmam vnam.
Trium Santalorum,
* Been { albi, rubri, } vel ſucced: pag. 60.
Doronici Romani,
Cinnamomi,
Cardamomi,
Croci,
Flor: Bugloſſi vtriuſque,
Roſarum rubrarum,
Nymphęę,
Ligni Aloes,
Macis ana ſcrupulos duos.
Raſurę Eboris.
Spodij,
Oſſis è Corde Cerui,
Corallij rubri,
Margaritarum ſplend:
Smaragdi,
Hyacinthi,
Granati, ana ſcrupulum vnum.
Serici crudi torrefacti,
Boli Armeni,
Terrę Lemnię, ana ſemidrachmam.
Caphurę,
Ambrę griſeę,
Moſchi, ana grana ſex.

Fiat Puluis, & ex octuplo Sacchari albi aquâ roſarum ſoluti, tabellę concinnentur.

## PVLVIS AD CONTVSOS EX CASV, *AVGVST.*

℞ Terrę ſigillatę,

Sanguinis Draconis,
Mumiæ, ana drachmas duas.
Spermatis Ceti drachmam vnam.
Rhabarbari drachmam dimidiam.
Fiat omnium Puluis ſecundùm artem.

## SPECIES CORDIALES TEMPERATÆ.

℞ Ligni Aloes,
Spodij, ana drachmam vnam.
Cinnamomi,
Caryophyllorum,
Oſſis de corde cerui,
Radic: Angelicæ.
* Been vtriuſque,(vel eorum loco Radic: Caryophyllatæ & Tormentillæ, ) ana drachmam vnam ſemis.
Margaritarum præparatarum drachmas ſex.
Serici crudi toſti.
Corallij vtriuſque, ana drachmas duas.
Hyacinthi,
Smaragdi,
Sapphyri, ana drachmam dimidiam.
Croci ſcrupulum vnum.
Ambræ griſeæ,
Moſchi, ana drachmam dimidiam.
Folia { Auri, Argenti, ana decem.
Fiat Puluis ſecundùm artem.

## DIACALAMINTHES SIMPLEX *GAL.*

℞ Calaminthæ Montanæ,
Pulegij,
Origani.
Sem: Petroſelini Macedonici,
Petroſelini,
Seſeleos , ana drachmas duas.
Sem: Apij,
Cymarum Thymi, ana vnciam dimidiam.
Sem: Liguſtici,
Piperis nigri, ana vnciam vnã.
fiat Puluis ſecundùm artem.

Fieri etiam poteſt Electuarium, cum Sacchari albiſſimi ( ſoluti in aqua Violarum aut Roſarum ) libris duabus ſemis.

## SPECIES ELECTVARII DIACALAMINTHES COMPOSITI, *FER.*

℞ Pulueris Electuarij Diacalaminthes ſimplicis vnciam dimidiam.
Folior: Praſij,
Maioranæ,
Meliſſæ,
Artemiſiæ,
Sabinæ , aridorum, ana drachmam vnam.
Radic: Cyperi,
Sem: Rubiæ.
Rutæ,
Macis,

Cinna-

Spes Diacalaminthes Comp: Fern.

Contumacia et inveterata pectoris pulmonumq, horumq crassos, lentosq humores attenuat, detergit, [illegible]orat. Flatus discutit: concoctionem, et distributionem [illegible] adjuvat; urinas, menses, sudoresq ciet. Fernel.

Species Cordiales Temperatae.

Vires. Cor roborant, animi deliquio medicantur et in Lue pestilenti commendantur.

## Dianiſum.

Vires. Ventriculo frigido et humido ſuccurrit, et ...
à lentâ pituitâ natas abſumit: flatus quoque craſſos ...
collectos diſſipat. Pectus à tenacib9 humoribus rep...
et ob id diuturnæ medetur tuſſi.

## Diacyminum.

Vires. Thoracis, præcordiorum, ventriculi, et viſcerum imbecillitati
frigidâ cauſſâ natæ ac Oxyregmiæ opitulatur. Stomachi
confert, flatus diſſipat inteſtinorum. Hypocondriorum diſtenſio...
à nimiâ cruditate et flatibus profectas aufert. Viſcera
facit concoctionem juvat. Arteriacis, Peripneumoni...
tuſſi ex frigidis, craſſisque humoribus auxilio eſt: nec n...
inflatis, Colicis, et Quartanarijs plurimum prodeſt.

## Diagalanga.

Ventriculi et jecoris intemperiem frigidam ſanat, et ob ...
coctionem, acidos ructus compeſcit, flatus craſſos ab
ijs natos, inflados diſſipat. Oris halitum commendat
eo fœtorem gigni vetat./.

Cinnamomi, ana ſcrupulos duos.

Terantur & miſceantur diligentiſſimè; fieri etiam poteſt Electuarium cum Sacchari in aqua Parthenij ſoluti duodecuplo.

DIANISVM, *MES.*

℞ Sem: Aniſi elect: vncias duas ſemis.
Glycyrrhiz. raſæ,
Maſtiches, ana vnciam vnam.
Sem: Carui,
Fœniculi,
Galangę,
Macis,
Zingiberis,
Cinnamomi, ana drachmas quinque.
Trium Piperum,
Caſiæ ligneæ,
Calaminthæ,
Pyrethri, ana drachmas duas.
Cardamomi,
Caryophyllorum,
Cubebarum,
Spicæ Indicæ,
Croci, ana ſeſquidrachmam.
Sacchari albi vncias quinque.

Fiat Puluis, & cum melle deſpumato Electuarium.

SPECIES ELECTVARII DIACYMINI, *NICOLAI.*

℞ Cymini per diem naturalem infuſi in aceto, & iterum exiccati, vnciam vnam, & ſcrupulum vnum.
Cinnamomi,
Caryophyllorũ, ana drachmas duas ſemis.
Galangæ,
Satureiæ,
Calaminthes, ana drachmam vnam & ſcrupulos duos.
Zingiberis,
Piperis nigri, ana drachmas duas, & grana quinque.
Sem: Liguſtici,
Ammios, ana drachmã vnã & grana octodecim.
Piperis longi drachmam vnam.
Spicæ Nardi,
Nucis Moſchatę,
Cardamomi, ana ſcrupulos duos ſemis.

Terantur, & diligenter recondantur ad vſum, in forma Pulueris.

SPECIES ELECTVARII DIAGALANGÆ, *MES.*

℞ Galangę,
Ligni Aloes, ana drachmas ſex.
Caryophyllorum,
Macis,
Semin: Liguſtici, ana drachmas duas.
Zingiberis,
Piperis longi,
albi,
Cinnamomi,
Calami Aromatici, ana drachmam vnam ſemis.

Calaminthæ ſiccæ,
Menthæ ſiccæ,
Cardamomi maioris,
Spicæ Indicæ,
Sem: Apij,
Aniſi,
Fœniculi,
Carui, ana drachmam vnā.
fiat Puluis ſecundùm artem.

Fieri etiam poteſt Electuarium cum Sacchari albi, vino Maluatico ſoluti, vel Mellis deſpumati duodecuplo.

## SPECIES ELECTVARII DE GEMMIS CALIDI,

℞ Trochiſcorum Diarhodon,
Ligni Aloes, ana drachmas quinque.
Margaritarum albarum.
Zedoariæ,
Doronici,
Cortic: Citri.
Macis,
Sem: Ocimi Caryophyllati.
Ambræ griſeæ veræ, ana drachmas duas.
Corallij rubri,
Succini albi,
Raſuræ Eboris, ana ſcrupulos quinque.
Sapphyri,
Hyacynthi,
Sardæ,
Granati,
Smaragdi,
Cinnamomi,
Galangæ,
Zurumbet, ana drachmam vnam ſemis.
*Been vtriuſque (vide ſuccedan: pag. 60.)
Caryophyllorum.
Zingiberis,
Piperis longi,
Spicæ Indicæ,
Folij, vel Spicæ Celticæ,
Croci,
Cardamomi maioris, ana drachmam vnam.
Folior: Auri,
Argenti, ana ſcrupulos duos.
Moſchi drachmam dimidiam.

Fiat omnium Puluis ſecundùm artem, & ſeruetur ab aëre concluſus diligentiſſimè.

## SPECIES ELECTVARII DE GEMMIS FRIGIDI.

℞ Margaritarum præparatarum drachmas tres.
Spodij,
Raſuræ Eboris,
Corallij vtriuſque, ana drachmas duas.
Flor: Roſarum rubrarum drachmam vnam ſemis.
Hyacinthi,
Sapphyri,

Elect: de Gemmis calidi.

ô frigidos affect9 cerebri, cordis, ventriculi, hepatis,
uteri efficacissimū: Melancholicos, tristes, sine manifesta
ca dimidos, solitarios juvat, exhilarat: Cordis tremorē
syncopen emendat. Ventriculū à frigida intemperie imbe-
[illegible] roborat, et coctione hi ejusdem, tum hepatis, mediante
ita corp9 εὔχυμον pstat. Uteri habitus refrigeratione
exigit, imbecillitatē reficit, Lipothymias et strangulaões
[illegible] sanat. Phar: August. /.

[illegible]pes Elect: de Gemmis frig:

magnis febriū inflamaōib9 confert; Jecinorosū adest; et
[illegible]tentia dejecta, Syncopi, Cordis Palpitationi, Tussiculosis,
Asthmaticis auxiliatr.

## Spes Electi: Diaireos Simpl.

Vires. Ad oēm fauciū destillaōem, idq; initio nondū invalescente impetu feliciter adhibetr.

## Species Dialaccæ.

Vires. Valet ad ventriculi et jecoris frigidas intemperies, obstructiones, inflaōes, et durities. Aquæ intercutē [illegible] menses ciet, Scirrhū dissolvit, Cachexiā depellit, Urinam [illegible] Renū et vesicæ duritias dissipat, et calculos atterit.

Smaragdi,
Sardæ,
Granati,
Santali { albi, rubri, Citrini,
Flor: Borraginis,
Bugloſſi,
Sem: Acetoſæ,
Baſilici,
*Been vtriuſque (vide pag. 60.) ana drachmam vnam.
Oſſis è corde Cerui drachmam dimidiam.
Folia Auri,
Argenti, ana quindecim.
Fiat Puluis ſecundùm artem, diligenter reponatur.

## SPECIES ELECTVARII DIAIREOS SIMPLICIS, *NICOLAI.*

℞ Ireos vnciam dimidiam.
Sacchari candi,
Specierum Diatragacanthi frigidi, ana drachmas duas.
Fiat Puluis.

## SPECIES DIALACCÆ, *MES.*

℞ Laccæ præparatæ,
Rhabarbari,
Schœnanthi, ana drachmas tres.
Spicæ,
Maſtiches,
Succi Abſinthij Romani,
Eupatorij, i. Agerati,
Sem: Apij,
Ammeos,
Fœniculi,
Aniſi,
Sabinæ,
Amygdalarum amararum,
Myrrhæ,
Coſti, ſeu Zedoariæ,
Radic: Rubiæ tinctorum,
Aſari,
Ariſtolochiæ { longæ, rotundæ,
Gentianæ,
Croci,
Cinnamomi,
Hyſſopi ſiccæ,
Caſiæ ligneæ veræ,
Bdellij, ana drachmam vnam ſemi.
Piperis,
Zingiberis, ana drachmã vnam.
fiat Puluis ſ. a.
Fieri etiam poteſt Electuarium cum Mellis vel Sacchari vino albo, vel aquâ Cichorij, ſoluti, q. ſ.

## SPECIES ELECTVARII DIAMARGARITON CALIDI, *AVICEN.*

℞ Margaritarum albiſſimarum,
Pyrethri, ana drachmam vnam,
Zingiberis.

Maſti-

Maſtiches, ana vnciam dimidiam.
Doronici,
Zedoariæ,
Sem. Apij,
Cardamomi vtriuſque, i.e. Capsici
Nucis Moſchatæ,
Macis, ana drachmas duas.
*Been vtriuſque vide ſuccedan: pag. 60.
Piperis {nigri, longi, ana drachmas tres.
Cinnamomi drachmas quinque.
Pulueriꝫentur, reponantur ad vſum.

## SPECIES ELECTVARII DIAMARGARITON FRIGIDI, *NIC.*

℞ Semin: quatuor frigidorū maiorum mundatorum.
Sem: Portulacæ,
Papaueris albi,
Endiuiæ,
Oxalidis,
Citri,
Trium Santalorum,
Ligni Aloes,
Zingiberis, omittit Ph: Aug: q^a refrigerando cordi medic: destinatur
Flor: Roſarum rubrarum,
Nymphęæ,
Bugloſſi,
Violarum,
Baccarum Myrti,
Oſſis è corde Cerui,
Eboris,
Doronici Romani,
Cinnamomi, ana drachmam vnam.
Corallij vtriuſque, ana drachmam dimidiam.
Margaritarum ſplendidarum drachmas tres.
Ambræ griſeæ.
Caphuræ, ana grana ſex.
Moſchi grana duo.
fiat Puluis ſecundùm artem.

Obſeruandum autem, vt ſemina frigida Maiora & Papaueris mundata non priùs addantur, quàm ſpecies requiruntur à Medico ad vſum, alioqui compoſitio fiet rácida: & ſic in reliquis ſpeciebus, quarum compoſitionem hæc ſemina ingrediuntur.

## SPECIES ELECTVARII DIAMBRÆ, *MES.*

℞ Cinnamomi,
Doronici, ſiue Zedoariæ,
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Folij,
Galangæ, ana drachmas tres.
Spicæ Indicæ,
Cardamomi maioris,
minoris, ana drachmam vnam.
Zingiberis drachmam vnam ſemis.
Ligni Aloes,

Santali

Diamargariton Calidum.

Ad universi corporis refrigerationem utile. Cardiacos deficientes, uterum ferentes, suffocationes uteri, cordisque ... juvat, omne virium imbecillitatem firmat. Asthmaticis, hecticis tabidisque subvenit, ventriculi fastidia ... coctionem commovet: aegritudine dejectos et languentes ... robur reducit. Privatim v. imbecillitati stomachi, cruditati, corporis et cordis exolutioni medetur. /.

Diamargar: frigid:

Species Diambrae.

... roborandis efficacissima est, praesertim si a causa frigida sint imbecilla, nam calefaciendo spiritus reficit, ... calorem fovet, affectibus uteri prodest, et valde senibus et mulieribus convenit. Renod:

## Species Diamoſchu dulcis.

Vires. Ad Affectus Cerebri frigidos, Vertigine, Com[illegible] melancholicos, Cordis palpitationem, tumultuosa insomni[illegible] Convulſionem, Pulmonis noxas, ſpirandi difficultatem, calorem nativum recreat. Cachexiam emendat, Lienoſis et Stomachicis ſuccurrit. /.

## Diamoſchu Amarum.

Ad praedicta efficacius, atque ad humores ventriculi, [illegible] putreſcentes abſumendos potentius. Melichius.

## Species Dianthon.

Vires. Praeter rationem triſtibus ſubvenit, atque laetitiam [illegible] Cardiacis, Elephantiacis, cordis ſyncopi, animi defectionib[illegible] Diſtillatione affectis uſui est, et omni cordis ac corporis imbecilli[illegible]

Santali Citrini,
Piperis longi, ana drachmas duas.
Ambræ griſeæ ſeſquidrachmã.
Moſchi drachmam dimidiam.
Miſce, fiat omnium Puluis.

## SPECIES ELECTVARII DIAMOSCHV DVLCIS, MES.

℞ Croci,
Doronici, ſeu Galangæ,
Zedoariæ,
Ligni Aloes,
Macis, ana drachmas duas.
Margaritarum albarum,
Serici crudi toſti,
Succini,
Corallij rubri,
Galliæ Moſchatæ,
Ocimi Citriati, ana drachmas duas ſemis.
Zingiberis,
Cubebarum.
Piperis longi, ana drachmam vnam ſemis.
*Been vtriuſque, vel ſuccedan: pag. 60.
Folij, aut Cinnamomi,
Spicæ Indicæ,
Caryophyllorum, ana drachmam vnam.
Moſchi ſcrupulos duos.
fiat Puluis ſecundùm artem.
fiet & Electuarium, addendo Sacchari vino albo ſoluti quadruplũ.

## SPECIES ELECTVARII DIAMOSCHV AMARI, MES.

Ad eadem ingredientia, & pari doſi, adde
Abſinthij,
Roſarum, ana drachmas tres.
Aloes optimæ lotæ ſemunciam.
Cinnamomi drachmas duas ſemis.
Caſtorei,
Liguſtici, ana drachmam vnam.
Fiat Puluis.

## SPECIES ELECTVARII DIANTHON, NIC.

℞ Flor: Roriſmarini vnciam vnã.
Roſarum rubrarum,
Violarum,
Glycyrrhizæ, ana drachmas ſex.
Caryophyllorum,
Spicæ Indicæ.
Nucis Moſchatæ.
Galangæ.
Cinnamomi,
Zingiberis,
Zedoariæ,
Macis,
Ligni Aloes,
Cardamomi,
Sem: Anethi,
Aniſi, ana ſcrupulos quatuor.
Fiat Puluis ſecundùm artem.

DIAPE-

DIAPENIDION, *NIC.*

℞ Penidiorum vncias duas.
Nucum Pinearum,
Amygdalarum dulcium mundatarum,
Sem: Papaueris albi,ana drachmas tres, ſcrupulum vnum.
Cinnamomi
Caryophillorum
Zingiberis
Succi Glycyrrhizæ,
Gum: Tragacanthi,
Arabici,
Amyli candidiſſimi.
Sem: 4. frig: mai: excortic: ana ſeſquidrachmam.
Camphoræ grana ſeptem.
Sacchari albiſſimi q. ſ. vel in forma Electuarij, cum Syrupo Violarum.

DIARHODON ABBATIS, *NICOLAI.*

℞ Santalorum alborum,
rubrorũ, ana drachmas duas ſemis.
Gum: Tragacanthi,
Arabici,
Spodij, ana ſcrupulos duos.
Aſari,
Maſtiches,
Spicæ Indicæ,
Cardamomi,
Glycyrrhizæ,
Croci,
Ligni Aloes.
Caryophyllorum,
Galliæ Moſchatæ,
Sem: Aniſi,
Fœniculi,
Cinnamomi,
Rhabarbari,
Sem: Ocimi,
Acinorum Berberis,
Sem: Scariolæ,
Portulacæ,
Cucurbitæ,
Cucumeris,
Citruli,
Melonum,
Papaueris albi, ana ſcrupulum vnum.
Margaritarum.
Oſſis è Corde Cerui, ana ſcrupulum dimidium.
Sacchari Candi,
Roſarum rubrarum, ana vnciã vnam, & drachmas tres.
Camphorę grana ſeptem.
Moſchi grana quatuor.
Fiat Puluis ſ. a.

Fieri etiam poteſt Electuarium cum octuplo Sacchari diſſoluti in aqua Roſacea.

DIOSPOLITICVM, *GALENI.*

℞ Cymini præparati,
Piperis longi,
Folior: Rutæ ſiccatorum, ana vnciam vnam.
Nitri vnciam dimidiam.
Fiat Puluis.

SPECIES

Diapenidion Nic.

Tussiculosis, Pleuriticis, Peripneumonicis confert. Thoracis noxam, faucium asperitatem vocis raucedinem et ... ex frigido et sicco contractam emendat. Sabidis purulenta reiicientibus opem fert, crassos humores atte... et expulsioni aptos reddit.

Diarhodon Abbatis

Hepaticis, Ictericis, Cardiacis, Phthisicis & Cœliacis est, defectionibus animi e corde natis succurrit. Ventriculum ... desiccat, et Cerebro robur addit. Datur salubriter qui e morbis diuturnis ac febribus emergunt. Phar: Aug:

Diospoliticum Gal.

Flatus potenter dissipat, et infarctam ventriculo pituitam ...caciter deterget. Phar: Aug:

Spes Diatragacanthi frigidi.

Vires. Usus in vitiis pectoris et pulmonis noxiis a cal[ore]
ortis; Thoracis gravitatem allevat. Tussiculosis a
intemperie opitulatur. Pleuriticis, Peripneumonicis, ...
macie confectis, Linguae item et faucium asperitati succ...
et Siti immodicae quam pulmonis calor invexit confert.

Spes Diatrion Piperion.

Vires. Utile in succorum crudorum et flatuum copia a crudi...
Datur iis qui ob recens frigus male concoxerunt, et pitui...
plurimum succum in primis venis coacervarunt. Stomachi p...
ructus acidos et nidorosos juvat, et inflationes discu...

Diatrion Santalon.

Vires. Febrium biliosarum ardoribus et viscerum fervoribus...
Hepaticis, Cardiacis, Ictericis, Phthisicis auxiliatur; In...
omnem calidam emendat. Praecipue utimur in febrium decli...
materia jam evacuata, ad residuum calorem febrilem extingu...
et viscerum tonum conservandum. Ph. Aug.

Pulvis Haly.

Ad tussim et pulmonum ulcera. Melichius.

## SPECIES ELECTVARII DIATRAGACANTHI FRIGIDI, *NICOLAI.*

℞ Gum: Tragacanthi albi vncias duas.
Arabici vnciam vnam & drachmas duas.
Amyli vnciam dimidiam.
Glycyrrhizæ,
Sem: Melonum,
Papaueris albi,
Citruli,
Cucumeris,
Cucurbitæ, ana drachmas duas.
Penidiorum vncias tres.
Caphuræ ſemiſcrupulum.
fiat Puluis ſ. a.

Fieri etiam poteſt Electuarium, cum ſyrupi violacei ſufficienti quantitate: At cautio habenda eſt (vt priùs) de ſeminibus frigidis.

## SPECIES ELECTVARII DIATRION PIPEREON, *GALENI.*

℞ Trium piperum, ana drachmas ſex, & grana quindecim.
Sem: Aniſi,
Thymi,
Zingiberis, ana drachmam vnam.
Fiat Puluis: & cum Saccharo in aqua florum Roriſmarini ſoluto, vel melle prout res poſtulauerit fieri poteſt Electuarium ſ. a.

## SPECIES ELECTVARII DIATRION SANTALON, *NIC.*

℞ Santalorum omnium.
Roſarum rubrarum,
Sacchari candi, ana drachmas tres.
Rhabarbari,
Spodij,
Succi Glycyrrhizæ,
Sem: Portulacæ, ana drachmas duas, & grana quindecim.
Amyli,
Gum: Arabici,
Tragacanthi,
Sem: Melonum.
Cucumeris,
Citruli,
Cucurbitæ,
Scariolæ, ana drachmam vnam ſemis.
Camphoræ Scrupulum vnum.
Fiat Puluis ſ. a.

Fieri etiam poteſt Electuarium cum octuplo Sacchari in aqua Roſacea ſoluti.

## PVLVIS HALY.

℞ Sem: Papaueris albi drachmas decem.

Gummi Arabici,
Amyli,
Tragacanthi, ana drachmas tres.
Semin: Portulacæ.
Althęæ,
Maluæ, ana drachmas quinque.
Cucumeris,
Melonis,
Cucurbitæ,
Citruli,
Cydonioru͂ mundatoru͂, ana drachmas ſeptem.
Spodij,
Glycyrrhizæ, ana drachmas tres.
Penidioru͂ ad pondus omniu͂.
Fiat Puluis ſ. a.

## LÆTIFICANS GALENO ADSCRIPTVS. sed magis ex Nic: Præpositi antidotario excerptus.

℞ Florum Ocimi Caryophyllati aut ſem: eiuſdem.
Croci,
Zedoariæ,
Xyloaloes,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis,
Nucis Moſchatæ,
Styracis Calamitæ, ana drachmas duas ſemis.
Raſuræ Eboris,
Sem: Aniſi,
Thymi,
Epithymi, ana drachmam v-
nam.
Oſſis è Corde Cerui,
Margaritarum,
Camphoræ,
Ambræ,
Moſchi, ana drachmam dimi-
diam.
Folior: Auri,
Argenti, ana ſcrupulum dimidium.
Fiat Puluis ſ. a. reſeruetur dili-
genter ad vſum.

## SPECIES CONFECTIONIS LIBERANTIS.

℞ Radic: Tormentillæ,
Semin: Acetoſæ,
Endiuiæ,
Coriandri præparati,
Citri, ana drachmam vnam ſemis.
Santalorum omnium,
Dictamni albi, ana drachmam vnam.
Boli Armeni,
Terræ Lemniæ, ana drachmas tres.
Margaritarum,
Corallij vtriuſque,
Succini albi,
Raſuræ Eboris,
Spodij,
Oſſis è Corde Cerui,
*Been vtriuſque, vel ſuccedan: pag.
Radic: Angelicæ.

Carda-

LÆTIFICANS Galeni. /

Valet ad cordis affectus et palpitationem. Ventriculi et Hepatis intemperiem frigidam et humidam corrigit, ... juvat, malum corporis habitum emondat, colorem reddit, odorem et halitum gratum efficit, vires instaurat, Melancholicorum involuntarios fletus compescit. Ph: Aug:

Flor: Dr. Ed.

℞. Pil. Hier. cu agar.
Impial. an. ʒii
Diagryd. gr. 4.
cu syr. de stæch. q. s. Fiant pil. 5. ex ʒi. reponantur in pyxide.

℞. Spec. Diaireos
Diamisi.
Diatragac. an. ʒii
Sacchari in aq. hyssop. dissoluti q. s. fiant rotulæ pro usu.

℞. Trochis. bech. alb. ℥i.

℞. Conser. vet. ros. ℥iii. /

℞. Pil. Hier. cu Agar.
Imperial. Fern. an. ʒii.
Trochis. Alhand. gr. 6.
Fiant pil. 5o ex ʒi. deauratæ.
reponantur in pyxide ad usu.

℞. Trochis. bech. albor. ℥i

℞. Cons. veter. ros. ℥iii. /

Gummi Arabici,
Amyli,
Tragacanthi, ana
mas tres.
Semin: Portulacæ.
Althęæ,
Maluæ, ana dr
quinque.
Cucumeris,
Melonis,
Cucurbitæ,
Citruli,
Cydoniorũ mun
ana drachmas ſ
Spodij,
Glycyrrhizæ, ana dra
tres.
Penidiorũ ad pondus o
Fiat Puluis ſ. a.

## LÆTIFICANS GAL ADSCRIPTVS.

Ex Nic: Præpositi antidotario Excer

℞ Florum Ocimi Caryo
aut ſem: eiuſdem.
Croci,
Zedoariæ,
Xyloaloes,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis,
Nucis Moſchatæ,
Styracis Calamitæ, ana
mas duas ſemis.
Raſuræ Eboris,
Sem: Aniſi,
Thymi,

LÆTIFICANS Galeni.

...s. Valet ad cordis affectus et palpitationem. Ven-
triculi et Hepatis intemperiem frigidam et humidam corrigit
...ctione juvat, malum corporis habitum emondat, colorem reddit
...is odorem et halitum gratum efficit, vires instaurat, Melancho-
...am sanat, involuntarios fletus compescit. Phi: Augi:

Confectio Liberans.

Ejus multiplex usus in febribus malignis ipsaque peste. Cor
venenis labe tuetur, sudores movet, et a pestilentis lue
gione præservat, atque etiam liberat.
...le medicamentum, omni fere naturæ, ætati, sexui accomodatum.

Lithontribon.

Lumbore dolores refecit, renum et vesicæ arenulas [illegible]
nephritico dolori et dysuriæ succurrit, calculum [illegible]
comminuit et protrahit. Fernel.

Cardamomi,
Cinnamomi,
Macis,
Ligni Aloes,
Caſſiæ Ligneæ,
Croci,
Zedoariæ, ana drachmam dimidiam.
Penidiorum,
Sacchari candi,
Serici crudi toſti,
Smaragdi,
Hyacynthi,
Granati, ana ſcrupulos duos.
Flor: Nymphææ,
Bugloſſi,
Roſarum rubrarum, ana ſcrupulum vnum.
Camphoræ grana ſeptem,
Moſchi,
Ambræ griſeæ, ana grana tria.
Fiat Puluis ſecundùm artem.

## LITHONTRIBON,
*NIC. SEC. FERN.*

℈ij. ad ʒj.

℞ Spicæ Nardi,
Zingiberis,
Cinnamomi,
Melanopiperis,
Cardamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Coſti,
Glycyrrhizæ,
Cyperi,
Tragacanthæ,
Chamædryos, ana ſcrupulos duos.
Semin: Ammeos,
Apij,
Aſparagi,
Ocimi,
Vrticæ,
Citri,
Saxifragiæ,
Pimpinellæ,
Carui,
Dauci,
Fœniculi,
Ruſci,
Petroſelini Macedonici,
Bardanæ,
Seſeleos,
Aſari, ana drachmam vnam.
Lapidis Spongiæ,
Lyncis,
Cancri,
Iudaici, ana drachmam vnam ſemis.
Sanguinis Hircini præparati vnciam vnam ſemis. fiat Puluis ſecundum artem.

## PVLVIS SAXONICVS.

Doſis ℥j. Validi. minor q̃ntas aliis ppinatis vino albo.

℞ Radic: vtriuſque Angelicæ,
Vincetoxici,
Valerianæ domeſticæ,
Polypodij quercini,
Radic: Altheæ,
Vrticæ, ana vnciam dimidiam.
Cortic: Mezerei German: drachmas duas.
Granorum herbæ Paridis numero viginti quatuor.
Folior: eiuſdem, cum toto, numero triginta ſex.

Ex maceratis in aceto radicibus, & ſiccatis, fiat omnium puluis.

Vires. In Saxonia sit usus frequenti. Pestiae ac venenis assumpti valde adversatur et deleteriores vires frangit. Eh: Aug:

## PVLVIS PALMARII AD MORSVM CANIS RABIDI.

℞ Folior: Rutæ,
Verbenæ,
Saluiæ,
Plantaginis,
Polypodij,
Abſinthij vulgaris,
Menthæ,
Artemiſiæ,
Meliſſophylli,
Betonicæ,
Hyperici,
Centaurij minoris, ana p. æ.

Legantur ſingula, quo tempore viribus pollent maximis, quod ad Iunij ferè plenilunium aſſequuntur. Papyraceis dein chartis concluſa ſiccentur ſeorſim in loco, ad quem, neque Sol, neque pluuia pertingat: Siccata ad futuros vſus aſſeruentur, eâ lege, vt quotannis renouentur:

Quum vtendi neceſſitas incidet, ſingulorum æquale pondus in puluerem tenuiſſimum redigito.

## PLERES ARCHONTICON, *NICOLAI.*

℞ Cinnamomi,
Caryophyllorum,
Ligni Aloes,
Galangæ,
Spicæ Indicæ,
Nucis Moſchatæ,
Zingiberis,
Spodij,
Schœnanthi,
Cyperi,
Roſarum,
Violarum, ana drachmam vnã.
Folij, ſeu Macis,
Glycyrrhizæ,
Maſtiches,
Styracis Calamitæ,
Maioranæ,
Balſamitæ ſeu Menthæ aquaticę,
Ocimi,
Cardamomi,
Piperis Longi,
Albi,

Myrti-

Pleres Archonticon.

Cardiacis, tristib[us] Melancholicis cibu[m] vomentibus, Pulmo-
niacis et Epilepticis succurrit. Cerebri sensa[tion]e interceptas
[illegible]tat, sensu[m] et memoriam deperditam restituit: Imbecillo ventriculo
animi deliquio à corde nato confert. Imbecillos et diuturno
morbo extenuatos corroborat. Asthmaticis prodest omnemque
cerebri debilitatem aufert. Ph: Aug:

## Species Elect: Rosatæ Novellæ.

Vires. Ad Ventriculi et Cordis imbecillitatem efficax; Vomitus, Stomachi subversiones et nauseas compescit. Cardiacis et Pulmonarijs subvenit, dissolutas et relaxatas ventriculi vires restaurat, et prolixa ægritudine extenuatos, multu reficit.

## Pulvis ad Hæmorrhagiam Gal.

Vires. Citra vinculum sanguinem potentissime sistit. Gal. plurimum probat, ad cerebri membranarum hæmorrhagiam, eoq; solenniter utimur ad venarum vulnera et liberale sanguinis profluvium, quod contingit venis jugularibus vulneratis. Eo medicamento imbutos penicillos, ulceri adhibet Galenus; Aetius lanam eo pharmaco imbutam. Guido Cauliacus leporis pilos incidit, et cæteris miscet. Vid. Foesium in phar: Sect: 9a.

### Pul: adstringens Gal. Phar: Aug:

℞. Aloes, mannæ Thuris, Corticu Pini, Ter. Lemniæ, Boli Armen: Lapid. Hæmat: Succi Hypocist. Croci. Gallæ omphacit. an: ℥i. F. Pulvis.

Myrtilorum baccarum,
Corticum Citri, ana drachmam dimidiam & grana ſex.
Margaritarum,
*Been { Albi, Rubri, } vel ſuccedan: pag. 58.
Corallij rubri,
Serici toſti, ana grana octodecim.
Moſchi grana ſex.
Camphoræ grana quatuor.

Fiat Puluis ſecundùm artem. Poterit etiam cum decuplo ſacchari ſoluti in aqua Meliſſæ formari in Electuarium.

## PVLVIS PRÆSERVATIVVS A PESTE, *MONTAG.*

℞ Santalorum omnium,
Semin: Ocimi, ana vnciam vnam ſemis.
Boli Armeni,
Cinnamomi, ana vnciam vnam.
Radic: Dictamni,
Gentianę,
Tormentillę, ana drachmas duas ſemis.
Semin: Citri,
Acetoſæ, ana drachmas duas.
Margaritarum,
Sapphyri,
Oſſis de Corde Cerui, ana drachmam vnam.

Fiat Puluis ſecundùm artem, diligenter reponatur.

## SPECIES ELECTVARII ROSATÆ NOVELLÆ, *NICOLAI.*

℞ Roſarum,
Sacchari,
Glycyrrhizæ, ana vnciam vnā, drachmam vnam, ſcrupulos duos ſemis,
Cinnamomi drachmas duas, ſcrupulos duos, grana duo.
Caryophyllorum,
Nardi Indicæ,
Zingiberis,
Galangæ,
Nucis Moſchatæ,
Zedoariæ,
Styracis,
Cardamomi,
Apij, ana ſcrupulum vnum, grana octo.
Sacchari albiſſimi q. ſ.

Fiat Puluis: inde Electuarium ſ. a.

## PVLVIS AD HÆMORRHAGIAM, *GALENI.*

*Meth. l. 5. c. 4.*

℞ Thuris drachmam vnam.
Aloes drachmam dimidiam.

Fiat Puluis. Cùm vtendi tempus inſtat, tantum huius cum oui candido ſubigitur, quantum melliis reddat

Avic: addit boli Armen. & ſang: Drac: thuri et aloe p. æqli. Alij miſcent terrā ſigill. maſtich. ſuccū plantag: et ſtuppi excipiunt et vulneri adhibent.

reddat craſſitudinem; hoc Leporis molliſſimis pilis excipitur, deinde tum vaſi profluenti, tum vlceri toti liberaliter imponitur, adhibitâ ligaturâ conuenienti.

## PVLVIS AD SCABIEM.

℞ Sulphuris viui,
Nitri,
Folior: Maioranæ, ana drachmas duas.
Lithargyri auri,
Radic: Ellebori nigri, ana drachmam vnam.
Pimpinellæ drachmam dimidiam.
Fiat Puluis ſecundùm artem.

## PVLVIS RADVLPHI HOLLAND.

Doſis à ℨi ad ℨii.

℞ Sem: Aniſi,
Carui,
Fœniculi,
Cymini,
Spicæ Nardi,
Cinnamomi,
Galangæ, ana vnciam dimidiam.
Glycyrrhizæ,
Milij Solis, ana vnciam vnam.
Sennæ ad pondus omnium.
Fiat Puluis.

## PVLVIS SANCTVS, *BRASAVOLÆ.*

℞ Foliorum Sennæ,
Cremoris Tartari, ana vncias duas.
Caryophyllorum,
Cinnamomi,
Galangæ,
Ammeos, ana drachmas duas.
Diagrydij vnciam dimidiam.
Fiat Puluis ſecundùm artem.

*In defectu ſeminum Ammeos legitimorum aut recentium quibus ſæpiſſimè deſtituimur, ſubſtituenda quidem Aniſi ſemina conuenimus cum Antidotario Bergomenſi.*

## PVLVIS SENNÆ.

℞ Sennæ optimæ vncias duas.
Cremoris Tartari vnciam dimidiam.
Macis ſcrupulos duos ſemis.
Zingiberis.
Cinnamomi, ana drachmam vnam ſemis.
Salis Indi drachmam vnam.
Fiat Puluis ſ. a.

## DIATVRBITH MAIVS SINE RHABARBARO.

℞ Turpeti optimi vnciam vnam.
Diagrydij,
Zingiberis, ana vnciam dimidiá.
Cinnamomi,

Caryo-

Pulvis Senæ Montagnanæ. videri

Pulvis Cornaccaini. V. libr.

Pulvis R. Holland.

at, alvū mollit, humores melancholicos et
, crassos clementissimè educit, viscerū
iones à frigidis et crassis humoribus ortas
, renes et vesicā infarctos detergit, calculos
Vrinā provocat. Dari potest à ℥i. ad ℥ij.

Pulvis ad Lumbricos Nursini
Circulatoris Itali.

℞ Sem: Santon: Corallinæ. an. ℥ij. Dictam: alb. Tor[illegible] (Heptaphyllu dicunt) Bistortæ an. ℥j. Trita o͞ia in pulv[illegible] aceto acerrimo irrigentur, et in umbra diu siccesscant, repon[illegible]

Caryophyllorum, ana drachmas duas.
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Fiat Puluis: Et cum Sacchari albiſſimi vncijs octo & drachmis quinque in aq: Cichorij ſolutis, fieri poteſt Electuarium ſ.a.

## DIATVRBITH CVM RHABARBARO, *MONTAGNANÆ.*

pond: ʒj. vel ʒiß.

℞ Turpeti optimi,
Hermodactylorũ, ana vnciam vnam.
Rhabarbari drachmas decem.
Diagrydij vnciam dimidiam.
Santali rubri,
albi,
Violarum,

Efficax e'' aquis ſubter cutē labentib. educendis, ... ilem et pituitam deturbat. Ad vermes medicamen... e'' efficaciſsimũ, et valdē idoneũ. Nã Rheũ vermes ... cilē necat, et Turbith pituitã ipſã vermiũ fomitē ejicit. ... iaturbith ipſũ ſua gratia pueros ad facilitatē allicit. ... ō e'' aliud medicamentũ vermibus ita noxium, et ab Italis ... vermib. maximē ſcatent, magis vſurpatũ. Foeſi. Aug: Ph. ... et viſcidã pituitã ex locis remotiſsimis educit, hinc ... bis articularib. magnopere conducit. Ibid.

Zingiberis, ana drachmam vnã ſemis.
Maſtiches,
Aniſi,
Cinnamomi,
Croci, ana drachmã dimidiam, fiat Puluis: Et cum Sacchari albiſſimi libra vna, vncijs duabus, & drachmis duabus in aq: Cichorij ſolutis, fieri poteſt Electuarium ſecundùm artem.

## PVLVIS AD LVMBRICOS.

Doris ʒj. vel ʒiß.

℞ Sem: Sanctonici vncias quatuor.
Folior: Sennæ vnciam vnam.
Coriandri præparati,
Cornu Cerui, ana drachmam dimidiam.
Rhabarbari vnciam dimidiam.
Rutæ ſiccæ drachmas duas.
Fiat Puluis.

ELECTV-

# ELECTVARIA.

### ANTIDOTVS ANALEPTICA SIVE ELECTVARIVM RESVMPTIVVM, *FERNELII.*

℞ Roſarum rubrarum,
Glycyrrhizæ, ana drachmas duas & grana quinque.
Gum: Arabici,
Tragacanthi, ana drachmas duas & ſcrupulos duos.
Santali albi,
rubri, ana ſcrupul: quatuor.
Succi Glycyrrhizæ,
Amyli,
Semin: Papaueris albi,
Portulacæ,
Lactucæ,
Scoriolæ, ana drachmas tres.
Quatuor Semin: frigidorum maiorum.
Sem: Cydoniorum,
Maluæ,
Bombacis,
Violarum,
Strobilorum,
Piſtaciorum recentium,
Amygdalarum dulcium,
Pulpæ Sebeſten, ana drachmas duas.
Caryophyllorum,
Spodij,
Cinnamomi, ana drachmam vnam.
Croci grana quinque.
Penidiorum vnciam dimidiam.
Trita omnia excipiantur triplo Syrupi violati, & fiat Electuarium molle.

### CONFECTIO ALKERMES, *M E S.*

℞ Succi Pomorum fragrantium.
Aquæ Roſarum odoratiſſimæ, ana libram vnam ſemis.
Quibus

De Electuarijs & Antidotis.

1. Electuar: Resumptivum.

Vires dos exolutas instaurat, cardialgiam defectionē animi et Syncopen tollit, corpus sanguinis ꝓfusione aut quavis immodicâ vacuatiōe extenuatum resarcit tabidis et consumptis succurrit: humectans nimirū est nutriens et corroborans. Fernel.

Raro dispensat hoc Elect. nisi primario opē, q̄d ad vires resarciendas, & post exolutū Venere, febre; vacuatiōe immodicâ instaurandū & roborandū; Constat e. Amygdalis, pineis, multis refrigerātib9 paucis Aromatib & astringentib9 ad cohibendū fluorem triplicib subiōe. Renodæus lib. 8. c. 4.

2. Confectio Alkermes.

Cor exhilarat, ej9 palpitatiōi succurrit, et aīj deliquio, mærorem sine cāā manifesta discutit, melancholiam domat et maniam, languidis pdest, spiritus viresq3 exolutas resarcit. Fernel. Renodæ9.

melancholicis & malignis affectib9 dicatē.

Confectio Alkermes inter Electuaria principatū obtinere fatentē Medici; efficacissima in cardialgia, syncope & melancolia. / Cor recreat, mærorē fugat, & facultates corporis roborat. Ranchin9 de morb. senū.

Vsus illi9 senib9 familiaris esse debet à ℈i ad ʒij cū jusculo, aut cū aqua vitali. Idem.

3. Elect: de Baccis Lauri.

Commendatē ad Colicam et Iliacam passionem et dol. intestinorē ex causâ frigidâ et flatuosâ opitulatē / Adhibetē utiliter Enematibus flatus vel evocantibus vel ... zientibus. / raro ꝑ os ꝓpter saporē ingratū.

Athanasia Mithridatis.

Facit ad venena, & oīum venenatorē morsus, q̄b9 g3ū ventriculo accessit, sanguinemq3 rejiciunt; Antiquas ... Hepatis, Lienis, Vesicæ, et vteri, morbos sanat. Mylī9.

Quibus infunde per horas viginti quatuor,
Serici crudi vncias quatuor.
Expreſſioni forti adde,
Succi granorum Kermes ad nos aduecti, puri libram vnam.
Sacchari libras duas.
Coque ad mellis conſiſtentiam, Mixturæ ab igne ſepoſitę, adhuc autem calenti, adde
Ambræ griſeæ crudæ minutim conciſæ vnciam dimidiam.
Quibus optimè liquatis, ſuperinjicito ſequentia pulueriſata.
Cinnamomi electi,
Ligni Aloes optimi,
Lapidis Lazuli vſti in Crucibulo,
(dein pulueriſati, & loti, primum in aqua communi, dein in aqua Roſacea aut Borraginis, idque multoties, ita vt poſt lotionem exiccetur, denuóque lauetur; & eouſque hæc reiteretur operatio, donec aqua limpida poſt lotionē remaneat) ana drachmas ſex.
Margaritarum pellucidarū præparatarum drachmas tres.
Folior: Auri,
Moſchi optimi, ana drachmam vnam.
Confice ſecundùm artem.

## ELECTVARIVM DE BACCIS LAVRI, *RHASIS.*

℞ Folior: Rutæ aridorum drachmas decem.
Sem: Ammeos,
Cymini,
Liguſtici,
Origani,
Nigellę,
Carui,
Dauci,
Petroſelini,
Amygdalarum amararum,
Piperis nigri,
longi,
Menthaſtri,
Acori, vel Calami aromatici.
Baccarum Lauri,
Caſtorei, ana drachmas duas.
Sagapeni vnciam dimidiam.
Opopanacis drachmas tres.
Mellis deſpumati libram vnam ſemis.
Tritis diligenter quæ terenda, fiat Electuarium ſecundùm artē, ſub finē additis vino dilutis lachrymis.

## ATHANASIA MITHRIDATIS, è *GALENO.*

℞ Cinnamomi,
Caſiæ,
Schœnanthûs, ana ſeſquiunciā.
Croci,
Myrrhæ, ana vnciam.
Coſti,
Mei,
Acori,
Agarici,
Scordij,
Dauci,

Petroſelini, ana ſemunciam.
Piperis albi grana vndecim.
Mellis q. ſ.
Compone, vt artis eſt.

## DIACAPPARIS, *GILBERTI ANGLI.*

℞ Capparis vncias quatuor.
Radic: Agrimoniæ,
Semin: Gith, i: e: Nigellæ Rom:
Scillæ,
Aſari.
Centaureæ,
Pyrethri,
Piperis nigri,
Apij,
Thymi, ana vnciam vnam,
Mellis q. ſ.
Fiat Electuarium ſecundùm artem.

## DIACINNAMOMV. *MES.*

℞ Cinnamomi tenu: drachmas quindecim.
Caſiæ Ligneę,
Radic: Helenij, ana ſemunciam
Galangæ drachmas ſeptem.
Caryophyllorum,
Piperis longi.
Cardamomi vtriuſq;
Zingiberis,
Macis,
Nucis Moſcha-æ,
Xyloaloes, ana drachmas tres.
Croci drachmam.
Sacchari tabarzet, i. e. criſtallini albiſſ. drachmas quinque.
Moſchi ſcrupulos duos.
Excepta mellis deſpumati libris duabus, vncijs octo, Coque;
Fiat Electuarium ſecundùm artem.

## DIACORALLION VSVAL: *COLON:*

℞ Coralli albi,
rubri,
Boli Armeni veri,
Sanguinis Draconis, ana drachmam.
Margaritarum ſemidrachmam.
Xyloaloes,
Roſarum rubrarum,
Gum: Tragacanthi,
Cinnamomi, ana ſcrup: duos.
Santali albi,
rubri, ana ſcrupulum.
Miſce, fit Puluis, è puluere Electuarium ſ. a. cum
Sacchari albiſſimi, & Aq: Cinnamomi ten: ana q. ſ.

## DIACORVM, *MES.*

℞ Radic: Secacul, ſeu Siſeris,
Acori, ſeu Calami aromatici,
Pinearum, ana ſeſquilibram.
Radicibus Secacul mundatis, inciſis, coctis, piſtatis, tritis dum pulti ſimiles, affunde.
Mellis deſpumati libras decem,
Coquan-

Diacorum.

[C]orp[oris] aegritudinibus mirifice confert, acuit omnes sensus et etiam [..]emium sedat capitis dolores, peculiare etiam remedium in frigidis aegritudinibus, somnum, ac maxime Catarrhi. Juvat [h]ydropicos

Diacinnamomum.

Calidis aromaticisque omnibus constat, ideoque viribus reficiendis, spiritibus exhilarandis, et affectibus omnibus, qui a causa frigida proficiscuntur optime confert. Renod:

Concoctionem juvat, pituitae putredinem prohibet, ac alimenti in corpus distributionem promovet. Ph. August.

Elect: e Scoria Ferri.
Hæmorrhoidū et menſium fluxū, ventris quoq; pfl[uvium]
diuturnū potenter ſiſtit. Melichius.

Diacydoniū.
Virtutes 3ᵘᶜ Diacydoniorū, confortant v[entri]-
culū, concoctionem promovent, vomitū compeſcu[nt]
& ructus, &c. Dyſenteriæ & fluxui muli[ebri]
utiles. Cōs sunt innoxiæ. Dosis ad qntē N[ucis]
Moſcatæ; Ante cibū pro concoctione & contra flu[xus]
post cibū, contra vomitū: Mane pro reliquis./

Coquantur agitando, ad iuſtam ſpiſſitudinem, tum adde tritas radices Acori, inciſas Pineas, mixtas ſequenti pulueri;

℞ Piperis nigri vnciam,
longi,
Caryophyllorum,
Zingiberis,
Macis, ana ſemunciã.
Nucis Moſchatæ,
Galangæ,
Cardamomi, ana drachmas tres.

Miſce cum radicibus, & Melle q. ſ. agitando ne grumi relinquantur. Fiat Electuarium ſ. a.

## ELECTVARIVM è SCORIA FERRI, RHASIS.

Dosis magn. nucis. Vel ʒij. ad ʒß.

℞ Scoriæ ferri aceto infuſæ per dies ſeptem, poſtea torrefactæ, drachmas tres.
Spicæ Indicæ,
Schœnanthûs,
Cyperi,
Zingiberis,
Piperis,
Ammeos,
Thuris, ana ſemunciam.
Myrobalanorum { Indarum, Belliricarum, Emblicarum, an ʒj
Mellis decocti cum apozemate Emblicarum vncias ſedecim.

Miſce: fiat Electuarium.

## DYACYDONIVM SIMPLEX.

℞ Carnis Cydoniorum mundatorum, & in fruſta diſſectorum, & in aqua dulci ad ſpiſſitudinem coctorum libras octo.
Sacchari albiſſimi deſpumati, & ad iuſtam conſiſtentiam concocti libras ſex.

Coque ad ſpiſſitudinem.

## DYACIDONIVM GALENI CVM SPECIEBVS.

Dosis magn. nucis mosc.

℞ Succi Pomorum Cydoniorum,
Sacchari optimi, ana libras duas.
Aceti vini albi libram ſemis in fine decoctionis.

Coctis ſupra prunas modicè & ſpumâ detractâ, adde
Zingiberis vncias duas,
Piperis albi drachmas decem & ſcrupulos duos

craſſiuſculè inciſorum, deinde rurſus lento igne recoque ad mellis craſſitudinem. Sic efficitur Syrupus potius quam Electuarium.

## DIACYDONIVM LONDINENSE COMPOS.

℞ Sacchari albi libras ſex.
Aquæ fontanæ libras quatuor.

Clarificentur cum albumine oui, & diligenter deſpumentur: Dein

℞ Cydoniorum maturorũ à corticibus exterioribus, & ſeminibus expurgatorum, & in quatuor partes inciſorum libras octo.

Coquantur in ſyrupo prædicto dum carnes teneræ ſint, deinde per pannum laneum (ſiue boulterum vulgò vocatum) coletur ſuccus ſiue ſyrupus. Iterum coquantur ad gelatinæ conſiſtentiam cum aceti vini albi vncijs quatuor in fine additis, ſyrupo ab igne remoto, dum adhuc caleſcit, inſperge has ſpecies ſequentes; craſſo modo inciſas, ſcilicet

Zingiberis vnciam vnam.
Piperis albi,
Cinnamomi,
Nucis Moſchatæ, ana drachmas duas.

In pyxidibus diuerſis reſeruetur.

Eodem modo paretur Diacydonium ſimplex.

## CONFECTIO DE HYACINTHO.

Doſis ad ʒß.

℞ Hyacinthorum,
Corallij rubri,
Boli Armeni,
Terræ ſigillatæ, ana vnciam dimidiam.
Granorum Kermes.
Radic: Tormentillæ,
Dictamni,
Sem: Citri mundat:
Acetoſæ,
Portulacæ,
Croci,
Myrrhæ,
Roſarum rubrarum,
Santalorum omnium,
Oſſis è Corde Cerui & Cornu,
Raſuræ Eboris præparatæ, ana ſcrupulos quatuor.
Sapphyrorum,
Smaragdi,
Lapidis Topaſij
Margaritarum,
Serici crudi,
Folior: Auri,
Argenti, ana ſcrupulos duos.
Camphoræ,
Moſchi,
Ambræ griſeæ, ana grana quinque.

Cum ſyrupo de Limonibus fiat Confectio ſecundùm artem.

## CONFECTIO HVMAIN. MES.

℞ Euphragiæ vncias duas.
Sem: Fœniculi drachmas quinque.
Caryophllorum,
Cinnamomi,
Cubebarum,
Piperis longi,
Macis, ana drachmam vnam.

Pulueriz atis, cribellatis, adde
Mellis deſpumati libram vnam quâ

Confectio de Hyacintho.

ximè valet ad affectus cordis et ptium nobiliu. Cor exhilarat, Syncopen sanat, palmum emendat, halitu ris commendat, melancholiam, et ei cognatas tristitias ine caussa manifestâ tollit; morbis contagiosis et enenatis medetr; et eosdem effectus pbet quos Alchermes. Renod &c. f.

Diaireos Salom.

Utiliſsimũ e" difficulter ſpirantib9, arteriacis ex [illegible]
Catarrhi ad fauces deſcenſu, tuſsientib9, voce a [illegible]
perditam reparat. Melichius.

quâ ſimul coque,& depura
Succ: Fœniculi vnciam vnam.
Chelidoniæ,
Rutæ, ana ſemunciam.
Cum his confectæ Species in vaſe vitreato reſeruentur.

## ANTIDOTVM HÆMAGOGVM, *ROM.*

℞ Lupinorum drachmas duas,
Piperis nigri ſcrupulos quinque & grana ſex.
Glycyrrhizę ſcrupulos quatuor.
Ariſtolochiæ longę.
Arthemiſię,
Caſſię ligneę,
Sem: Petroſelini Macedonici,
Pyrethri,
Sem: Rutę,
Spicæ,
Myrrhæ,
Pulegij ana ſcrupulos duos & grana quatuordecim,
Sem: Apij,
Sabinæ ana ſcrupulos duos & grana tredecim,
Centaurij majoris,
Dauci Cretici,
Nigellæ,
Carui,
Aniſi,
Caryophyllorum,
Aluminis ana ſcrupulos duos.
Fol: Lauri ſcrupulum vnum ſemis & grana tria.
Xyloaloës ſcrupulum vnum & grana quatuordecim.
Shœnanthi ſcrupulum vnum & grana tredecim,
Aſari,
Acori, id eſt, Calami Aromatici vulgaris,
Amomi,
Pæonię,
Centaurei minoris,
Sem: Atriplicis,
Marathri ſiue Fœniculi, ana ſcrupulum vnum & grana ſex,
Cyperi,
Helenij,
Zingiberis,
Rad: Capparum,
Cumini,
Orobi ana ſcrupulum vnum.
Trita omnia in tenuiſſ: Puluerem excipiantur Mellis quadruplo, & conficiatur Electuarium ex arte.

## DIAIREOS SALOMONIS, *NICOLAI.*

℞ Radic: Iridis vnciam vnam.
Pulegij
Hyſſopi,
Glycyrrhizæ, ana drachmas ſex.
Tragacanthę,
Amyli,
Amygdalarum amararum,
Pinearum Nucum,
Cinnamomi,
Zingiberis,
Piperis, ana drachmas tres.
Caricarum pinguium.

Pulpæ

Pulpæ Paſſularum.
Carnis Dactylorũ, ana drachmas tres ſemis.
Styracis Calamitæ drachmas duas ſemis.,
Sacchari diſſoluti in aqua Hyſſopi, Mellis deſpumati, ana duplum ad omnia, fiat Electuarium ſ.a.

## DIASATYRION, *NICOLAI.*

℞ Radic: Cynoſorchios ſeu Satyrij recentis ac ſolidæ.
Paſtinacæ ſatiuæ,
Eryngij,
Pinearum,
Nucis Indicæ, vel ſi deſit Nux Indica Pinearum duplum.
Piſtaciorum, ana vnciam vnam ſemis.
Caryophyllorum,
Zingiberis,
Sem: Aniſi,
Erucæ,
Linguæ auis, quæ eſt ſemen Fraxini, ana drachmas quinque.
Cinnamomi,
Caudarum & Lumborum Scincorum,
Sem: Bulbi,
Vrticæ, ana drachmas duas ſemis,
Moſchi grana ſeptem.
Sacchari optimi diſſoluti in vino Maluatico libras tres: fiat Electuarium ſ. a.

* Constat p[ar]tim calidis humidis & flatum promovendu[m] semen accomodatis; p[ar]tim acrib[us] acuendu[m]; p[ar]tim Diureticis ut üs tanq[uam] vehi[culis] ... cetera deferat ...

## *DIASATYRION MAGIS GRATVM. *COLON.*

℞ Radic: Satyrij vncias tres.
Carnium Dactylorum.
Amygdalarum dulcium,
Nucis Indicæ,
Pinearum,
Piſtaciorum,
Zingiberis condîti,
Eringij condîti, ana vnciam vnam.
Zingiberis,
Caryophyllorum.
Galangæ,
Piperis longi,
nigri, ana drachmas tres.
Ambræ griſeæ ſcrupulũ vnum.
Moſchi ſcrupulos duos.
Penidiorum vncias quatuor.
Cinnamomi,
Croci, ana vnciam dimidiam.
Vini Maluatici vncias tres.
Nucis Moſchatæ,
Macis,
Granorum Paradiſi, ana drachmas duas.
Linguæ auis, i. Sem: Fraxini,
Ventris & lumborum Scincorũ,
Boracis factitij,
Aſæ dulcis, i. e. Benzoini, ana drachmas tres.
Ligni Aloes,
Cardamomi, ana drachmas duas.
* Been albi, vide pag. 58.
rubri,

Diasatyrion. Colon.

en genitale auget, venerem excitat, eamque
lut ignaviorem et sopitam erigit, venam et vasorum
ermaticorum auxilio est imbecillitati, et confert
liberorum procreationem. Fernel.
neratricis facultatis robur prinot Diasatyrion.
on tm Venere ignava sollicitat, sed semen
t, et plus spermaticas roborat. l. 8. c. 4.

Elect: Diaſpmaton.

Renes et Vrina Seminiſq; vias refrigerat a
ab. oi. humoris fluvio clementer expurgat.

Elect: Pectorale.

Maximè valet in asthmate. 1.

Micleta.

Probatiſsima e"vixius, ad Haemorrhoidas, tormin
rugitus ventris, Lienteriam, Dyſenteriam, et flux
alvi quomcunq; Melichi 9.

rubri, ana drachmam vnā ſemis.

Singula ſimplicia comminuendo ac miſcendo, tandem excipe libris duabus & ſemis ſyrupi Zinziberis condîti.

Fiat Electuarium ſecundùm artem.

## ELECTVARIVM DIASPERMATON, *FERNELII.*

℞ Quatuor ſemin: Frigidorum, maiorum, & minorum.
Sem: Aſparagi,
Pimpinellæ,
Ocimi,
Petroſelini,
Granorū Halicacabi, ana drachmas duas.
Milij Solis,
Succi Glycyrrhizæ, ana drachmas tres.
Cinnamomi,
Macis, ana drachmam vnam.
Sacchari albi aquâ Althææ ſoluti octuplum: fiat Electuarium ſecundùm artem.

## MICLETA, *NICOLAI.*

℞ Myrobalanorum omnium, ana drachmas duas ſemis.
Sem: Naſturtij,
Cymini,
Aniſi,
Fœniculi,
Ammeos,
Carui, ana drachmam vnam ſemis.

Omnia cruda terantur, & aſpergantur aceto vini acerrimo, deinde puluериſentur, mox addantur ſequentia:

Spodij ſiue Eboris vſti,
Balauſtiorum,
Sumach,
Maſtiches,
Gum: Arabici, ana drachma vna, & grana quindecim.

Omnia miſceantur cum Syrupi Myrtyni, ad ſpiſſitudinem mellis cocti, triplo, id eſt vncijs decem plùs minùs, fiat Electuarium ſecundùm artem.

## ELECTVARIVM PECTORALE, AD: OCCON: *AVG.*

℞ Succi Glycyrrhizæ,
Amygdalarum dulcium,
Auellanarum, ana ſemunciam.
Pinearum vnciam vnam.
Hyſſopi,
Capillorum Veneris,
Ireos,
Sem: Vrticæ,
Ariſtolochiæ rotundæ, ana ſeſquidrachmam.
Piperis nigri,
Sem: Naſturtij,
Rad: Enulæ, ana ſemidrachmā.
Mellis vncias quatuordecim.
Fiat Electuarium ſ. a.

THERIA-

## THERIACA DIATESSARON, *MES.*

Doſis ab. aur. ʃ. ad. aur. j.

R̸ Gentianæ,
Baccarum Lauri,
Myrrhæ,
Ariſtolochiæ rotundæ, ana vncias duas.
Mellis libras duas.
Miſce: fiat Electuarium ſecundùm artem.

## ANTIDOTVS MAGNA MATTHIOLI ADVERSVS VENENA & PESTEM.

R̸ Rhabarbari,
Rha Pontici veri,
Radic: Phu,
Acori, vel Calami aromatici vulgaris.
Cyperi,
Quinquefolij,
Tormentillæ,
Ariſtolochiæ rotundæ,
Pœoniæ maris,
Enulæ Campanæ,
Coſti,
Iridis Illyricæ,
Chamæleontis albi, vel Caryophyllatæ, ana drachmas tres.
Galangę,
Imperatoriæ,
Dictamni albi,
Angelicæ,
Millefolij,
Filipendulę,
Zedoarię,
Zingiberis, ana drachmas duas.
Agarici drachmas tres.
Libanotidis,
Gentianæ,
Morſus Diaboli, ana drachmas duas ſemis.
Sem: Citrei mali,
Viticis,
Granorum Kermes,
Semin: Fraxini,
Acetoſę,
Paſtinacę ſylueſtris,
Napi,
Nigellę,
Pœoniæ maris,
Ocimi,
Irionis, ſiue Eryſimi,
Thlaſpeos,
Fœniculi,
Ammeos, ana drachmas duas.
Baccarum Lauri,
Iuniperi,
Hederæ,
Smilacis aſperæ, vel illius defectu duplum cubebarum.
Cubebarum, ana drachmam vnam ſemis.
Folior: Scordij,
Chamædryos,
Chamępityos,
Centaurij minoris,
Stœchados,
Spicæ Celticæ,

Cala-

Theriaca Diateſſaron.

imũ ꝓdest affectibus cerebri frigidis, Epilepsiæ,
paſmo Cynico, paralyſi, Ventriculi omnibus Vitiis,
olori, inflatiõi, tardæ coctioni: et Jecinoris, ut
achexiæ, Hydropi, Obſtructioni. Scorpionum
norsibus, et Veneno epoto opitulat. Melichi
dis et frigidis affectib, Hydropi & Cachexiæ,
mbricis, & venenis non parũ ꝓducit. Teste Mesue.
3. de Antidotis. unde a circũforaneis pro magna
habitu est. /.

Calaminthæ,
Rutæ,
Menthæ,
Betonicæ,
Verbenæ,
Scabioſæ,
Cardui benedicti,
Meliſſophylli, ana drachmam vnam ſemis.
Dictamni Cretici drachmas tres.
Maioranæ,
Hyperici,
Schœnanthi,
Marrhubij,
Galegæ,
Sabinæ,
Pimpinellæ, ana drachmas duas.
Caricarum pinguium,
Iuglandium,
Piſtaciorum, ana vncias tres.
Myrobalanorum Emblicarum vnciam dimidiam.
Flor: Violarum,
Borraginis,
Bugloſſi,
Roſarum,
Lauendulæ,
Saluiæ,
Roriſmarini, ana ſcrupulos quatuor.
Croci drachmas tres.
Caſiæ ligneæ drachmas decem.
Caryophyllorum,
Nucis Moſchatæ,
Macis, ana drachmas duas ſemis.
Piperis nigri,
longi,
Santalorum omnium,
Ligni Aloes, ana drachmam vnam ſemis.
Raſuræ Cornu Cerui vnciam dimidiam.
Vnicornu, vel eius loco,
Lapidis Bezoartici drachmam vnam.
Oſſis è Corde Cerui,
Raſuræ Eboris,
Virgæ Ceruinæ,
Caſtorij, ana ſcrupulos quatuor.
Terræ Lemniæ drachmas tres.
Opij drachmam vnam ſemis.
Perlarum orientalium,
Fragmentorum Smaragdi,
Hyacinthi,
Corallij rubri, ana drachmã vnam ſemis.
Camphoræ drachmas duas
Gum: Arabici,
Maſtiches,
Thuris,
Styracis,
Terebinthinæ,
Sagapeni,
Opopanacis,
Laſerpitij, ſiue Myrrhæ, ana drachmas duas ſemis.
Moſchi odorati,
Ambræ griſeæ, ana drachmam vnam.
Olei Vitrioli vnciam dimidiam.
Specierum Cordialium Temperatarum,

tarum,
Diamargaritôn,
Diamoſchi,
Diambræ,
Electuarij de Gemmis,
Trochiſcorum de Camphora,
de Scilla, ana drachmas duas ſemis.
Trochiſcor: de Vipera vncias duas.
Succorũ Acetoſæ,
Sonchi,
Scordij,
Ecchij,
Borraginis,
Meliſſophylli, ana libram dimidiam.
Hypociſtidis drachmas duas.
Theriacæ electæ,
Mithridatij optimi, ana vncias ſex.
Vini antiqui odorati libras tres.
Sacchari optimi, vel
Mellis electiſſimi libras octo & vncias ſex.

Ex his omnibus ſummâ diligentiâ, & arte conquiſitis, mundatis, & electis, fiat Electuarium eodem modo, quo componitur Theriaca aut Mithridatium.

## DIASCORDIVM *FRACASTORII.*

Doſis a. ℈j. ad ʒj. vel ʒiſ.

℞ Cinnamomi,
Caſiæ ligneæ, ana vnciam dimidiam.
Scordij veri vnciam vnam.
Dictamni Cretici,
Tormentillæ,
Biſtortæ,
Galbani,
Gum: Arabici, ana vnciam dimidiam.
Opij drachmam vnam ſemis.
Styracis Calamitæ drachmas quatuor ſemis.
Semin: Acetoſę drachmam vnam ſemis.
Gentianæ vnciam dimidiam.
Boli Armeni vnciam vnam ſemis.
Terræ Sigillatæ Lemniæ vnciã dimidiam.
Piperis longi,
Zingiberis, ana drachmas duas.
Mellis albi deſpumati libras duas ſemis.
Conſeruæ Roſarum libram vnam.
Vini Canarini Aromatici libram dimidiam.
fiat Electuarium ſ. a.

## MYTHRIDATIVM, *DAMOCRATIS.*

Doſis ʒi. a

℞ Myrthæ Arabicę,
Croci,
Agarici,
Zingiberis,
Cinnamomi,
Spicæ Nardi,
Thuris,
Sem: Thlaſpeos, ana drach: decẽ.
Seſeleos,
Opobalſami, ſeu ol: Nuc: Moſc: per

Diaſcordium [illegible]

…ter eo vtimur, in ijs, in qb⁹ Theriaca locū nō ht, …ueri et gravidis. In Cephalalgia etiā Epidemicā …liq᷑ annis graſſante, cū Aq: Oxalidis aut Trifolij …ſi feliciter exhibetr. Fracast: in lib. 3. de Contagio …rbis Contag: commendat hoc modo

℞. Succi Lujulae ℥ij. Aceti ℥ij.
Citri ℥ß. Diaſcordij ʒj.
Spirit c. Cornu Cervi ʒij. Misce. et ebibe haurito. 1.

Mithrid: Damocratis.

Venena & morbos contagioſos tutiſsimū eſt præſidium.
…ethridaticū Antidotum, ex rebus …uaginta quatuor compoſitū, interim …pondere æquali, & quarundā rerum …esima denarij vnius imperata. Quo …im perfidiam istam monstrante? Homi… …subtilitas tanta eſse non potuit. …tatio artis & portentosa scientiæ …tatio manifesta est, ac ne ipsi quidē … noverant. Vide Pliniū. l. 21. c. 9.

Philonium Perſicū.

Probatiſſimae p̄tē virium in ſiſtendo ſanguinis p[rofluvio] quocunq; ex loco p̄deat, ejuſdemq; ſputo, ſive in ... febre, vel sine febre. Menſes immodice p̄fluentes & cruentas egestiones p̄ inferna cohibet. Gravid[is] q̄b9 menſtrua erumpunt, utiliter datū, p̄fluvi[um] compeſcit, & fœtū in utero retinet. Melichius.

Sp. Cinamomi. 1 Aqua Mariæ. 1
Sp. Alkermes. : Surfett water
Sp. Carui. : Aqua Celestis. 1
Sp. Garyophyll. 1 Aqua Theriacalis,
Sp. Castorej. : Aqua Mirabilis 1
Sp. Croci. : Aqua Dris Steph. :
Sp. Absinthij. 1 Aqua Cardiaca. 1
Sp. Clarie.
Sp. Menthæ. Diascordium.
Sp. Rosmarinj. Alkermes.

…eni, ana drachmas tres.
…thamantici,
…,
…um Scincorum,
…t: Hyperici, ana drachmas
duas ſemis.
…uantum ſufficit ad ſoluti-
…n gummi & ſuccorum,
…lis deindè triplum ad
…ia, præter vinum.

…NIVM PERSICVM,
*…MES.*

Dat. a ℈i. ad ʒß.
Dat. ʒß. ad ʒi.
cũ ſucco plantag.
vel aquâ Roſ.

…albi, Sem. Papaveris. melichi?
…ami albi, ana drachmas
…ti.

…Lemniæ, ana drachm…
…m.
…Hæmatitę præp:
…ana drachmas quinque.
…i,
…ndicæ,
…bij,
…
…ritarum,
…i,
…riæ,
…ici,

Folior: Roſarum rubrarum,
Dictamni Cretenſis, ana
drachmas quinque.
Sem: Aniſi,
Aſari,
Acori, ſeu Calami Aromatici,
Ireos,
Phu maioris,

Trochiſcor: Ramich, ana drach-
mam vnam.
Camphoræ ſcrupulum vnum.
Mellis roſati optimi triplum. Mi-
ſce: fiat Electuarium ſecundùm
artem.

per expreſſ:
Iunci odorati,
Stœchados,
Coſti veri,
Galbani,
Terebinthinæ,
Piperis longi,
Caſtorei Pontici,
Succi Hypociſtidos,
Styracis optimæ,
Opopanacis,
Folior: Malabathri recentium, vel in eius defectu, Macis, ana vnciam vnam.
Caſiæ Ligneæ veræ,
Polij,
Piperis albi,
Scordij,
Sem: Dauci Cretici,
Carpobalſami, vel Cubebarum.
Trochiſc: Cypheos,
Bdellij, ana drachmas ſeptem.
Nardi Celticę purgatę,
Gummi Arabici,
Sem: Petroſelini Macedonici,
Opij,
Cardamomi minoris,
Sem: Fœniculi,
Gentianæ,
Folior: Roſarum rubrarum,
Dictamni Cretenſis, ana drachmas quinque.
Sem: Aniſi,
Aſari,
Acori, ſeu Calami Aromatici,
Ireos,
Phu maioris,
Sagapeni, ana drachmas tres.
Mei Athamantici,
Acaciæ,
Ventrium Scincorum,
Summit: Hyperici, ana drachmas duas ſemis.
Vini quantum ſufficit ad ſolutionem gummi & ſuccorum,
Mellis deindè triplum ad omnia, præter vinum.

## PHILONIVM PERSICVM, *MES.*

℞ Piperis albi, Sem. Papaveris melichi?
Hyoſcyami albi, ana drachmas viginti.
Opij,
Terræ Lemniæ, ana drachmas decem.
Lapid: Hæmatitę præp:
Croci, ana drachmas quinque.
Caſtorei,
Spicę Indicæ,
Euphorbij,
Pyretri,
Margaritarum,
Succini,
Zedoariæ,
Doronici,
Trochiſcor: Ramich, ana drachmam vnam.
Camphoræ ſcrupulum vnum.
Mellis roſati optimi triplum. Miſce: fiat Electuarium ſecundùm artem.

Dat. à ʒj. ad ʒß.
Dat. ʒß. ad ʒj. cu succo plantag. vel aqua Ros.

*Est narcotica quæ recipit Opium et semen Hyoſcyami.

Doſis, ... adultis Avellanæ ..., minoribus et delicatioribus fabæ, pueris ciceris, in potu conveniente. Foeſius.

Doſis à ʒß. ʒi. In clyſteribus ad ʒiij date.

## PHILONIVM ROMANVM, *NICOLAI.*

℞ Piperis albi,
Sem: Hyoſcyami albi, ana drachmas quinque.
Opij drachmas duas ſemis.
Caſiæ ligneæ drachmam vnam ſemis.
Semin: Apij drachmam vnam.
Petroſelini Macedonici veri,
Fœniculi,
Dauci Cretici, ana ſcrupul. duos, grana quinque.
Croci ſcrupulum vnum ſemis.
Spicæ Indicæ,
Pyrethri,
Zedoariæ, ana grana quindecim.
Cinnamomi drachmam vnam ſemis.
Euphorbij,
Myrrhæ,
Caſtorei, ana drachmam vnam.
Mellis deſpumati pōdus triplum.
Miſce: fiat Electuarium ſ.a.

## ELECTVARIVM DE OVO, *MAXIMILIANI IMPER.*

℞ Ouum gallinæ recens, & extracto albumine, paruo foramine facto, impleatur vacuum Croco optimo non puluerilato, relicto intùs vitello. Poſteà cum alio putamine rurſum obturetur, & lento igne, vel ad fornacem, tamdiù aſſetur, donec tota teſta oui incipiat nigreſcere, diligenter attendendo, ne Crocus comburatur (alioqui corrumpit totum medicamentum) Exempta materia exiccetur, vt minutiſſimè poſſit contundi, & in puluerem redigi, addatur pulueris Sinapeos albi quantum prædicta omnia ponderant. Deinde

℞ Puluer: Radic: Dictamni albi, ſiue Fraxinellæ,
Tormentillæ, ana drachmas duas.
Myrrhæ,
Cornu Ceruini,
Radic: Petaſitæ, ana drachmam vnam. Subſtituitur Nux Vomica
Radic: Angelicæ,
Pimpinellæ,
Granor: Iuniperi,
Zedoariæ,
Camphoræ, ana vnciam dimidiam.

Miſceantur vniuerſa ſimul in Mortario, & adijciatur denique Theriaca optima ad pondus omnium: & iterum piſtillo benè miſceantur per tres fermè horas ſemper agitando, & affundendo Syrupi limonū, q.ſ. donec fiat Electuarium ſ.a.

REQVIES

## Philonium Romanum.

licos affectus cæterarumq; partium Lethales dolores,
Ventris, Hypocondriorum, stomachi, vteri, hepatis, Lienis,
renum, ab intemperie frigida, flatibus crassis, aut crudis
humoribus excitatos prærogativa quadam sedat.
ses intensissimas suffocandi periculum minantes, ex cordis
aut pulmonum incendio, Singultum etiam vehementem,
et Vrinæ difficultatem liberat.
uinis eductionibus, tabidis suspiriosis, pleuriticis confert.
emorrhagiam sistit, insomnium Levat, et somni conciliatione
vires reficit, et recreat, doloresque omnes abigit.
tum affectibus præcipuam sibi dignitatem, et adhibet Gal:
2. de Locis Affectis. V. Th: Aug: Foesius.

varijs scopis vario diluitur. Vt cum Hypocistidis succo
vini pauxillo stomachicis datur, Suspiriosis cum Thymi aut
legij decocto. Sanguinem expuentibus cum Polygoni
co, nauseabundis & in stomachi morsibus cum Absynthij
pulegij decocto. Foesius.

## Elect: de Ovo.

uus ejus vsus domi Porto, et præservando à Venenis
leterijs: sudores potenter movet, et venenatos ichores
centro ad circumferentiam eximie propellit. Cor à
cis fuliginibus tuetur, ac Luis pestilentis noxas dissipat.
x: August. 1.
se vel cum aliquo serva, aut aqua, vel decocto cordiali. Ro:

## Requies Nicolai.

Sic dicta, quod somnum conciliet, et quiescere eos fa[...] qui febribus intermittentibus, Quotidianis, Tertianis, [...]tanis, Acutis etiam et peracutis morbis molestati ne[...] dormire. Melichius.

## + Theriaca Germanorum; Monavij.

* Vide Epist: Scholtzij. 228. multis sanè extat simplicibus. +

Credo mihi jam potentem atque Andromachi alterum expertus sum: Immò si plus fido, cum ex his potissimum constet quae in nostro orbe gignuntur. Id. Ep. 241. ib.

## Theriaca Andromachi:

mater medicamentorum.

Virulentarum bestiarum ictibus et venenis exitialib[...] adversatur. Capitis dolores diuturnos, vertigines, g[...] auditus, hebetudines oculorum, comitiales, Asthma[...] Haemoptoicos sanat cum data mulsa. Stomachi[...] ictericos, hydropicos, Arthriticos, Colicos, Me[...]=cholicos, Elephanticos curat. Cum aqua raph[...] aut petrariae exhibita, calculos renum & vesicae [...] & difficilem mictionem sanat. Utiliter praeterim [...] maximè quartanarum rigoribus et incipientibus et m[...]=tibus. Colorem commendat, cordis palpitationi opitula[...] Universum corpus mirò corroborat. Menstrua mov[...] faetus mortuos ejicit; hydrophobiam et rabi[...] canis morsum opportunò data sanat. Fern: R[...]

## REQVIES, *NICOLAI.*

℞ Roſarum rubrarum ab vnguibus purgatarum,
Flor: Violarum purpurearum ana drachmas tres.
Opij Thebaici vino ſoluti,
Sem: Hyoſcyami albi,
Papaueris albi,
nigri,
Cort: Radic: Mandragoræ,
Sem: Scariolæ, ſiue Intybi,
Portulacæ,
Lactucæ ſatiuæ,
Pſyllij,
Spodij vel Antiſpodij ex Ebore vſto,
Gum: Tragacanthi, ana ſcrupulos duos, & grana quinque.
Nucis Moſchatæ,
Cinnamomi,
Zingiberis, ana drachmam vnam ſemis.
Santali citrini,
albi,
rubri ana drachmam vnam ſemis.
Sacchari in aqua roſacea diſſoluti triplum, miſce, fiat Electuarium ſecundùm artem.

## THERIACA ANDROMACHI.

℞ Trochiſcorum Scilliticorum drachmas quadraginta octo.

Trochiſcorum è Viperis,
Piperis longi,
Opij Thebaici,
Magmatis Hedychroi ſicci, ana drachmas viginti quatuor.
Roſarum ſiccarum, reſectis vnguibus,
Iridis Illyricæ odoræ,
Succi Glycyrrhizæ,
Sem: Napi dulcis,
Comarum Scordij,
Opobalſami,
Cinnamomi,
Agarici, ana drachmas duodecim.
Myrrhę,
Coſti odorati ſeu Zedoarię,
Croci,
Caſiæ ligneę verę,
Nardi Indicæ,
Schœnanthi,
Piperis albi,
nigri,
Thuris maſculi,
Dictamni Cretici,
Rhei,
Stœchados,
Marrhubij,
Sem: Petroſelini Macedonici,
Calaminthes ſiccæ,
Terebinthinæ,
Radic: Pentaphylli,
Zingiberis, ana drachmas ſex.
Comarum Polij Cretici,
Chamæpityos,
Nardi Celticæ,
Amomi,

Styra-

Styracis Calamitę,
Rad: Mei,
Com: Chamędryos,
Rad: Phu Pontici,
Terrę Lemnię,
Folior: Malabathri,
Chalcitidis aſſę, vel eius loco Chalcanthi Romani vſti.
Radic: Gentianæ,
Gum: Arabici,
Succi Hypociſtidis,
Carpobalſami, vel Nucis Moſchatæ, vel Cubebarum;
Sem: Aniſi frict:
Cardamomi,
Sem: Fœniculi,
Seſeleos,
Acaciæ, vel eius loco, ſucci inſpiſſati Prunellorum acerborum.
Sem: Thlaſpeos,
Summitatum Hyperici,
Sem: Ammeos,
Sagapeni, ana drachmas quatuor.
Caſtorei,
Radic: Ariſtolochiæ longæ,
Bituminis Iudaici,
Sem: Dauci,
Opopanacis,
Centaurij minoris,
Galbani pinguis, ana drachmas duas.
Vini antiqui Canarini q.ſ. quo diſſoluantur ſimplicia humida & liquabilia.
Mellis optimi triplum ad pondus ſpecierum aridarum, Miſce ſecundùm artem.

## THERIACA LONDINENSIS.

℞ Cornu Ceruini limâ deraſi vncias duas.
Sem: Citri,
Oxalidis,
Pœoniæ,
Ocimi, ana vnciam vnam.
Scordij,
Corallinæ, ana drachmas ſex.
Radic: Angelicæ,
Tormentillæ,
Pœoniæ,
Folior: Dictamni,
Baccar: Iuniperi,
Lauri, ana vnciam dimidiam.
Florum Calendulæ,
Caryophyllorum, ſeu Veronicæ rubræ,
Anthos,
Summitat: Hyperici,
Nucis Moſchatæ,
Croci, ana drachmas tres.
Radic: Gentianæ,
Zedoariæ,
Zingiberis,
Macis,
Myrrhæ,
Folior: Scabioſæ,
Succiſæ,
Cardui benedicti, ana drachmas duas.
Caryophyllorum,

Opij,

+
Lege Quercetanum in
[Phar]macop. Dogmat: restit:
[c.] 23. & non vulgaria reperies.

# De Theriacis.

## Theriaca Smaragdina Hispana.

℞. Smaragdorum præpat: ℈ß. Hyacinth: ℈iß.
Sem: Pæoniæ. Radicis pæon: Cinamomi.
ana ℥j. Sem: citrij, Dictamni an. ʒvj.
Coralli rubri. Sem: Alkermes. Sem: Acetosæ
ana ʒiij. Croci ʒij. Visci querni. Scobis
eboris, galangæ. an. ʒij.
Cum succo limonum & acetos: citri & saccharo
q.s. F. Confectio.

Altera præstantior et delicatior.
D. Ezech: de Castro. lib: de Colostro.

℞. Pulv. elect. de gemmis ℈ij. magist.
Smaragd. Orient. ʒj. Sem: citrij. Alkermes,
Fol: dictamni Cretensis. an: ʒvj. Sem:
Pæoniæ, Acetosæ, Cinamomi, Magist. Corall.
an: ʒs. Rad: Pæon: Galengæ, Rasur: Eboris
Ossis de Corde Cervi, Cranij hum: præpar.
Stercoris Pavonis mense Majo collecti
an: ʒiß. myrrhæ electæ ʒiß. Sal: Pæoniæ.
Salis Visci querni. an: ʒij. Croci ʒß. Cor-
-nu Monocerotis veri, ungulæ Alcis. Lap.
Bezoar: Orient. Moschi, an. ℈ß semissi.
cum syr: Acetosit. citri & Sacch. albiss.
q.s. Fiat Confectio, s.a. Id: ib:
Hujus Conf. datur infantibus ℈ß. Et stent
sine lacte per horas duas. Si detur infantibus
recens natis, antequam suxerint, detur paulo
post exhibitionem mellis rosati Comp. Datur
adultis una pilula post cœnam noctu dosi ℈j.
Valet contra impuritatem sanguinis in Infantibus
colostratis, contra Variolas & morbillos, contra
Epilepsiam, convulsionem, Ephialten &c. Id.

# Benedicta Laxativa.

Humores pituitosos et biliosos, nō solū à primâ corpor[illegible]
sed à renibus et ptibus remotioribꝰ expurgat, obstr[illegible]
nes solvit, et quosvis humores viscidos expellit, e[illegible]
articulis pituitam deturbat. Rondel.
Calculi urinam repellit, ipsosq; calculos exturbat, & d[illegible]
Nephriticum lenit: Frigidæ urinæ, frigidoq; [illegible]
apta. Fernel.
Radē Scalæ, serosos humores & pituitā expurgat.
In morbis calidioribꝰ usus ejꝰ fugiendus. Fra[illegible]
Paralysin ~~creavos aut relevat~~, suppressis m[illegible]
medetr, & purgandis mulieribꝰ uteriq; affectibus co[illegible]

# Caryocostinum.

Arthriticis affectibꝰ à bile salutare. Ba[illegible]

# Cassia ext: & Clysteribꝰ.

Hujꝰ usus potissimus est in Enematibꝰ, dando [illegible]
frequenter exhibetr nam nimis est flatulenta ipsa [illegible]
Cassia, ac magis emollit, ac humectat. Ph. Aug.

Opij, ana drachmam vnam.
Vini Canarini quantum ſatis.
Mellis triplum. Miſce ſecundùm artem.

## BENEDICTA LAXATIVA, *NICOLAI.*

℞ Turpeti electi drachmas decem.
Diagridij,
Cort: Radic: Eſulæ præparatæ,
Hermodactylorum,
Roſarum rubrarum, ana drachmas quinque.
Caryophyllorum,
Spicæ Nardi,
Zingiberis,
Croci,
Saxifragiæ veræ,
Piperis longi,
Amomi, vel eius defectu Calami aromatici,
Cardamomi minoris,
Semin: Apij,
Petroſelini,
Carui,
Fœniculi,
Aſparagi,
Ruſci,
Milij Solis,
Salis gemmei,
Galangæ,
Macis, ana drachmam vnam.
Mellis deſpumati triplum; fiat Electuarium ſecundùm artem. Poſſunt etiam ſpecies per ſe in officinis commodè reſeruari.

## CARYOCOSTINVM, *Bayr: è Gal.*

℞ Caryophyllorum.
Coſti candidi, ſeu Zedoariæ.
Zingiberis,
Cymini, ana drachmas duas.
Hermodactylorum,
Diagrydij ana vnciam dimidiam.
Mellis deſpumati in vino albo duplum. Miſce, fiat Electuarium ſecundùm artem.

## CASSIA EXTRACTA PRO CLYSTERIBVS, *AVG.*

℞ Foliorum Violariæ,
Maluæ,
Mercurialis,
Betæ,
Parietariæ,
Flor: Violarum, ana manipul. vnum.
Fiat decoctio in ſufficienti quantitate aquæ, cuius beneficio Caſſia extrahatur; & Cannæ eius interiùs lauentur, deinde,
℞ Caſſiæ cum hac decoctione extractæ, & ad conſiſtentiam coctæ, libram vnam.
Sacchari libram vnam ſemis.
Coquantur ad perfectionem ſecundùm artem.

ELE-

## ELECTVARIVM AMARVM MAGISTRALE MAIVS.

℞ Agarici albiſſimi,
Turpeti electi,
Specier: Hieræ ſimp: Galen:
Rhabarbari optimi, ana drachmam vnam.
Aloes electæ, illotæ, drachmas duas.
Zingiberis,
Cremoris Tartari, ana ſcrupulos duos.
Iridis Florentinæ,
Farinæ Semin: Fœniculi dulcis ana ſcrupulum.
Syrupi Roſarum ſolutiui q. ſ.
Fiat Electuarium amarum.

## ELECTVARIVM AMARVM MINVS.

℞ Epithymi ſemunciam.
Radic: Angelicæ drachmas tres.
Gentianæ,
Zedoariæ,
Acori, ana drachmas duas.
Cinnamomi ſeſquidrachmam.
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Croci, ana drachmam vnam.
Aloes vncias ſex.
Cum Syrupo Fumarię,
Scabioſę,
Saccharo, ana q. ſ.
Fiat Electuarium molle, ſ. a.

## DIACASSIA CVM MANNA.

℞ Prunorum Damaſcenorum vncias duas.
Florum Violarum manipul. vnum ſemis.
Aquę fontanę libram vnam ſemis.
Bulliant ſecundùm artem ad medietatis conſumptionem. In colatura diſſolue,
Pulpæ Caſſiæ vncias ſex.
Sacchari violati,
Syrupi violati, ana vncias quatuor.
Pulpæ Tamarindorum vnciam vnam.
Sacchari candi vnciam vnam ſemis.
Mannæ optimæ vncias duas.
Commiſceantur, & fiat Electuarium ſecundùm artem.

## CASSIA EXTRACTA SINE FOLIIS SENNÆ.

℞ Prunorum numero duodecim.
Florum Violarum manipul. vnum.
Hordei mundati,
Sem: Aniſi,
Carthami,
Polypodij quercini, ana drachmas quinque.

Capil-

Diacaſsia.

camentu̇ ē lemiens, et confert ijs qui duxa ſunt
vo, hanc e. lemiter et citra moleſtias ſubducit,
flavā educit bilem, febresq̄ inde natas mitigat.
fhar: August:

× Elect: d' Chalybe.

℞ Limat. chalybis vel ferri electi. ℥ ~~vi~~ q. vi.
Terat. sup porphyrito subtiliſsimo cū aceto, deinde
siccetur ad solem aut ignē, & sic septies iteretur;
℞. Limat: sic pparatæ ℥vj.
Cinam: nucib condit. an. ℥iij
Rhabar: opt. ℥ij. Spec. Arom: ros. ℥vj.
mellis opt: Sacch: albiſs. an. ℔j. ℥i. M
Et cū igne lento fiat Electu:
Dosis instar castan: ad ʒß. Præcedat a.
purgat universalis et ut ad dies 20 vel 30.
In obstruct: viscerum & morbo virgineo, ex
hoc medicus D. Bavariæ centena multa lucrifecit.
Scholtzij Epist. 244. & 245.

Extractu Diacarthami, seu,
Crico-pharmacu Andernaci.

℞. medul: sem: Carthami ℥ij.
Turbith albi.
Fol: Senæ an. ℥vj.
Diagrydij ℥ij.
Rhabarb. opt. ℥iiij.
Agaric. Troch. ℥iij.
Mannæ granatæ ℥v.
Myrobal: Chebul. ℥iß.
Polypodij ℥j.
Zinzib. albi ℥j.

Præparatio.
Minutim incidantur, vel crassius conterantur, & in Vini Sprum (ex quo pulveris confectionis Diambræ ℥j. per dies 8. macerata fuerit) ponantur; stentque simul in loco calidiore diebus 14. Deinde sacculo indantur, & sub prælo valde exprimantur, postea id quod expressum est, ampullæ infundatur, ac operculo imposito exstilletur, donec ad mellis spissitudinem pervenerit.

Dosis. Datur vel per se in pilulas efformatum, vel Boli specie. Nonnullis cum syr. rosaceo aut Violato portione aliqua diluitur, potuique datur.

Dosis. ab ℥ß. ad ʒiiij.

Vires. Eximiæ & probatæ virtutis est, neque tamen insolentis operationis, quod omnes pariter humores educere est aptum. Freitag. Aur: med. l. 3. c. 13.

Diaphœnicon.

Bilem crudamque pituitam atque etiam lentam purgat clementer, compositis ac etiam diuturnis febribus et morbis ex cruditate ortis, et colico flatuoso dolori aptum. Fernel.

Cui recte ad manus paratum sit Diaphœnicon, is utroque facile carere poterit. Freitag. Au

Pituitam bilemque ducit. Febribus complicatis & diuturnis ex diversa humorum miscella a principiis bene Tertianis nothis ex bile flava & pituita co Ventriculi dolorem & totius ventris intemperie fr sedat, &c. Podagras frigidas, & Thoracis affectus frigidos juvat. Freitag. ib. l. 3. c. 12.

Diacarthamum.

Flavæ bili et pituitæ educendæ mirifice confert: & omnes ex bile et pituita mixtos convenit. Podag mixtis, hemitritæo, paralysi, & cephalalgiæ utile Ph: Aug.

Capillorum Veneris.
Thymi,
Epithymi ana manipul: ſemis.
Paſſularum mundatarum ab acinis vnciam dimidiam.
Sem: Fœniculi drachmas duas.
Portulacæ,
Maluæ, ana drachmas tres.
Glycyrrhizæ vnciam dimidiam.
Fiat horum decoctio in ſufficienti quantitate aquæ, colentur; & in colatura diſſolue
Pulpæ Caſſiæ libras duas,
Tamarindorum vnciam vnā.
Cinnamomi drachmas tres.
Sacchari optimi libram vnam.
Coquantur ad perfectionem ſ.a.

## CASSIA EXTRACTA CVM FOLIIS SENNÆ.

℞ Electuarij Caſſiæ extractæ ſine folijs Sennæ libras duas.
Pulueris folior: Sennæ vncias duas.
Miſce ſecundùm artem.

## DIACARTHAMVM SEV DIACNICVM ARNOLDI DE VILLA NOVA.

℞ Specierum Diatragacanthi frigidi vnciam dimidiam.
Pulpæ Cydoniorum conditorum vnciam vnam.
Pulpæ Semin: Carthami vnciam dimidiam.
Zingiberis albi drachmas duas.

Diagrydij per ſe triti drachmas tres.
Turpeti albi drachmas ſex.
Mannæ granatæ vncias duas.
Mellis Roſati colati ſolutiui,
Sacchari Candi, ana vnciam vnam.
Hermodactylorum vnciam dimidiam.
Sacchari albiſſimi vncias decem ſemis.
Fiat Electuarium liquidum ſecundùm artem.

## DIAPHOENICON, MES. iuxtà FERN.

℞ Pulpæ Palmularum mundatarum ex hydromelite coctæ & cribro cretæ,
Penidiorum recentium, ana libram dimidiam.
Amygdalarum dulcium expurgatarum vncias tres ſemis.
Contuſis & permiſtis omnibus adde,
Mellis deſpumati libras duas.
Paulùm coquantur ac deinde inſperge,
Zingiberis,
Piperis,
Macis,
Cinnamomi,
Fol: Rutæ ſiccorum,
Sem: Fœniculi,
Dauci, ana drachmas duas.
Turpeti tenuiſſimè triti vncias quatuor.

Diagrydij vnciam vnam ſemis.
Fiat Electuarium ſ.a.

## DIAPRVNVM SIMPLEX, RECTIVS LENITIVVM, *NICOL.*

℞ Pruna Damaſcena recentia & matura numero centum.

Coquantur in ſ.q.aquæ donec tabeſcant. Pulpa per cribrum trajiciatur & reſeruetur. In percolato iure incoque clementiùs

Florum Violarum vnciam vnã, & in colatura diſſolue,
Sacchari libras duas, &

Coque in Syrupum; deinde adde Pulpæ prædictæ & per ſe inſpiſſatæ, libram vnam,
Medullæ Caſſiæ,
Tamarindorum, ana vnciam vnam.

Tum permiſce pulueres ſequentes,
Santali Albi,
Rubri,
Spodij,
Rhabarbari, ana drachmas tres.
Roſarum,
Violarum,
Sem: Portulacæ,
Scariolæ,
Berberis,
Tragacanthæ,
Glycyrrhizæ,
Cinnamomi, ana drachmas duas.
Semin: quatuor frigidorum maiorum, ana drachmam vnam.

Fiat Electuarium ſecundùm artem.

## DIAPRVNVM SOLVTIVVM, *NICOLAI.*

℞ Diapruni Lenitiui adhuc recentis & calidi libras quatuor.
Scammonij præparati vncias duas & drachmas quinque.

Miſce, fiat Electuarium ſecundùm artem.

Cum in hoc medicamento Scammonij doſis ſit aucta ſecundùm authorem, minori pondere exhiberi poterit.

## DIACATHOLICON, *NICOLAI.*

℞ Pulpæ Caſſiæ,
Tamarindorum,
Folior: Sennæ, ana vncias duas.
Polypodij,
Violarum,
Rhabarbari,
Sem: Aniſi,
Penidiorum,
Sacchari candi, ana vnciam vnam.
Glycyrrhizæ raſæ,
Sem: Cucurbitæ,
Citruli,
Cucumeris,
Melonum, ana drachmas duas.

Conterenda conterantur, & ſume Poly-

## Diaprunū Lenitivum.

[...]endat^l ad febres acutas, ardentes, oẽsq; alias
[...]ertianas continuas, Hecticas, Marasmodes,
[...]ipyrias, Causum, et Synochum, et ad omnem
[...]ebrilem affectum in principio, augmento,
et statu ægritudinis. Solutivũ v. in ejus-
modi morbis o'' cavendum. Ph: Aug:
[...]ert etiã ad oẽs morbos calidos, et ad vitia pulmo-
[...]um, thoracis, renũ, vesicæ; et q^lis tempore fe-
[...]riũ acutarũ tuto potest exhiberi; fervorem enim
[...]temperando alvũ blande subducit. Renod:

## Diaprunum Solutivum.

[...] eas vires quas cum simplici communes h̃t, po-
[...]nter ac sine molestia purgat, vtiliterq; datur
[...]orbis renũ, et vesicæ, febrib9 et alijs affectib9
[...]alidis. Renod:

## Diacatholicon.

[...]enter purgat oẽs humores: Convenit febrib9 et
[...]s morbis acutis, maxime his, qui à lienis et Jecoris
[...]lâ Diathesi oriunt^r. Renod: Ph. Aug:
[...]licones Fernelij non p̃bant^r q^a calida quædã admit-
[...]t, eaq; satis magna q̃ttĕ. Prior Helenium, hyssopũ,
[...]nz: cinnam: nucem mosch: et mel. Posterior v.
[...]er purgantia Turpethum admittit, Agar: et Diacrid:
[...]q^a in Officinis nunq^m aut raro inveniunt^r. Renod:

## Diacrocuma.

Datur ad Viscerum internorum, Ventriculi, Hepatis,
morbos frigidos et diuturnos, cachexiã et hy
dolorem corporis fœdum, totum corporis statũ f
Obstructiones internas. Stomachi intempe
et humidã sanat, Flatus crassos dissipat, ejus
corruptelæ medetur. Renũ vitia ab obstruct
crassorum et viscidorum humorum emendat, vesicæ
à caussâ frigidâ, Vrinamq; provocat. Th: Au

## Electuarium de Citro solutiuũ.

Catholicũ seu Vle Catharticũ est; et ob illius multi
vim purgatoriã plurimi est vsus. Febribus Terti
et Hemitritæis valde confert, Stomachũ optime
Pravã colluviem in vtroq; Hypocondrio stab
expellit, cibi fastidiũ tollit, & malũ corporis hab
emendat, cor et ventriculũ roborat et viscerum h
tatem excrementitiã absumit. Renodæus.

El Catholicũ familiare purgans sint noxâ ʒ vj s
Baudronus in Pharmacopœâ. l. 1. sect. 6.

## Elect: Elescoph.

Excrementa et flatus totius corporis educit. Obiur
Hypocondriorum, et Juncturarum dolores levat, Ves
et Renes expurgat. Coitũ excitat. Melichius.
Bilem flavam et pituitã elicit. Dan: Mylius Bas: Chym. l. 6.

Polypodij recentis vncias tres.
Sem: Fœniculi drachmas ſex.
Fiat decoctio in libris quatuor aquæ pluuialis vel communis ad tertiæ partis conſumptionem; colentur & colaturæ adde
Sacchari optimi libras duas.
Coquantur iterùm cum pulpis Caſſiæ & Tamarindorum, & in fine additis reliquis puluerizatis, fiat Electuarium ſ.a.

## DIACROCVMA SIVE SPECIES ELECTVARII DE CROCO, *MES.*

℞ Croci,
Radic: Aſari,
Sem: Petroſelini,
Dauci,
Aniſi,
Apij, ana vnciã dimidiã.
Rhabarbari,
Radic: Mei,
Spicæ Indicæ, ana drachmas ſex.
Caſiæ ligneæ veræ,
Coſti,
Myrrhæ,
Schœnanthûs,
Cubebarum,
Radic: Rubiæ,
Succ: Abſinthij, &
Agerarati, inſpiſſatorum,
Opobalſami, ſeu Olei Nucis Moſchatæ, ana drachmas duas.
Cinnamomi,
Calami Aromatici, ana drachmam vnam ſemis.
Scordij,
Ceterach,
Succi Glycyrrhizæ, ana drachmas duas ſemis.
Tragacanthi drachmam vnam.
Fiat Electuariũ cum octuplo Sacchari albi in aqua Endiuiæ ſoluti & clarificati ſ.a.

## ELECTVARIVM DE CITRO SOLVTIVVM.

℞ Corticis Citri conditi,
Conſeruæ florum Violarum,
Buglosſi,
Pulueris Diatragacanthi frigidi,
Diagrydij, ana vnciam dimidiam.
Turpeti drachmas quinque.
Zingiberis drachmam dimidiam.
Folior: Sennæ drachmas ſex.
Sem: Fœniculi dulcis drachmam vnam.
Sacchari albiſſimi in aqua roſarum ſoluti, & ex arte cocti vncias decem.
Fiat Electuarium ſolidum ſecundùm artem.

## ELECTVARIVM ELESCOPH, *MES.*

℞ Scammonij,
Turpeti optimi, ana drachmas ſex.

Caryophyllorum,
Cinnamomi,
Zingiberis,
Myrobalanorum Emblicarum,
Nucis Moſchatæ,
Polypodij, ana drachmas duas ſemis.
Sacchari vncias ſex.
Mellis deſpumati vncias decem.

Miſce, fiat Electuarium ſecundùm artem.

## CONFECTIO HAMECH, FERNELII.

℞ Corticis Myrobalanorum citrinarum vncias duas,
Myrobalan: Chebularum,
Nigrarum.
Violarum,
Colocynthidos.
Polypodij quercini, ana vnciam vnam ſemis.
Abſinthij,
Thymi, ana vnciam dimidiam.
Sem: Aniſi,
Fœniculi,
Flor: Roſarum rubrarum, ana drachmas tres.

Tuſa omnia macerentur per diem in ſeri lactis libris duabus, deinde coquantur ad libram vnã, fricentur manibus, & exprimantur, Colatis adde

Succi Fumariæ,
Pulpæ Prunorum, &
Vuarum Paſſularũ, ana libram dimidiam.
Sacchari albi,
Mellis deſpumati, ana libram vnam.

Coquantur ad Mellis craſſitiem, inſpergendo ſub finem

Agarici trochiſcati,
Sennæ, tritorum, ana vncias duas.
Rhabarbari triti vnciam vnam ſemis.
Epythymi vnciam vnam.
Diagrydij drachmas ſex.
Cinnamomi vnciam dimidiam.
Zingiberis drachmas duas.
Sem: Fumariæ,
Aniſi,
Spicæ Nardi, ana drachmam vnam.

Fiat Electuarium ſ. a.

## ELECTVARIVM INDVM MINVS, MES.

℞ Turpeti,
Sacchari, ana drachmas centum.
Macis,
Piperis,
Zingiberis,
Caryophyllorum,
Cinnamomi,
Cardamomi,
Nucis Moſchatæ, ana drachmas ſeptem.
Scammonij præparati drachmas duodecim.

Miſce cum Mellis deſpumati triplo, ad reliqua præter Saccharum,

fiat

## Confectio Hamech.

at bilem vtramq; salsamq; pituitam: propterea
rbis ab iisdem natis confert. Maniæ, Psoræ, Lepræ,
ncro, Elephantiasi, Impetigini, Melancholiæ, Sca-
i, et similib⁹ cutis affectib⁹. Fernel: Renod:

## Electuarium Indum.

no cedit Elect. Indo majori. Dra. Indum
primo inventa et visitata a Medicis Indis
entalib⁹. Baudoric.

majori efficaci⁹. In formam Electuarij redactum
iplo mellis despumati singulis uncijs Diagridij. gr. viij ſ.
pethi vero ℈i. & gr. iiſ. Qualibet v. specierum
ſ Turpethi ℈i. gr. v. & Diagridij gr. 3. Quare
ra Electuarij sufficiunt ʒ. v. vel vi. In specieru
su a ℈iiij. ad ʒij. Freitagi ∂tur. medic.
ui recte pparatu Diaphœnicon est ad manus,
q Indo facile carere possit. Id. l. 3. c. 12.

p. 962. 3

## Elect: Opticum.

℞. Rad: Elenij condit. Myrob: chebul: condit: an: ℥ij. Piperis longi, Caryoph. an: ʒj. Maceris, Galangæ min. Zingib. alb. Cubebarum an: ʒß. Fabarum marin: præpat. Ocul. Luciorum, Euphrasiæ, Pulegij, Chamædryos, Florum Tunicæ, Anthos. an. ℥iij. Sem: Sileris mont. Fœnic. an. ℥ij. Anisi, Petrosel. Apij, Anethi, Saxifrag. alb. an. ℥iß. Omnia pulveris. misce. cum Sacch. alb. ℥24. In Sp. Juniperi, et succorum depurat. Salviæ, Rutæ, Chelidoniæ, Hyssopi an. q.s. Diss: et ad justam consistentiam coct: F. Elect. Cui adde Ol. Cinam. nuc. moscat. an. ʒj. Denuo mis. et ad usum reserva.

Dosis, continuo, mane jejuno Stomacho, et vesperi eundo cubitum, Quantitas nucis Castaniæ. Quia sic utentes claro et libero visu, sine ocularijs, parvas etiam literas usque ad finem vitæ perfecte legere solent.

Adrian. Mynsicht. Thes. Med-Chym. Sect. 13.

Elect: Lenitivum.

Huius usus est in febribus ex humorum putredine natis, … xitide, emollit alvum et utramque bilem flavam et minorius educit. Ph: Aug: et Florent.

Elect: e succo rosarum.

Mere Cholagogum est, et potenter flavam edu… bilem in his affectibus prodest. Convalescentes ex … tudine Quotidianarios et Tertianarios purgat … molestia, et malorum humorum reliquias educit. Te… simplici, duplici, febribus continentibus et biliosis, mali… omnibus a calore natis auxiliatur. Prodest enim calidis … affectibus, ad purgandam … calidam et biliosam. …
Ph: Aug:

Elect: Passulatum.

fiat Electuarium ſ.a.

## ELECTVARIVM LENITIVVM.

℞ Paſſularum enucleatarum.
Polypodij quercini,
Sennæ orientalis, ana vncias duas.
Mercurialis manipul: vnum ſemis.
Iuiubarum,
Sebeſten, ana numero viginti.
Capillorum Veneris,
Violarum,
Hordei mundi, ana manipul: vnum.
Prunorum Damaſcenorũ enucleatorum,
Tamarindorum, ana drachmas ſex.
Glycyrrhizæ vnciam dimidiam.
Coquantur ſ.a. colentur, in colatura diſſolue
Pulpæ Caſſiæ fiſtularis,
Tamarindorum,
Prunorum recentium,
Sacchari violati, ana vncias ſex.
Sacchari optimi libras duas.
Vltimò adde Pulueris Sennæ vnciam vnam ſemis, pro qualibet libra Electuarij.
ſicque in formam redigantur ſ.a.

## ELECTVARIVM PASSVLATVM.

℞ Polypodij quercini vncias tres.
Foliorum Sennæ,
Radic: Althææ recentium, ana vncias duas.
Sem: Aniſi drachmas duas.
Omnia infundantur in aqua fontana q. ſ. in vaſe vitreato, & coquantur ſ. a. deinde fiat expreſſio, Colaturæ adde,
Pulpæ Paſſularum per ſetaceum tranſmiſſarum libram dimidiam.
Sacchari albi,
Mannæ, ana vncias quatuor.
Coquantur rurſus ad Cydoniati craſſitudinem, quater in anno renouetur.

## ELECTVARIVM è SVCCO ROSARVM, *NICOLAI MYREPS.*

℞ Sacchari,
Succi Roſarum rubrarum, ana libram vnam & vncias quatuor.
Trium Santalorum, ana drachmas ſex.
Spodij drachmas tres.
Diagrydij drachmas duodecim.
Camphoræ ſcrupulum vnum.
fiat Electuarium ſ. a.
Succus cum Saccharo coquatur ad iuſtam conſiſtentiam, dein addantur tritæ Species.

ELEC-

## ELECTVARIVM REGINÆ COLONIENS:

℞ Sem: Saxifragię,
Milij Solis,
Suc: Glycyrrhizæ, ana ſemunciam.
Sem: Carui,
Aniſi,
Apij,
Fœniculi,
Petroſelini Macedonici,
Geniſtæ,
Dauci,
Ruſci,
Aſparagi,
Leuiſtici,
Cymini,
Iuniperi,
Rutæ,
Sileris montani,
Rad: Acori veri,
Pulegij,
Pentaphylli,
Bacc: Lauri, ana drachmas duas.
Spicę Indicæ,
Schœnanthûs,
Peucedani,
Valerianę,
Carabes,
Lap: Lyncis, ana ſeſquidrachmam.
Galangę,
Zingiberis,
Turpeti, ana drachmas duas.
Sennæ Alex: vnciam vnam.
Sanguinis Hirci pręp: ſemunciã.

Miſce: fiat Puluis; inde Electuarium ſecundùm artem, cum ſacchari in vino albo ſoluti triplo.

## HIERA PICRA SIMPLEX, GALENI.

℞ Cinnamomi,
Xylobalſami, ſeu Ligni Aloes,
Aſari,
Spicę Nardi,
Maſtiches,
Croci, ana drachmas ſex.
Aloes (non lotę) vncias duodecim ſemis.
Mellis deſpumati libras quatuor & vncias tres.
Miſce, fiat Electuarium ſ.a.
Species etiam per ſe reſeruantur in officinis.

## HIERA CVM AGARICO.

℞ Specierum Hierę ſimplicis ſine Aloe,
Agarici trochiſcati, ana vnciam dimidiam.
Aloes non lotæ, vnciam vnam.
Mellis deſpumati vncias ſex.
Miſce, fiat Electuarium ſ.a.

## HIERA LOGADII, NICOL: MYREPS:

℞ Pulpæ Colocynthidos.
Polypodij, ana drachmas duas.
Euphorbij,
Polij montani,
Sem:

## Hiera picra Simplex Gal:

insignib9 facultatib9 efficax est. Calefacit, incidit,
tenuat, siccat, tergit, obstructiones tollit. Humores
biliosos, pituitosos, crassos et lentos expurgat. Affectib9
Ventriculi, Mesenterij, Hepatis, Capitis et Juncturarum
... Confert. Renod: Fernel.

Cetera q̃d insignib9 dotib9 polleat haec Hiera spe...
... ndũ est, q̃d sinistra ej9 usurpãe, haud levẽ noxã afferre
potest. Infortissima e. est Aloe, quae Basis existit,
... adjuncta, Febricitantib9 & ijs qui citra vitio-
... humores ex intemperie calidã sicca, aut frigidã
... affliguntur. Promptissime e. illi ex continuato ej9
... in tabẽ deferuntur, q̃d intemperaturae cũ humorib9 tantum
... macis purgantib9 indigeant. Freitagi9 Auror. Med. l. 3.
... 9. ex Gal. l. 2. de compos. med. c. 2.

## Hiera cũ Agarico.

... q9 Pitu...tam et bilem educit, ut ingredientia ipsa
... Humores incidit, infarct9 tollit, mesenterium
... at, ventriculũ purgat, appetitũ resarcit, coctionẽ
..., e Cerebro noxios humores educit, confert Epilep.
vertigini, et sopori vigilanti. Renod. August.
... e Cerebro, Mesenterio et Ventre propter Agaricũ
... educit.

## Hiera Logadij.

... diuturna ex Melancholiã facta transmutat, et
... pulsat, appetentiã excitat, & robur corpori inducit,
... hilarem reddit. Comitiali Laborantib9, Vertigi-
... subito concidentib9, Spumantib9 Linguã mordentib9
... convulsis confert. Biliosis, Elephantiacis inter initia
..., Scabie, iter impetiginib9, Lethargicis et excrementa
... involuntarie emittentib9 confert. Valde utilis est ijs
... Venena lethalia hauserint, dolorem sedat, juvat
... Pleuriticis et q̃b9 pericardium la-
... borosos. Datr ... educit e. humores vitiosos, movetq; mulierc menstr-
... at, Ischiadicis et Lumborũ dolore infestatis competit,
... b9 diuturnis vitijs singulis mensib9 sumpta. Ph. Aug:

## De Hieris. Nota.

" Hierarũ usus satis et formidand9, nec nisi in morbis
" gravissimis et pertinacib9, ubi Naturae robur medicamenti
violentiã impune sustineat, in eund9. Recte ẽ inde
consulunt humanae saluti qui Hieras illas in clysterib9
potissimũ usurpendas, & nõ nisi summo exquisiti Medici
judicio p superiora exhibere docent. Freitagi9 Auror. med.

## Hiera Pachij.

Sanat epilepticos, Furiosos, Vertiginosos, Cephalalg
Suspiriosos, Anhelosos, Comatosos, incubo, et alijs
oculorum, Aurium, et Capitis affectib. obnoxios. Stom
optime purgat, Hepatis affectiones emendat, saburra
tollit, illiusq. duritiem minuit. Intestinorum morbis
futuras aut jam factas in illis ptib. Vomicas aut di
aut celeriter rapit; menstrua ijs movet qui difficilli
gant. Duritiem in Mulierum mammis cu dolore consi
Levat: et interdu ex integro sanat. Renod: Ph:

Dosis ad ℥i.

## Tryphera Persica.

Oes humores evacuat ad ℥i. cu adstrictione & refrigerio; inde Rondeletius nanda ee putat, qd nullu Elect. vim purgendi simul & roborandi talem obtinet. Heroulai l. 8. c. 9.

## Tryphæra Minor.

Ventriculu, Hepar, Renes, Vesicam roborat, ob
fluore alvi, Hæmorrhoidu, Mensiu modicu co
sanguinis corruptione et cruditates, et in Vent
putredines humorum emendat, colorem bonu redd
forma corrumpi cæpta vitium redimit. Ph: Aug

Sem: Thymelęæ, (Vel, coccognidii) ana drachmam vnam ſemis & grana ſex.
Abſinthij,
Myrrhæ, ana drachmam vnam & grana duodecim.
Centaurij minoris,
Agarici,
Gum: Ammoniaci,
Folij, ſeu Macis,
Spicæ Nardi,
Scillæ præparatę,
Diagrydij, ana drachmã vnam.
Aloes,
Comarum Thymi,
Chamędryos,
Caſię ligneę,
Bdellij,
Marrubij, ana ſcrupulum vnum & grana quatuordecim.
Cinnamomi,
Opopanacis,
Caſtorei,
Ariſtolochiæ longę,
Trium Piperum,
Croci,
Sagapeni,
Petroſelini, ana drachmã ſemis.
Hellebori nigri, & albi, ana grana ſex.
Mellis deſpumati libram vnam ſemis.
Miſce, fiat Electuarium, ſ. a.
Species etiam per ſe reſeruantur in officinis.

## HIERA PACHII, SEV DIACOLOCYNTHIDOS,

*NICOL: ALEX:* Renod: Ph. Aug:

modo Archigenis, modo Ruffi notatur. Renod:

℞ Colocynthidos,
Agarici,
Chamædryos,
Marrubij,
Stœchados, ana drach: decem.
Opopanacis,
Sagapeni,
Sem: Petroſelini,
Rad: Ariſtolochiæ rotundæ,
Piperis albi, ana drachmas quinque.
Spicę Nardi,
Cinnamomi,
Myrrhę,
Folij,
Croci, ana drachmas quatuor.

Gummi trita mortario, cribrata cętera, excipiantur Mellis deſpumati libris tribus, vncijs tribus, & drachmis quinque, vt fiat Electuarium ſ. a.

## TRYPHERA MINOR,

*FOENON: MES.*

Doſis à ℥i ad ℥iij.

℞ Myrobal: { Chebularum, Belliricarum, Indarum, Emblicarum,
Nucis Moſchatę, ana drachmas quinque.
Sem: Naſturtij,

Rad:

Rad: Aſari,
Origani Perſici, ſeu Cretici Di-ctamni,
Piperis nigri,
Olibani,
Ammeos,
Zingiberis,
Tamariſci ſatiuæ,
Nardi Indicæ,
Schœnanthûs,
Cyperi rad: ana ſemunciam.
Limaturæ Chalybis præp: drachmas viginti,

Myrobalani aſſentur modicùm butyro non ſalito: puluerizata reliqua amygdalino dulci oleo inuoluantur: demùm adijcito

Moſchi electi drachmam vnam.
Mellis deſpumati triplex pondus.

Fiat Electuarium debitâ conſiſtentiâ, ſecundùm artem.

## TRYPHERA SOLVTIVA, *RENODÆI.*

℞ Diagrydij drachmas decem.
Turpeti optimi ſeſquivnciam.
Cardamomi minoris,
Caryophyllorum,
Cinnamomi,
Macis, ana drachmas tres.
Santali citrini,
Glycyrrhizæ raſæ,
Sem: Fœniculi dulcis, ana ſemvnciam.
Acori,
Schœnanthûs, ana drachmam.
Cortic: Citri condîti,
Roſarum, ana drachmas tres.
Violarum drachmas duas.
Penidiorum vncias quatuor.
Sacchari tabarzet ſelibram.
Mellis albiſſimi in ſucco Pomorum bene deſpumati libram vnam.

Fiat Electuarium ſ.a.

Iis est accommoda, qui multis excrementis biliosis pituitosis scatent, et qui vix medicamenta nisi grata sumunt, haec d. confectio cum ... et potenter alvum subducit, obstructiones ... humores crassos, lentos, viscidos incidendo et attenuando, febribus compositis congruit: omnibus morbis qui a pituita et bile ... sunt, vigentibus Æstatis ardoribus minus convenit, nisi decocto quodam, aut alio liquore multum refrig... propinetur. Ex: Renodaeus.

## PILVLÆ

Pilulæ

...antiæ Leniter ventric. & venas ... stomachum nauseabundum simul ... firmant &
...hanginæ. Ex ventriculo & Capite simul roborando.
...rith. Ex ventriculo & Capite.
. Avicennæ. Putredini resistunt: unde Pestilentialib[us] fr.
...habarbaro. In Febrib[us] Chronicis.
...upatorio. Ex hepate, & liene obstructiones simul aperiendo.
...et Lota Rosata. In putridi ventriculi & viscer[um] humorib[us].

...ortiter vacuant.
...gativæ. Cu[m] phlegmate & adustis humorib[us] ex toto.
...e. Bile[m] crassa[m] e capite cu[m] pituita; flat[us] simul discutiendo.
...ææ. Cu[m] reliquis humorib[us] e capite.

...osos humores Leniter educunt.
... cu[m] Agarico. E pectore & capite.
...adicæ. E ventriculo: simul roborando.
...chinæ. E ventr. Cap. & Utero, simul roborando.
...rib[us]. Bile[m] & pituita[m] crassa[m] & lenta[m], e ventr. hepate &c.
...alos. Cu[m] reliquis humorib[us], ex ventr. & Hepate.

...a fortiter evacuant.
...æ. e Ventriculo & Capite.
...majores
...to teb[us] } Ex Capite et oculis.
...arico. E pectore crassa[m] pituita[m].
...e. E locis remotiorib[us] & utero crass. pituita[m].
...ictæ. Ex Articulis.
...rcocolla. e cerebro & Articulis.
...gapeno. Pituit. cras. ex artic. & utero; & splene.
...phorbio. Pituit: ex locis remot: ... robusti.

...cholicos & adustos
...en: myrobalanor[um]. Ex cerebro: & ad sang: depurandu[m].
...maria. Ex liene et mesenterio; humores salsos et
adustos; unde scabies orit[ur].
...ex Epate. Liene, mesenterio.

...er Melanch: trahunt. Ex p[ar]tib[us] remotis.
...apide Armeno.
...apide Lazuli. Renod.
...minores.

Aquosos et serosos humores purgat.
De Mezereo: et Esula. ... robustis.
*Mechoacanæ. Optimæ sunt. } in Hydrope.
Arthriticæ
*De Hermodactylis } in Arthritide.

Mixtos humores purgant.
*Sine q[ui]b[us]. Caput a pituita bile flava & atra. & Gliacob.
De hiera composita. Ex capito & Ventriculo.
De Opopanace. 3[um] hum: ex cerebro & nervosis p[ar]tib[us].

Pilulæ. Anodynæ.
De cynoglosso.
Pilulæ Bechicæ { Albæ. Nigræ.
Laudanu[m].
E Styrace.

Pilulæ Scribonij. Phthisicis & sanguine[m] rejectantib[us].

## Pilularũ Inventio, Usus. /.

Inventio.
1. Propter ingratũ pharmacorũ saporẽ, ut sint nauseâ citò degluĩantur. /.
2. Q exiguâ mole, majorẽ remediorũ virtutẽ ɔtineant, q̃ aliæ ɔpositiones. /.
3. Q remedia virtutis intensioris in tali formâ aptius sumuntur, tũ q non solvuntur ɔtinuò, quodq diutius morantes, virtute in ptes remotiores exerceant; & ab ijs trahant. /.
4. Comodius frigidis affectibus applicantur, præsertim ventriculi, q̃ potiones; cum ei9 latera pravis humoribus sint obliti & repleti. /.

## Cautiones seu Regulæ in Pil.

Pilulæ majores ꝑ capite dandæ, ut doruti9 in ventriculo valentius à ptib9 longinquis attrahere possint.

Stomachicæ minores ẽẽ debent ut Aloph: & ex Aloe ut nõ diu ibi hæreant, sed facile solvantur: danturq 3 cib.

Ut majores à ventriculo ægrius ɔminuuntur & tardius agunt, & attrahunt; ita minores & molliores ci par ... dissolvuntur, & in actũ aguntur. Conveniunt m in morbis frigidis, nris humidis, & hyeme: ɔtra calidis siccis, emaciatis, febre acutâ ɔreptis & ... interdicuntur; ob calorem & siccitatem; neq etiam ... bacillũ ... danda, ne ob duritiem ab ... possint dissolvi. /. Dodulæi. l. 8. c. 15.

Non sumuntur horâ somni, ꝑpter cibos quos ... raoe humorũ attractorũ, nisi pca aut nulla ... sed potius fortes & vehementes ob Pilulæ post ... Mediocres, In Aurora 4. vel 5. horis ante sorbiti ... ... & vomitu, qd tardius à ventriculo di... ... dormiendũ est, ut solida earũ forma facilius à ... coacte vincatur & in actũ redigatur. ... tractos humores mitt & expellere somno ... q ex Aph. 15. l. 4. sistit evacuãoem.

Qualibet horâ diei sumi pnt, si justum à ... tempus expectetur.

Pilulæ minores, pauciores, & leves, horâ unâ v duabus ante pastũ exhibentur.

Nullũ ɔvenienter exhibetur pharmacũ, pil: vehemens, nisi lenienti mistũ, ... nulla adeò efferatæ violentiæ, q lenienti juncta nõ mansuescat. Freitag.

V. Pilulæ Alephanginæ Renodæi.

Pilulæ de Aromatibus omnium maximè εὐστόμαχα sunt, et ptium nervosarũ roborativa. Nã simul et humores crassos, putres, pituitosos, biliososq, à ventriculo et ptib9 vicinis purgant, et easdem recreant, calorẽ nativum tuentur, Coctionem juvant, flatus discutiunt, cruditates tollunt, appetitũ resarciunt, acido ructui et Colico dolori ɔsunt. Senib9 et frigidis oĩ tempore conveniunt, juvenib9 et biliosis rarò et tantum hyeme. Renodæus.

* His si quis pũm Opobalsami, aut liquoris Balsami voluerit ɔmiscere, nunqm pilulas roborando stomacho invenit pares. Renod: ...

Us9.
1. Ab oĩs gnis affectib9 ... nram ... ɔservant, ɔtra venena et aeris infectiones instar singularis Antidoti nram muniunt.
2. ... acutiorib9 et vehementioris efficaciæ pilulis ad corrigendũ ritè miscentur. Freitag.

## Aloe Rosata.

Humores è primâ Regione trahentes, stomacho ... quavis diei pte, paulò ante pastũ tutò sumi possunt.

# PILVLAE.

### PILVLÆ ALEPHANGINÆ SIVE AROMATICÆ,
*MES: iuxta RENOD.*

℞ Cinnamomi,
Caryophyllorum,
Cardamomi,
Nucis Moſchatæ,
Macis,
Calami Aromatici,
Carpobalſami, aut ſem: Angelicæ,
Schœnanthûs,
Ligni Aloes,
Santali Citrini,
Roſarum rubrarum,
Abſinthij ſicci, ana vnciam dimidiam.

Hæc craſſiuſculè trita, macerentur per horas duodecim in aquæ libris quatuor: Deinde igne lento bulliant ad tertiæ partis abſumptionem, In colatura nutriatur
Aloes libra vna.
Tum abſumptâ aqueâ humiditate ſuper cineres calidos, aut in hypocauſto, adde
Myrrhæ,
Maſtiches, ana vnciam dimidiam.
Croci drachmas duas.
Syrupi de Abſinthio q.ſ.
fiat Maſſa ſ.a.

### ALOE ROSATA,
*Hier: Fabr: ab Aquap.*

℞ Aloes Succotrinæ lucid: pulueriz: vncias quatuor.
Succi Roſarum Damaſc: depurati libram vnam.
Miſce, digere ad Solem vel in Balneo, dum exhalauerit omnis humiditas: id quater repetatur, paribus euaporatione, formâ, doſi. Maſſa in pyxidem repoſita, in pilulas ſit reducenda.

## PILVLÆ DE ALOE LOTA, *AVG.*

℞ Aloes lotæ cum ſucco Roſarum pallidarum vnciam vnam.
Agarici Trochiſcati drachmas tres.
Maſtiches drachmas duas.
Specierum Diamoſchi dulcis drachmam dimidiam.
Syrupi è roſis pallidis q. ſ.
fiat Maſſa ſ. a.

## PILVLÆ ASSAIRETH, *AVICENNÆ.*

℞ Specierum Hieræ picræ Galeni vnciam vnam.
Aloes vncias duas.
Maſtiches,
Myrobalanorum Citrinarum, ana vnciam dimidiam.
Cum Syrupo de Stœchade q. ſ.
Miſce, fiat Maſſa ſ. a.

## PILVLÆ DE BDELLIO, *MES.*

℞ Bdellij drachmas decem.
Myrobalan: { Belliricarum, Emblicarum, Nigrarum, ana drach: quinque. }
Scoriæ ferri,
Sem: Porri, ana drachmas tres.
Conchulæ (Veneris) adustæ,
Corallij vſti,
Charabes, ana ſeſquidrachmã.
Margaritarum ſemunciam.
Infunde Bdellium in ſucco Porri.
Fiant Pilulæ, ſ. a. Cum Syrupo è ſucco Porri.

## PILVLÆ DE EVPATORIO, *MES.*

℞ Myrobalanorum Citrinarum,
Succi Eupatorij, i. Agerati,
Abſinthij, ana drachmas tres.
Rhabarbari drachmas tres ſemis.
Maſtiches drachmam vnam.
Croci, drachmam dimidiam.
Aloes optimæ drachmas quinque.
Syrupi è ſucco Endiuiæ q. ſ.
fiat Maſſa ſ. a.

## PILVLÆ DE HIERA CVM AGARICO EX *AVGVST. MES.*

℞ Specierum Hieræ Picræ Galeni,
Agarici Trochiſcati, ana vnciam dimidiam.
Aloes optimæ vnciam vnam.
Mellis roſati q. ſ.
fingantur in Maſſam ſ. a.

## PILVLÆ IMPERIALES, *FERNELII.*

℞ Aloes optimæ vncias duas.

Pilulæ de Aloe lota.

...culũ, cerebrũ, vterũ, et alia viscera à putridis humoribus ...gant, concoctionem augent ac pituitas stomacho infarctam ...ando tergendoq; elidunt: Ph. Aug:

Pilulæ Assajaret.

...plus Aloes q^m quæ hiera contineant, efficaciores ...oq; existunt. Fernel.
...tibus cum defluxione aut ventriculi relaxatione ...atib. vtiles sunt. Renodæus l. 8.
...nt blandissime! et mixtum humorum in pectus ...[illegible] adiunctos myrobalanos. Monav. ...Aphor. 230.

Pilulæ Hieræ cum Agarico.

...icis, Asthmaticis, & alijs Ventriculi & Thoracis ...à crassis et pituitosis humoribus ortis subveniunt,

Pil. Hieræ simplicis Gal. & Rhasi.

pilulæ eo magis sunt stomachicæ, ...pius ad Hieram picram Gal. vram accedunt. ...era picra omnium stomachicarum regula ...Cynosura. Freitag. Aur. med. c. 33. l. 3.

4. Pilulæ de Eupatorio.

Viscerum obstructionibus ac Ictero medentur, febribus periodicis, complexis, Autumnalibus, diuturnis et antiquis putidis. Lienis et Jecoris obstructiones reserant. Biliosos, tenues, ac crassos humores educunt. Ph: Aug:

Bilem leniter expurgant; et jecur infarctu liberant corroborantq;. Præstantiores sunt q^m quæ Rhabarb. inscribuntur. Fernel.

5. Pilulæ ex Bdellio.

Ad fluxum hæmorrhoidum et ad vlcera in eis, et ad menses, immodicos. Ph: Aug:

6. Pilulæ Imperiales.

Clementer ac moderate omnes humores è visceribus expurgant, ea pariter corroborant infarctu liberant, omniumq; nutrientium partium concoctionem juvant. Fern:

1. Pilulæ contra Pestem Bauderoni.

℞. Aloes succotrinæ ℥ij.
Myrrhæ opt: & Boli Armenj opt: an. ʒj.
Croci opt: & Theriacæ vet: an. ʒß. Cu[m]
Syr: lim: (si æstas fuerit) vel vin. rub. opt: (si
hyems) forma massam usui reponendam. /.
Dosis. ʒj. mane: 3. vel 4. horis ante prandium.
sine custodia.

2. Pilulæ pestil: Ruffi: / Stomachi[cæ]
Ratione Aloes corpus ab excrementis liberatur, per myrr[ham]
a putredine vindicatur, a Croco cor et vitales f[acul-]
tates recreantur. Pesti tamen factæ parum profunt,
medicamenta magis cardiaca, valentiora, alexi-
maca ad sui curationem exigat. Renodæus /.
Ruffus Galeno & Rhasi antiquior. Floruit Romæ temporibus Tra[jani]
et Adriani Imp. Galen. a M. Aurelij, Comodi, Antonini: B[...]

3. Pilulæ de Rhabarbaro.
Humores educunt crassos, lentos, putres multum et in[de]
ortas febres diuturnas, ac ex alijs quoque humor[ibus]
natas tollunt. Jecoris dolorem, obstructiones, du[ri-]
ac Hydropem incipientem sanant. Manardus ijs utebatur
in exitu Tertianarum: Musa in febribus pituito[sis]
vide Foesium. Ph: Aug:

4. Pilulæ Stomachicæ.
Cibo præmissæ ventriculum expurgant, concoctionem juvant
deducunt, alvumque blande exonerant. Fernel.
Pituitam et alia prava in ventriculo collecta expellunt
chum roborant, appetitum resarciunt, vel sopitum exci[tant]
Pilularum stomachicarum cum sex sint descriptiones ...
exempta stomacho maxime adversantur, nec cibo præmitti p[ossunt]
quod Scammonium, vel Turpethum continent, quibus corpus univ[ersum]
præcipueque ventriculus conturbatur. Plantius in Fernel.

Rhabarbari electi vnciam vnā ſemis.
Agarici trochiſcati,
Folior: Sennæ mundatorum, ana vnciam vnam.
Cinnamomi drachmas tres.
Zingiberis drachmas duas.
Nucis Moſchatę,
Caryophyllorum,
Spicę Nardi,
Maſtiches, ana drachmā vnam.
Cum Syrupo Violato ſubacta cogantur in Maſſam ſ.a.

## PILVLÆ MASTICHINÆ, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor.
Agarici trochiſcati,
Pulueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Cum vino Maluatico cogantur in Maſſam ſ.a.

## PILVLÆ PESTILENTIALES *RVFFI.*

℞ Aloes optimæ vncias duas.
Myrrhæ electæ,
Croci, ana vnciam vnam.
Excipiantur ſyrupo ex ſucco Limonum. fiat Maſſa ſ.a.

## PILVLÆ STOMACHICÆ, *MES.*

℞ Aloes drachmas ſex.
Maſtiches,
Roſarum rubrarum, ana drachmas duas.
Cum Syrupo Abſinthij cogantur in Maſſam, ſ. a.

## PILVLÆ DE SVCCINO, *ANDREÆ AVRIFABRI.*

℞ Succini albi,
Maſtiches, ana drachmas duas.
Aloes drachmas quinque.
Agarici drach: vnam ſemis.
Ariſtolochiæ longæ drach: ſemis.
Syrupi ex Abſinthio q.ſ.
Fiat Maſſa ſ.a.

## PILVLÆ DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas tres.
Myrobal: Citrinarum,
Trochiſc: Diarhodon, ana drach: tres ſemi.
Succi Glycyrrhizæ,
Abſinthij,
Maſtiches, ana drachmam vnam.
Sem: Fœniculi,
Apij, ana ſemidrachmam.
Spec: Hieræ picræ ſimpl: Galeni drach: decem.
Excipe ſucco Fœniculi non depurato, & Melle q.ſ.
Fiat Maſſa.

1.
## PILVLÆ EX TRIBVS, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor,
Agarici trochiſcati,
Pulueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Rhabarbari electi vncias duas.
Cinnamomi vnciam dimidiam.
Cum ſyrupo è Cichorio fiat Maſſa ſ.a.

2.
## PILVLÆ DE AGARICO, *MES.*

℞ Agarici drachmas tres.
Radic: Ireos.
Maſtiches,
Marrhubij, ana drachmam vnam.
Turpeti drachmas quinque.
Specierum Hieræ Picræ Galeni vnciam dimidiam.
Colocynthidos,
Sarcocollæ, ana drachmas duas.
Myrrhæ drachmam vnam.
Sapæ q. ſ.
Fiat Maſſa ſ.a.

3.
## PILVLÆ AGGREGATIVÆ SIVE POLYCHRESTÆ, *MES.*

℞ Myrobalanorum Citrinarum,
Rhabarbari optimi, ana vnciam dimidiam.
Succ: Eupatorij, i. Agerati, & Abſinthij inſpiſſatorum, ana drachmas duas.
Diagrydij drachmas quinque.
Myrobal: { Chebularum, Indarum,
Agarici,
Colocynthidos,
Polypodij, ana drachmas duas.
Turpeti optimi,
Aloes, ana drachmas ſex.
Maſtiches,
Roſarum,
Salis gemmei,
Epithymi,
Aniſi,
Zingiberis, ana drachmam vnã.
Cum ſyrupo Roſarum pallidarum q.ſ. fiat Maſſa ſ.a.

4.
## PILVLÆ ARABICÆ *NICOLAI.*

℞ Aloes optimæ vncias quatuor.
Radic: Bryoniæ,
Myrobal: { Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Maſtiches,
Diagrydij,
Aſari,
Roſarum, ana vnciam vnam.
Caſtorei drachmas tres.
Croci drachmam vnam.
Cum ſyrupo Abſinthij, fiat Maſſa ſecundùm

## Pilulæ ex Tribus.

…es biliosos et pituitosos crassos et lentos à ventri-
…lo, cavis hepatis et lienis, et à mesenterio expelle
…rgant; Stomachū roborant et appetitū revocant.

## Pilulæ Arabicæ.

…ores mirifice purgant, lætitiam generant, vigorem
…s conservant, visum acuunt, auditū amissū reparant,
…riam roborant, Vertigini, hemicraniæ, et Cap.
… succurrunt. Ph: Aug:

## Pilulæ de Agarico.

… à pituitâ putri et crassâ repurgant, ob id antiquæ
… Asthmati, aliisq; Thoracis vitiis à crassis & pituitosis
…ibus ortis auxiliantur. Ph: Aug:

## Pilulæ Aggregativæ.

…os affectus tū Capitis, tū Ventriculi et Jecoris sunt
…ces; nā purgant ex iis, et sensoriis pituitam et utramq;
Quapropter ad diuturnas febres et explicatas, capitis
ventriculi et jecoris, plurimū faciunt. Ph: Aug:

* α. ʒ i. † Pilulæ Polychrestæ Poterij
℞. Aloes succotrinæ, ℥ j. mastiches.
ʒ ij. macis, galangæ, an. ʒ ß. Cū Syr.
ros. solut. fiat massa. Dosis ℈ i. ʒ j.
Istæ Pilulæ multarū sunt viriū; purgant
clementissimè. Tutè noctis tempore exhi-
bentur. Cerebrū maximè purgant, Ventriculū
pariter, & intestina; Vermes enecant, &
mira alia præstant. Jo. Phar: Spagyr: in Append.
A. Omissū. Mercurij dulcis præcipitati sine cor-
rosivis ℈ i. & dimidium. /. Utere, experieris

## 1. Pilulæ Arthriticæ.

Ad Arthriticos dolores et Podagræ insultus, nec non frigidorum in articulos p. cubitus aut defluxiones ab eorum tm usus fere evilruit: Ph. Aug:

Possunt dari loco pilularum Benedict. componuntur eisdem fere medic. et virtute pib. Baudoron.

## Pilulæ Cephalicæ Fernelij.

℞. Aloes opt. ℥ß.
Pul. el. de Gemmis
Diatr. Santalon.
Rosar. rubrar. an. gr. ʒ.

Redigantur omnia in pulv. et cum syr. de absinthio et violarum fiat massa mollis. Servetur usui in vesica.

Dosis ℈ij vel ʒi. semel vel bis in Hebdomada, una ante cibum hora. Scholtzius Ep. 239.

* Tantam vim in detergendo ventriculo et præcordiis offensis his tribuit Fern: ut nullam se hemicraniam reperisse affirmaverit, quam non hac ratione curaverit. Ibid.

## 2. Pilulæ Cochiæ.

Bilem quidem, sed pituitam crassam validius undiq. pur[gant] peculiariter tm e cerebro et nervis, quorum præca[...] morbis medetur. Fern.

† An propter Vehementiam prescribendæ sint pi[lulæ] Cochiæ. Vide Freitag. Aur. Med. c. 26. [...]

Nota: Observatio extat, in soporifer[is] Affectibus, seu Caro, Apoplexia, Letharg[o] horum ℈i. convenienti liquore solutas, et [...] vi apto infusas feliciter naturam sopitam stupefactam exonerasse et resuscitasse. [...]

Tormina si metuas adde aliq. grana [...] ℈ß. extr. Calami Aromatici, Olei nucis m[oschatæ] vel macis expressi vel destillati. Aut [...] Cocciarum sententia subtiliorem extrahere vi[...] additis Diambræ spec. aut Cephalicæ m[...] nervosisq. qui e visceribus graviores magis proprie fiant. Freitag. ib.

## Pilulæ ad idem Cratonis. de Succino. Ibid.

℞. Pulv. Succini. mastiches an. ℥ij.
Aloes succotr. ℥b. Agar. albil. ℥iß.
Aristolochiæ rotundæ veræ ℥ß.

Cum Syr: de succo Betonicæ q. s. fiat massa. Utatur ʒi bis in mense et sumat eas post primum somnum. In harum pil. usu persistendum. Ib.

## 3. Pilulæ Aureæ.

Caput expurgant, sensus omnes præcipue oculorum acies exacuunt, flatus ventriculi et intestinorum dissolvunt; citra molestia[m] alvum dejiciunt. Ad Stomachicos, Colicos, Nephritic[os] et inflatos valde probantur. Ph. Aug:

Bene Aureæ magis ab aureo colore, ratione croci; q[...] effectu aureo, hoc est praestanti. Ex e. medic. a[...] non quæ affatim humores ducunt, sed quæ sine molestia[...]

ſecundùm artem.

## PILVLÆ ARTHRITICÆ, NICOLAI.

℞ Hermodactylorum,
Turpeti,
Agarici, ana vnciam dimidiam.
Caſiæ ligneæ,
Spicæ Indicæ,
Caryophyllorum,
Xylobalſami, vel Ligni Aloes,
Carpobalſami, vel Cubebarum,
Macis,
Galangæ,
Zingiberis,
Maſtiches,
Aſæ fœtidæ,
Sem: Aniſi,
Fœniculi,
Saxifragiæ,
Aſparagi,
Ruſci,
Roſarum,
Milij Solis,
Salis gemmei, ana drachmas duas.
Scammonij vnciam vnam.
Aloes optimæ ad pondus omnium.
Succi ex Iua Arthritica inſpiſſati cum Sacchari q. ſ. vel ſyrupi ex ſucco eiuſdem q. ſ. fiat Maſſa.

## PILVLÆ AVREÆ, NICOLAI.

℞ Aloes,
Diagrydij, ana drachmas quinque.
Roſarum rubrarum,
Sem: Apij, ana drachmas duas ſemis.
Fœniculi,
Aniſi, ana drachmam vnam ſemis.
Maſtiches,
Croci,
Trochiſcorum Alhandal, ana drachmam vnam.
Trita excipiantur Mellis Roſacei colati q. ſ. fiat Maſſa ſecundùm artem.

## PILVLÆ COCHIÆ RHASIS.

℞ Specierum Hieræ Picræ Galeni drachmas decem.
Pulpæ Colocynthidos drachmas tres, & ſcrupulum vnum,
Diagrydij drachmas duas ſemis.
Turpeti,
Stœchados, ana drachmas quinque.
Syrupi de Stœchade q. ſ. fiat Maſſa ſ. a.

## PILVLÆ COCHIÆ CVM HELLEBORO.

℞ Species Pilularum Cochiarum,
Pul: Cort: Rad: Hellebori nigri vnciam vnam.
Cum Syrupo de Stœchade fiat Maſſa ſ. a.

PILV-

## PILVLÆ FOETIDÆ MAIORES, *MES.*

℞ Sagapeni,
Ammoniaci,
Opopanacis,
Bdellij,
Colocynthidos,
Sem: Rutæ agreſtis, vel ſiccæ hortenſ: Harmel.
Aloes,
Epithymi, ana drach: quinque.
Turpeti vnciam dimidiam.
Scammonij drachmas tres.
Eſulæ pręparatæ,
Hermodactylorum, ana drachmas duas.
Zingiberis drachmam vnam ſemis.
Cinnamomi,
Spicæ Indicæ,
Croci,
Caſtorei, ana drachmam vnam.
Euphorbij ſcrupulos duos.

Dilue gummi ſucco Porri, & finge Maſſam cum Syrupo facto è ſucco Porri & Saccharo ſ.a.

## PILVLÆ DE FVMARIA, *AVICENNÆ.*

℞ Myrobal: { Citrinarum, Chebularum, Indarum,
Diagrydij, ana drachmas quinque.
Aloes drachmas ſeptem.

Trita omnia ter imbuantur ſucco Fumariæ, terque ſiccari ſinantur, ac demùm cogantur in maſſam cum ſyrupo de Fumaria ſ.a.

## PILVLÆ DE HERMODACTYLIS MAIORES, *MES.*

℞ Sagapeni drachmas ſex.
Opopanacis drachmas tres.

Liquentur in ſucco Braſſicæ calefacto q. ſ. & idoneo linteo tranſmittantur, deinde parum coquantur, Tum

℞ Hermodactylorum,
Aloes,
Myrobalanorum Citrinarum,
Turpeti,
Colocynthidos,
Bdellij mollis, ana drachmas ſex.
Caſtorei,
Sarcocollæ,
Euphorbij,
Sem: Rutæ ſylueſtris vel ſatiuæ,
Apij, ana drachmas tres.
Croci drachmam vnam ſemis.

Cum ſyrupo è ſucco Caulium facto cum Melle fiat maſſa ſ.a.

## PILVLÆ INDÆ, *MES. ex HALY.*

℞ Myrobalanorum Indarum,
Ellebori nigri,
Polypodij, ana drachmas quinque.

Epit-

## Pilulæ Fœtidæ majores. /.

am crassam Lentam ac tenacē evacuant, ob id inde
i affectib9 Arthritidi, Podagræ, Gonagræ, Spinæ quoq
ndurare, necnon Ventriculi et Coli doloribus p̄sunt.
os, Elephantiasin ac Cutis vitia emendant, mo-
menses, ac impurum Uteri, muccum emungunt.
admodū valentes ob effrænem corp vim, ɔsiderate ijs
dū, non in morbors p̄ijs crudā adhuc existe, mcīa,
nisi robustis exhibendæ. Purgantis ē. vis in ijs
me suppressa non modo suspectas, verū ētiā pum
s eas reddit. Ph: Aug:

## Pilulæ de Hermodactylis, majores.

, viscidos, et frigidos humores ex remotissimis ptib9
unt, quare Arthritidi et, morbis Articularib9 psunt. /
optime p̄stant pilulæ de Nitro Renodæi. Vide ../.
iores sȝt q̄ in pilulæ de Euphorbio. Bauderon9.

mū Antapodagricū ex hermodactylis, Tur=
ho & Folijs Sennæ V. in Schol. 210. Cons. 238

## Pilulæ Indæ.

os sunt ad Cancrū, Elephantiasin, Alphos nigros
atu difficiles, et alia vitio ab humore Melancholico
reata, Unde Melancholiam et inde natam inane
, mæstitia ac timore pulsant. Quartanarijs &
ro nigro fœdatis psunt. Lienis quoqȝ tumore &
rem auferunt. Ph. Aug:
avol9 Pil. hi fe usurp

## Pilulæ de Fumariâ. Compōt.

Magis adaptabis instituto hanc pilulars massā, si
spēr absqȝ Aloe seorsim ter succo fumariæ im-
-buantur hæc v. quinquies vel sexies (modo à
Freitagio monstrato P. 3. c. 28. Auror. medic
pecularitter) eodē nutriatur et imbuccetur, et si
purgantiore atræ bilis velis Ellebori nigri rite
p̄pati extractū 2. vel 3. drachmars pondere
exhibeantur. /. Freitag. ib. c. 45.

**VSUS.** Harr pil. usu viscera deobstruuntur,
purgantur, roborantur, Lien imprimis à
fæce melancholica & morbis sibi familiarib9
liberatur, Sanguis sincerior & defæcatior redditur,
Ejusqȝ impuritas exuitur. Ut ad febres quartanas
& chronicas, ad corporis hītum emendandū, &
vitia cutanda, Nū Impetigine, Pruriginem,
Scabiē & Psoram, aliàq, ab humors impurita
mala, salsedine & acrimonia oriunda proficiant.

## Pilulæ Lucis majores.

Excrementa pituitoſa à cerebro et oculis eva
Viſum conſervant & firmant. Nervos Optic
obſtructione viſcidi humoris liberant; et o
Oculorum Aciem intendunt. Ph: Aug:

Ex suo Pharm: has pil: expunxit Renodæus;
multam & parum aptam simplicium farragine ꝯſpert. l.
Scot: 4. cap: 21.

## Pilulæ è Lapide Lazuli. / Ph: Aug

Vitia ex Melancholia, et adusto humore nata; C
Elephantiaſin, Quartanam affligant. Atquato
Lienis obſtructiones, infarctiones et Tumores reſolv

Epithymi,
Stœchados, ana drachmas ſex.
Agarici,
Lapidis Lazuli ſæpius loti,
Troch: Alhandal.
Salis Indi, ana vnciam dimidiam.
Succi Eupatorij, i. Agerati inſpiſſati,
Spicæ Indicæ, ana drachmas duas.
Caryophyllorum drachmam vnam.
Specierum Hieræ picræ ſimpl: Galeni drachmas duodecim.
Cum Syrupo è Succo Apij fiat maſſa ſ. a.

## PILVLÆ DE LAPIDE LAZVLI, *MES*.

℞ Lapidis Lazuli ſępius loti drachmas quinque.
Epithymi,
Polypodij,
Agarici, ana vnciam vnam.
Scammonij,
Hellebori nigri,
Salis Indi, ana drachmas duas ſemis.
Caryophyllorum,
Sem: Aniſi, ana vnciam dimidiam.
Hieræ picræ drachmas quindecim.
Cum ſyrupo è ſucco Cichorij, fiat Maſſa ſ. a.

## PILVLÆ LVCIS MAIORES, *MES*.

℞ Roſarum,
Violarum,
Abſinthij,
Colocynthidos,
Turpeti,
Cubebarum,
Calami Aromatici,
Nucis Moſchatæ,
Spicæ Indicæ,
Epithymi,
Carpobalſami, vel Cardamomi,
Xylobalſami, vel Ligni Aloes,
Sem: Seſeleos,
Rutæ,
Aniſi,
Fœniculi,
Apij,
Schœnanthûs,
Maſtiches,
Radic: Aſari,
Caryophyllorum,
Cinnamomi,
Caſiæ ligneæ,
Croci,
Macis, ana drachmas duas.
Myrobal: { Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Rhabarbari, ana vnciam dimidiam.
Agarici,
Sennæ, ana drachmas quinque.
Euphra-

Euphragiæ drachmas ſex.
Aloes Succotrinæ ad pondus omnium; confice cum ſyrupo de ſucco Fœniculi, ſ.a.

## PILVLÆ MECHOACANÆ, *RENODÆI.*

℞ Mechoacanæ vnciam dimidiã.
Turpeti drachmas tres.
Folior: Thymelææ in aceto maceratorum & ſiccatorũ.
Semin: Ebuli,
Agarici trochiſcati, ana drachmas duas.
Radic: Eſulæ prẹparatæ,
Maſtiches, ana drachmam vnam ſemis.
Macis,
Cinnamomi,
Salis gemmei, ana ſcrupulos duos.

Fiat omnium puluis; & cum Syrupo facto cum ſaccharo & ſucco radicum Iridis fiat maſſa pro Pilulis ſecundùm artem.

## PILVLÆ RVDII.

℞ Colocynthidis drachmas ſex.
Agarici optimi,
Diagrydij.
Elebori nigri,
Turpeti ana drachmas quatuor.
Aloes ſucco Citrini, vnciam vnam.
Species. Diarhodon Abbatis, vnciam ſemis.

Contundantur omnia (exceptis ſpecieb: Diarhod: Abbatis) craſſo modo, & infundantur ad Solem in aqua vitæ opt. per octo dies, ita vt aqua vitę ſuperemineat octo digit: Deinde infundantur quoque ſpecies Diarhod. Abbat: in aqua vitæ ſimili modo per quatuor dies, & facta colatura atque expreſſione forti, vtriuſque miſceantur illę colaturæ, & (ferè abiecta) ponatur liquor in alembicum vitreum, vt ſeperata (per diſtillationem) humiditate, remaneat materia denſa, vti mel ex quâ Pilulæ.

## PILVLÆ SINE QVIBVS ESSE NOLO, *NICOLAI.*

℞ Aloes lotæ drachmas quatuordecim.
Myrobal: { Citrinarum, Chebularum, Belliricarum, Emblicarum, Indarum,
Rhabarbari,
Maſtiches,
Abſinthij,
Roſarum rubrarum,
Violarum,
Sennæ,
Agarici,
Caſſuthę, ana drachmam vnam.
Diagrydij drachmas ſex ſemis.

Cum ſyrupo ex ſucco Fœniculi facto

## Pilulæ Mechoacanæ.

…os et ſeroſos humores efficaciter educunt; Hy-
…ropi, & omnibus his affectibus ſanandis conveniunt, qui
… tenui pituitâ oriuntur. Renodæus.
…mores potiſſimum pituitoſos craſſos, et seroſos
…trahunt, tandem etiam bilioſos educunt, Aquam
…inam hydropicorum potentiſſime expellunt, et
…ias ad juncturas manentes, aperiunt, expurgant.
…ære hydropi, arthritidi, morbo virginum
…ibus ejuſmodi stomacibus vitiis ab humoribus
…ſib ortis ſubveniunt. Doſis à ʒß. ad ʒi.

## Pilulæ sine Quibus.

…ciſſimæ ſunt ad purgandos omnes humores pertu-
…pioræ. Hinc Oculorum ſuffuſionibus, caliginibus, ac
…ui conferunt. Aurium dolorem ſanant. Et à
…uitâ, bile flavâ et atrâ Caput, mire purgant.
…iacos juvant. Ph. Aug:

## Pilulæ Rudij.

Pilulæ ex Esulâ.

Hydropicorū aquas ab alvo deducunt non levi labōe; idcirco solis robustis et ijs non febricitantib9 conveniunt. Fernel:

Pilulæ Turpethi Aureæ. S.

Stomachicis, Colicis, Nephriticis, ac Inflatis psunt. /.
+ Valentiores v. sunt pptr magnam Turbith copiam, et raro sunt vsui. Ph: Aug:

Pilulæ ex Euphorbio ./.

Pituitam crassā à ptib9 remotissimis potentissime educ[unt]
Nervorꝫ resoluōi, sideraōi, Paralysi; Articulorꝫ ma[lis]
nimia humiditate profectis, ac Hydropicis confer[unt],
Lumborꝫ dolorib9, Ischiadi, et Podagræ à frigidis
pituitosis humorib9 ortis opitulantē.
In morbis tm̄ otumacib9 vsurpandæ, nec nisi robustis
exhibendæ. Ph: Aug. Sennert9.
Pilulæ de Euphorbio Quercetani mirabil[es]
chronicas febres in hermitterici, &c. Vide [...]

Pilulæ de Opopanace.

Pituitam crassam, bilem et Melancholiam à cerebr[o]
nervosis ptib9 vacuant. Efficaces st in Articu[lorum]
dolorib9 à pituitâ natis. Resoluōem nervorꝫ & im[po]-
tentiā, Spasmū Cynicū, Gonagrā, Podagram, [...]
Articulorꝫ, morbosꝗ; plium nervosarꝫ frigidos [...]
Raro st apud nos vsui cū ijs æquipollentib9 gaude[ant].

cto cum Melle, fiat Maſſa ſecundùm artem.

## PILVLÆ EX ESVLA, *FERNELII.*

℞ Cortic: Radic: Eſulæ minoris maceratæ horis viginti quatuor in aceto & ſucco Portulacæ, drachmas duas.
Grana Ricini expurgata, torrefacta, numero quadraginta.
Myrobalanorum citrinarum ſeſquidrachmam.
Chamædryos,
Chamæpityos,
Spicæ Nardi,
Cinnamomi, ana ſcrup: duos.
Trita tenuiſſimè excipiantur vnciâ vna Tragacanthæ aquâ Roſarum ſolutæ, Addito ſyr: Roſarum q.ſ. vt cogantur in maſſam ſ.a.

## PILVLÆ EX EVPHORBIO, *MES.*

*Sub pil: de Hermodactylis [illegible]*

℞ Euphorbij,
Colocynthidos, *Alhandal Trochiscati*
Agarici, *Trochiscati et pulverisati*
Bdellij,
Sagapeni, ana drach. duas.
Aloes drachmas quinque.
Cum Syrupo ex Succo Porri fiat maſſa ſ. a.

## PILVLÆ DE OPOPANACE, *MES.*

℞ Opopanacis,
Hermodactylorum,
Sagapeni,
Bdellij,
Ammoniaci,
Colocynthidos, ana drachmas quinque.
Croci,
Caſtorei,
Myrrhæ,
Zingiberis,
Piperis nigri,
longi,
Caſię lignee,
Myrobal: Citrinarum,
Belliricarum,
Emblicarũ, ana drach: vnam.
Scammonij drachmas duas.
Turpeti ſemunciam.
Aloes drachmas duodecim.
Infuſis lachrymis in aqua Cauliũ, formetur maſſa ſ. a. cum Syrupo ex Succo Caulium.

## PILVLÆ TVRPETI AVREÆ, *MES.*

℞ Turpeti gummoſi drachmas ſedecim.
Aloes ſeſquiunciam.
Myrobalanorum citrinarum drachmas decem.
Roſarum rubrarum,
Maſtiches, ana drachmas ſex.
Croci drachmas tres.
E pulueriʒatis cum Syrupo Abſinthij q.ſ. fiat maſſa.

## PILVLÆ DE CYNOGLOSSO, *FERNELII.*

℞ Myrrhæ drachmas ſex.
Thuris maſculi drachmas quinque.
Opij,
Sem: Hioſcyami,
Radic: Cynogloſſi aridarum, ana vnciam dimidiam.
Croci,
Caſtorei, ana drachmam vnam ſemis.
Cum Syrupo ex Stœchade fiat Maſſa ſecundùm artem.

## LAVDANVM,

℞ Opij Thebaici extracti in ſpiritu Vini vnciam vnam.
Croci ſimiliter extracti drachmam vnam ſemis:
Caſtorei drachmam vnam.
Excipiantur tincturâ ſemivnciæ ſpecierum Diambræ recentium in ſpiritu vini factâ.
Addendo (ex gratia) Ambræ griſeæ & Moſchi, ana grana ſex.

Olei Nucis Moſchatæ guttas decem.
Tum euaporatione factâ ad balnei calorem tepidum fiat Maſſa.

## PILVLÆ SCRIBONII.

℞ Sagapeni,
Myrrhæ, ana drachmas duas.
Opij,
Cardamomi,
Caſtorei ana vnciam dimidiam.
Piperis albi drachmam dimidiam.
Sapę quantum ſufficit.
Fiat Maſſa ſecundùm artem.

## PILVLÆ è STYRACE, *MES.*

℞ Styracis liquidæ,
Thuris,
Myrrhæ,
Succi Glycyrrhizæ,
Opij, ana partes æquales.
Miſce, fiat maſſa pro pilulis cum ſufficienti quantitate Syrupi de Papauere ſecundùm artem.

TROCHIS-

## Pilulæ de Cynoglosso.

... purgandum quidem, sed ad omnes destillationes
... ibendas comparatæ, sive in Thoracem & pulmones
... Tussi, sive in Dentes, vel alio procumbant. Temper.
... xhis calidis et tenuibus ex capite labentibus utiles.
... lichius. I.
... rmacopæus qui hab pilulas in officina paratas habu-
... laudem o Chymiatrorum cedere poterit. Bauderon.

## Pilulæ Scribonij

... isicis, sanguinem rejectantibus, suppuratis educunt
... iculas, et resurgant sufficienter, verum immorari
... et pharmaco. Gal. Weckerus.

# Trochiſci

Purgantes.
Alhandal.
de Agarico.
de Rhabarbaro.
e' Violis solutivi.

---

Roborantes
de Gallia moſcata. caput.
Aliptae moſcatae. caput &c.
Trochiſci bechici, albi, nigri
pectus. de Scylla.
De Camphora, Diarrhodo.
Ventriculu. & de ligno Aloes.

---

Aſtringentes. ἐπισχετικοί.
De Spodio.
De Terra ſigillata.
De Karabe.
De Ramich.

---

Deoppilantes. ἐκφρακτικοί.
De Rhabarbaro.
De Abſynthio. de rosis.
De Eupatorio.
De Lacca. Hepar.
De Capparib9, lienē.
Alkekengi, ſeu Halicacabi: renes.
De myrrha. Hyſterici. Uteri.

---

Incraſſantes.
Trochiſci Bechici.
Albi, nigri.

## Troch: Alexiterij.

Poſti p[?]cavendae, in ore tm detenti, ſeu inferi ad vent[...]
delapsi vires hnt eximias. Corp tantillu in ore
ſaporem non ingratu relinquit, et odore, qui mali[...]
aeris qlitem arcet, et emendat, atq impedit ne i[...]
ſubiens ſpiritus inficiat. Quae e. inſipida ſunt ut [...]
Unicorni, Lap. Bezaar, Margaritae, Gemmae [...]
nis obſiſtentia, ſuas tm vires exerunt in cpus ing[...]
vel ſaltem corp infuſa: ſed in ore ꝯtenta inefficaci[...]
nec halitu ullu emittunt, q[?] aeris foeditas demere

# TROCHISCI.

...is et diuturnis febribus sunt saluberrimi, ventriculi ...ructiones hepatis, et dolores eorundem soluit, ...ncaliter roborant, deiectam appetentiam suscitant. /.

## TROCHISCI DE ABSINTHIO, *MES.*

℞ Roſarum rubrarum,
Abſinthij Pontici,
Aniſi, ana drachmas duas,
Rhabarbari,
Succi Eupatorij, i. Agerati,
Aſari,
Sem: Apij,
Amygdalarum amararum.
Spicæ Nardi Indicæ,
Maſtiches,
Folij, vel Macis, ana drachmam vnam.
Succi Cichorij, q.ſ. fiant Trochiſci ſecundùm artem.

## TROCHISCI ALEXITERII, *RENODÆI.*

℞ Radic: Gentianæ,
Tormentillæ,
Ireos Florentinæ,
Zedoariȩ, ana drac: duas.
Cinnamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Zingiberis drachmam vnam.
Radic: Angelicæ drachmas tres.
Sem: Coriandri præparatorum,
Roſarum, ana drachmam vnā.
Corticis Citri ſicci drachmas duas.
Fiat omnium Puluis ſubtiliſſimus & cum Succi Glycyrrhizæ vino Hippocratico parùm emolliti, & liquefacti, vncijs ſex, fiat paſta mollis, de qua formentur Trochiſci, vel potiùs Bacilli oblongi, ſ. ā.

## TROCHISCI ALIPTÆ MOSCHATÆ, *NIC.*

/Alexiterij ſt.

℞ Labdani puriſſ: triti vncias tres.

 Styracis

Styracis Calamitæ vnciam vnã ſemis.
Benzoini vnciam vnam.
Ligni Aloes drachmas duas.
Ambræ griſeæ drachmã vnam.
Camphoræ drachmam dimidiam.
Moſchi ſcrupulum dimidium.
Aquæ Roſarum q.ſ. Miſce, fiant Trochiſci, ſ.a.

## TROCHISCI DE ANISO, *MES.*

℞ Aniſi,
Succi Eupatorij, i. agerati inſpiſſati ana drachmas duas.
Sem: Anethi,
Spicę Indicę,
Maſtiches,
Folij, vel Macis,
Folior: Abſinthij,
Aſari,
Apij,
Amygdalarum amararum, ana drachmam dimidiam.
Aloes drachmas duas.
Succi Abſinthij q. ſ. fiant Trochiſci, ſ.a.

Incraſſantes.

## TROCHISCI BECHICI ALBI, VEL ROTVLÆ PECTORALES. Fern.

℞ Sacchari albiſſimi librã vnam,
Sacchari candi albi,
Penidiorum, ana vncias quatuor.
Glycyrrhizæ drachmas ſex.
Radic: Iridis Florentinæ vnciam dimidiam.
Amyli ſeſquivnciam.
Mucilaginis Tragacanthæ ex aqua Roſarum factæ, q.ſ.
Fiant Trochiſci, & additis Moſchi granis tribus, & Ambræ griſeæ granis quatuor, poterunt formari in Rotulas, quas vulgò vocant Rotulas Pectorales. Vel ſi viſum fuerit ſine Moſcho aut Ambra.

## TROCHISCI BECHICI NIGRI, *RHASIS.*

A Succo Glycyr: illorr basi.

℞ Succi Glycyrrhizæ,
Sacchari albi, ana drachmas decem.
Tragacanthi, Amylũ addit Baude
Amygdalarum dulc: mundat: ana drachmas ſex.
Mucilaginis Cydoniorum q. ſ.
Miſce: fiant Trochiſci, ſ.a.

## TROCHISCI DE BERBERIS, *MES.*

℞ Berberorum Baccarum ſiccarũ.
Succi Glycyrrhizæ,
Spodij,
Sem: Portulacæ, ana drachmas tres.
Roſarum rubrarum drachmas ſex.
Spicæ Indicæ.
Croci.

Amyli.

## Trochiſci Aliptæ Moſchatæ. /.

ant infantib⁹ et puerculis Aſthmaticis, et pectoris anguſtia
anhelitus difficultate preſsis; ventriculũ coeq. laxum
mbecillũ roborãt, unde lactis à nutrice p̄biti evomiões
eſcunt, nec non ad ſuffitus p̄tioſos zapotunt. Eh: Aug:

## Troch: de Aniſo.

obſtructiones reſerant, flatus diſcutiunt, auxiliantur
acho, ac prolixos frigidos morbos, febrésq; diuturnas
unt. Eh: Aug:

## Troch: Bechici. ſeu pillulæ albæ.

. deſtillaoẽm leniunt, raucitatẽ & aſsiduãs tuſsim
mpeſcunt. Fernel.
ran⁹ⁱⁿ Catarrho ſuffocativo & Cardoni⁹ Croco vtitur.
roci ℈iſ. cũ Moſchi gr. ſ. ex vino calefacto propinato,
maticos curat. ℞. Succi Ocymi ℥ß. Croci ℈i. Moſchi gr. i.

—

## Troch: de Berberis.

i poſsunt ad intemp̄iem calidam, et febriũ ardores, ſitimq;
ã: qⁿqᵐ ad hos ipſos affectus ijs non multum tribuat Ma-
. Foeſius.

## Trochiſci nigri Rhaſis. /.

Palato gratiſsimi ſunt, & ad incraſsandũ catarrhũ
in pect⁹ delapſũ, eũq; detergendũ ſummẽ vtiles.
Baudoron. /.

## Confectio de Rebecha. Bechica.

℞. Pulv: diaireos. diatrag. frig: an. ʒij. pulv:
glycyr: ℥ß. Sacch: cand. ʒiij. Sacch: albiſs. ℔iß.
cũ gummi tragacanthi in aq: roſ. solutâ q.ſ. paſta
ex quâ formentᵉ bacilli vel teſſeræ. Aut cũ Syr.
convenienti. Dr corrupto' cũ imparent medici ſic
℞. Bechi. Iynari legerunt Rebechi. hinc noon.

Vires. Optimo' med eſt tuſsientib⁹ aſthmaticis, Empy-
icis, pleuriticis, linguæ et faucium aſpitate, rau-
cedini et difficulter ſpirantibus. Rond:

## Troch: de Capparib.

Lienis duritiem, terrena Melancholia, atq. ... discutiunt. Fernel.

Dosis ʒiiij in decoct. corticu Cappu, Tamarisc... Bauderon.

## Troch: de Camphora.

Febrium ardentiu æstus, sanguinis, bilisq. fervo... Viscerq inflamãoem calidioremq intemperiem ex... ortã sitim compescunt. Fernel.

## Troch: Cypheos Damoc:

Describ. à Gal. 2. de Antid. in methrid. Damoc: cuiq comp... ingrediuntur. Per se quoq commode ijs dantur qui aut pulmones, vel renes, aut aliud aliqd viscus exulce... habent. Ph: Aug:

Inventi sunt excellentes ɔtra venenu, postea frigid... morbos, cervicis, hepatis, et ~~ad~~ pectoris defluxi... sic etiã Andromachi, & Damocratis. Bauderon

Amyli.
Tragacanthi, ana drachmam vnam.
Sem: Citruli drachmas tres ſemis.
Camphoræ drachmam dimidiam.
Confice cum Manna ſucco Berberorum diluta, ſ.a.

## TROCHISCI DE CAMPHORA, *MES.* Fern.

Vide alios in Baudèron Pharm. q. emendat.

℞ Roſarum rubrarum drachmas °quatuor.
Spodij,
Glycyrrhizæ, ana drachmas duas.
Sem: quatuor frigidorum maiorum.
Tragacanthæ,
Croci,
Gummi Arabici,
Spicæ Nardi Indicæ, ana drachmam vnam.
Santali Citrini drachmas duas ſemis.
Ligni Aloes,
Cardamomi maioris,
Amyli,
Camphoræ, an: ſcrupulos duos.
Sacchari albiſſimi,
Mannæ, ana drachmas tres.
Mucilaginis Sem: Pſyllij cum aqua Roſarum factæ q.ſ. ad formandos Trochiſcos.

## TROCHISCI DE CAPPARIBVS, *MES.* Fern.

* Alterant et aperiunt.

℞ Corticum radicum Capparum
Sem: Agni Caſti, ana drachmas ſex.
Gum: Ammoniaci,
Sem: Nigellæ,
Calaminthæ,
Acori,
Succi Eupatorij, i. Agerati inſpiſſati,
Amygdalarum amararum,
Foliorum Rutæ,
Radic: Ariſtolochiæ rotundæ.
Sem: Naſturtij, ana drachmas duas.
Scolopendrij, id eſt, Ceterach.
Cyperi rotundi, ana drachmam vnam.
Ammoniaco in aceto acerrimo ſoluto pulueres cæteri miſceantur, & formentur Trochiſci ſ.a.

## TROCHISCI CYPHEOS, *DAMOCRATIS.*

℞ Pulpæ vuarum paſſarum pinguium.
Terebinthinæ coctæ, ana vncias tres.
Myrrhæ,
Schœnanthûs, ana vnciam vnã ſemis.
Calami Aromatici drachmas nouem.
Cinnamomi vnciam dimidiam.

Vngui-

Vnguium Bdellij,
Spicæ Indicę,
Caſiæ ligneæ,
Cyperi,
Baccarum Iuniperi, ana drachmas tres.
Aſpalathi, ſiue Ligni Aloes drachmas duas ſemis.
Croci drachmam vnam.
Mellis deſpumati q. ſ.
Vini optimi modicum.

Bdellium, Vinum & Myrrha mortario immittantur, benè terantur, donec redierint ad craſſitudinem liquidi Mellis; poſteà Mel addatur, cum Pulpa Paſſul: contritum, poſtremò reliqua omnia lęuigata, ſicque fiant Trochiſci ſ.a. ſiccentur in vmbra.

## TROCHISCI DIARHODON, *MES.*

Alterant et aperiunt.

℞ Folior: Roſarum rubrarū drachmas ſex,
Spicæ,
Ligni Aloes, ana drachmas duas.
Glycyrrhizæ drachmas tres.
Spodij drachmam vnam.
Croci drachmam dimidiam.
Maſtiches drachmas duas.

Cum vino albo fiant Trochiſci ſecundùm artem.

## TROCHISCI DE EVPATORIO, *MES.*

℞ Mannæ,
Succi Eupatorij, i. Agerati inſpiſſati, ana vnciam vnam.
Roſarum rubrarum vnciam dimidiam.
Spodij ex Ebore drachmas tres ſemis.
Spicæ Indicæ drachmas tres.
Rhabarbari,
Aſari,
Aniſi, ana drachmas duas.

Cum aqua Cuſcutæ fiāt Trochiſci.

Manna autem cum ſucco eſt ſoluenda: deinde pulueres cæteri paulatim ſucco adijciantur: in vmbra exiccati reponantur.

## TROCHISCI DE GALLIA MOSCHATA, *MES.*

℞ Ligni Aloes crudi drachmas quinque.
Ambræ griſeæ drachmas tres.
Moſchi drachmam vnam,

Cum Mucilagine Tragacanthę extracta cum ſufficienti quantitate aquæ roſarum, fiant Trochiſci, ſiccentur in vmbra.

## TROCHISCI GORDONII.

℞ Semin: 4or frigidorum, { maiorū, minorū, } mundatorum.

Sem:

## Troch: de Eupatorio.

oris præsertim obstructiones tumoremq; solvunt, hinc
tas febres diuturnas, ictere et incipientē hydropem
nant, stomachicos juvant, flatus discutiunt. Fern:

## Troch: Diarrhodon.

ad febres pituitosas, inveteratas & alijs implexas,
ventriculi quoq; dolorem leniendum, et humores
adhærentes detergendos commiscentur in multis co=
ūb magnis à Mesue descriptis. Renod:

## Troch: Galliæ Moschatæ.

Cerebrum aliaq; viscera mire corroborant, os et
pus totū odoris suavitate pfundunt. Fernel.
niunt frigidis morbis cerebri, cordis, matricis,
eliquorū viscerū; ingrediunt plurimas Mesuei
positiones. Alij st myrepsi: sed no in vsu. Bauderō.

## Troch: Gordonij.

ulceratōes sanant, sanguinis mixtū inhibent, Diabeti
norrhææ conferunt, ac Stranguriam levant.
et si abstersio expetitur ex hydromelite aut decocto Liq:
ritiæ. Si consolidandi intentio prævalet ex Lacte aut
Chalybeata cū Syr: vel succo Plantaginis, ac si exul=
in vesicâ extiterit, lacte distempati p syringem
ntur. Th: Aug:

Troch. Gordonij.

Basis nō simplici sed pluribus constat medic: p[...] et detersiva; altera desiccativa, et agglutin[...] vid. Baudoron. Pharm. l. 1. sect. 9. p. 334. 1

## Trochisci Hysterici.

Affectibus hystericis mirifice conferunt, foedis virginum et viduarum coloribus medentur, & his omnibus symptomatis, quae a tetris vaporibus d' semine, vel menstruo sanguine corrupto, & ab utero sursum ad praecordia propterea prodeunt, auxiliantur. Et praeterea colluviem quandam pravam quae in locis muliebribus continetur, meatu aperiendo, obstructiones solvendo, foras protrudunt. Renodaeus.

## Trochisci Hedychroi.

Non parantur nisi Theriacae conficiendae causa, p[...] rara tamen quantitate solent dispensari: hos in divite q[...] odoratu pharmacum recipiebat, ad Ozenae curandum pastillis usus est Aetius. c. 92. tetr. 2. ser. 2. quos vino veteri odorato subegit; et mirum est (inquit) q[...] brevi affectio curata fuerit. Renodaeus.

Aetius faeliciter usus est contra Polypum. serm. 6. c. [...]

Sem: Papaueris albi,
Maluæ,
Bombacis,
Portulacæ,
Cydoniorum,
Myrtillorum,
Gum: Tragacanthi,
Arabici,
Pinearum mundatarum,
Piſtaciarum,
Sacchari Candi,
Penidiorum,
Glycyrrhizę mundatę,
Hordei mundati,
Mucilaginis Pſyllij,
Amygdalarũ dulcium, ana vnciam vnam.
Boli Armeni,
Sanguinis Draconis,
Spodij,
Roſarum,
Myrrhæ, ana vncias duas.
Conficiantur cum Hydromelite.
Fiant Trochiſci ſ.a.

## TROCHISCI HEDYCHROI ANDROMACHI EX *GALENO.*

℞ Mari,
Aſari,
Amaraci,
Aſpalathi, ſiue Santali Citrini, ana drachmas duas.
Schœnanthûs,
Calami odorati,
Phu Pontici,
Xylobalſami, aut Ligni Aloes,
Opobalſami, aut olei Nucis Moſchatæ per expreſſionem,
Cinnamomi,
Coſti ana drachmas tres.
Myrrhæ,
Folij Malabathri vel Macis,
Nardi Indicæ,
Croci,
Caſiæ ligneæ, ana drachmas ſex.
Amomi, aut Cardamomi minoris, vnciam vnam ſemis.
Maſtiches drachmam vnam.
Vini Hiſpanici optimi q.ſ.

Primùm Crocus pulueriſatus in pila ſtudioſè teratur cum Vino, deinde Myrrha & Maſtiche probè trita adijciantur, dein Opobalſamum, poſtremò reliqua pulueris formâ inſpergantur, ſimulq; permiſceantur, vino ſubinde affuſo, & tenues Paſtilli formentur ſ. a. & in vmbra ſiccentur.

## TROCHISCI HYSTERICI, *RENODÆI.*

℞ Aſæ fœtidæ,
Galbani, ana drachmas duas ſemis.
Myrrhæ drachmas duas.
Caſtorei drachmam vnã ſemis.
Aſari,
Ariſtolochię,
Sabinæ,
Matricariæ,
Nepetæ, ana drachmam vnam.
Dictamni drachmam dimidiã.

Cum

Cum ſucco aut decocto Rutæ fiant Trochiſci ſ.a.

## TROCHISCI DE LACCA, *MES.*

℞ Laccæ mundatæ.
Succorum Glycyrrhizę,
Eupatorij, (i) Agerati.
Abſinthij.
Berberorum.
Rhabarbari.
Ariſtolochiæ longæ.
Coſti,
Aſari.
Amygdalarum amararum.
Rubiæ tinctorum.
Aniſi.
Apij.
Schœnanthûs, ana drachmam vnam.

Cum decocto Ariſtolochiæ & Schœnanthûs, vel ſucco Eupatorij aut Abſinthij, fiant Trochiſci ſecundùm artem.

## TROCHISCI DE TERRA LEMNIA, *MES. ſec. FERNEL:*

℞ Sanguinis Draconis.
Gummi Arabici aſſati.
Trochiſcorum Ramich,
Roſarum rubrarum.
Sem: Roſarum,
Amyli aſſati,
Spodij,
Acaciæ,
Hypociſtidis,
Lap: Hæmatitæ,
Balauſtiorum,
Boli Armeni,
Terræ Lemniæ,
Corallij rubri,
Succini, ana drachmas duas.
Margaritarum,
Tragacanthæ,
Sem: Papaueris nigri, ana drachmam vnam ſemis.
Sem: Portulacæ parum toſt:
Cornu Cerui vſti,
Thuris,
Nucum Cupreſſi,
Croci, ana drachmas duas.

Cum ſucco, aut aqua Plantaginis fiant Trochiſci, ſ.a.

## TROCHISCI è MYRRHA RHASIS.

℞ Myrrhæ drachmas tres.
Farinæ Lupinorum drachmas quinque.
Foliorum Rutæ,
Mentaſtri,
Pulegij,
Sem: Cymini,
Radic: Rubiæ,
Aſæ fœtidæ,
Sagapeni,
Opopanacis, ana drachmas duas.

Diſſoluantur gummi in aceto Scillitico, & cum ſucco Artemiſiæ fiant Trochiſci.

TRO-

## Troch: de Lacca.

...rosos, Lienosos, et Hydropicos adjuvant, febresq; viſcerum obſtructione natas expellunt, potenterq; movent ...inas, quo nomine Aſcitem pellunt. Ph: Aug:

## Troch: de Bdellio. D. Avicen.

Valent ad hepatis tumores duros, et ad illius obſtructiones liberandas. V. Bauderoni Pharm.

## Troch: de Terra Lemnia.

...atos et ferocientes humores pertinaciſq; tenues ...peſcunt, modicum alvi fluorem sumpti ſedant, et ...guinis ſputum, vomitionem, mictionem, sumpti ...nt; et alias ſive e naribus, ſive ex utero ſive ...hæmorrhoidibus ſive alibi ſanguinis profuſionem ...ti ſupprimunt. Fernel.

...rrhagiam variam ſedant cum ſucco polygoni, ...lagini et ovorum candido ſi fronti et temporibus ...antur. Fœminarum menſtruam purgationem morantur, ...hibent, utero immiſſi, aut lumbis, coxis, pubiq; ...i. Cruento lotio per Catheterem immiſſi me...

...: Dyſentericis et inteſtinorum exulcerationi infuſi, ...ucco burſæ paſtoris bene faciunt, aut cum ſucco ...niorum, aut alio quovis adſtringente. Ph: August.

## Troch: è Myrrha. /.

...s valde cient cunctantes, morbiſq; ex eorum ſuppreſſione ...nt, quæ ex craſſiorum et frigidorum copia, aut ſanguine ...to orta ſit, attenuant, incidunt, et infarctos meatus ...nt, partum remorantem, et ſecundas retentas excludunt. ...el: Ph: Aug: Renod:

Troch. Polyidæ.

Ad vlcera sordida et humida vsurpantur, præcipue oris et narium; et sanguinis profusionem καθ᾽ ἐπι… exhibent. Vide plura apud Foesium sect. 8a p…

Pastilli Andronis.

Vlceribus recentibus, antiquatis et rheumaticis Officac… Sanguinis profluvio ex excisione adhibet Gal. … vlceribus, carbunculo, et nervo præciso. Foesius.

Troch: de Ligno Aloes.

Ventriculum, Cor, Hepar, et membra alia debilia robor… oris fœtorem abigunt, cordis palpitationem et Syncop… auferunt. Hydropicis auxiliantur: ac Pestilenti… tutioni medentur. Ph: Aug:

## TROCHISCI POLYIDÆ SPHRAGIS, ANDROMACHI EX *GALENO.*

℞ Florum Mali Punici, id eſt, Balauſtiorũ drachmas duodecim.
Aluminis Sciſſilis drachmas tres.
Thuris,
Myrrhæ, ana vnciam dimidiam.
Chalcanthi drachmas duas.
Fellis Taurini drachmas ſex.
Aloes vnciam vnam.
Vini auſteri q. ſ. fiant Trochiſci ſecundùm artem.

## PASTILLI ANDRONIS, *GALEN.*

℞ Cytinorum Balauſtior: drach: decem.
Chalcanthi drach: duodecim,
Gallæ omphacit,
Ariſtolochiæ,
Thuris, ana vnciam,
Aluminis Sciſſilis,
Myrrhæ ana ſemvnciam.
Miſy, drachmas duas.
Cum vini auſteri heminis duabus fiant Trochiſci, ſ.a.

## TROCHISCI MVSÆ, *GALEN.*

...affines Andronis paſtillis.

℞ Aluminis ſciſſi,
Aloes,
Chalcanthi,
Myrrhæ, ana drachmas ſex.
Crocomagmatis,
Croci, ana drachmas tres.
Cytinorum ſemunciam.
Vini odorati.
Mellis, ana q. ſ. vt formentur Paſtilli, ſ.a.

## CROCOMAGMA DAMOCRATIS. *GALEN.*

℞ Croci drachmas centum,
Roſarum rubrarum,
Myrrhæ, ana drachmas quinquaginta,
Amyli,
Gummi, ana drachmas triginta.
Vini q.ſ. fiant Trochiſci, ſ.a.

## TROCHISCI DE LIGNO ALOES, *MES.* ſeu de Xylaloe.

℞ Xyloaloes,
Roſarum rubr: ana drachmas duas.
Maſtiches,
Cinnamomi,
Caryophyllorum,
Nardi Indicæ,
Nucis Moſchatæ,
Cardamomi maioris,
minoris,
Cubebarum,
Galliæ Moſchatæ,
Paſtinacæ,
Cortic: Citri,

Macis, ana ſeſquidrachmam.
Ambræ griſeæ,
Moſchi, ana ſemiſcriptulum,
Cum Melle Paſſularum fiant Trochiſci.

## TROCHISCI RAMICH, MES.

℞ Succi Acetoſæ vncias ſedecim.
Foliorum Roſarum rubrarum vnciam vnam.
Baccarum Myrti vncias duas.
ſemel ferueſiant & colentur, adde colatis
Gallarum recentium accuratè tritarum vncias tres.
Coque iterum aliquantiſper, deinde inſpergatur ſequentium ſpecierum minutiſſimus & optimè commixtus Puluis.

℞ Roſarum rubrarum vnciam vnam.
Santali Citrini drachmas decem.
Gummi Arabici vnciam vnam ſemis.
Sumach,
Spodij, ana vnciam vnam.
Granorum Myrti vncias quatuor.
Ligni Aloes,
Caryophyllorum,
Macis,
Nucis Moſchatæ, ana vnciam dimidiam,
Omphacij ſeu Agreſtæ drachmas ſeptem.

Miſce omnia ſimul, & extende in ſcutella lapidea, dum exiccentur, exiccata rurſus in tenuiſſimum puluerem terantur, & formentur Trochiſci parui cum Camphoræ drachma vna, & q. ſ. aquæ Roſarum, & Trochiſcos hos aromatizant Moſchi grana quindecim.

## TROCHISCI DE ROSIS, MES.

℞ Roſarum rubrarum vnciam dimidiam.
Ligni Aloes drachmas duas.
Maſtiches drachmam vnam ſemis.
Abſinthij Rom:
Cinnamomi,
Nardi Indicæ,
Caſię ligneæ,
Schœnanthûs, ana drachmam vnam.
Vini veteris, & decocti quinque radicum aperitiuarum ana q. ſ. fiant Trochiſci ſ. a.

## TROCHISCI DE SCILLA, GALENI.

Scillam initio Iulij collectam mediæ magnitudinis, plenam, candidam, cortice primo detracto, & parte duriore, cui radiculæ adhærent abiecta, farinâ tritici ſubactâ involues, & eouſque in clibano coques, donec farina probè ſiccata

## Troch: Ramich.

um 9 in intestinorum et alvi toti 9 lubricitati, acriumq; hu-
rum per sedem profluvio. Infuso c. acrimoniam obtundunt,
impetum refrenant, hinc Cholerae morbo succurrunt.
morrhagiam oēm sistunt naribus im̄missi, aut alia
ficamentis admoti. Viscer(um) languores, Ventriculi,
tis et Cordis imbecillitates firmant. Foesi9. Ph: Aug:

## Troch. de Rosis.

sunt ad Jecoris obstructiones, et febres antiquas,
rum et Aquam Inter Cutem. Ventriculi et Nutritivarū
imbecillitatem corrigunt.

## Troch: de Scilla.

et lentos humores incidunt, infarct9 tollunt, pu-
intem impediunt, epilepsiae conferunt et venenatis
bis. Renodae9./.

## Troch: de Santalis.

Ad febrem ardentem, Ventriculi, et Hepatis intemperiem calidam, et sitim levandã usurpantur. Ph: Aug:

## Troch: de Spodio.

In febrib. biliosis cum alvi fluore præstantes sunt. He[par] et Ventriculi inflammationem, ac sitim continuã sedant. Nomẽ sunt à Spodio, et cognomẽ à semine acetosæ. Rel[iqua] medic: ponuntur hic ad augendã vim refrigerantẽ & h[æc] hic ad ~~ad~~ incrassandũ et sistendũ, etc fluxionũ quæ concomitantium. Baudron 9.1.

## Troch: de Vipera Andromachi.

Sunt hi basis Theriacæ. Cutaneis morbis, Viperarum morsib., et febrib. pestilentialibus conveniunt. Fu[giunt] Elephanticos, oculorum caliginem et obscuritatem, nec non visum ipsũ acuunt. Ph: Aug:

Vide Eplam in fine Scholtzij. de Troch. viperæ, in q[ua] 69 de importura.

cata ſit, & ea perforata, ſtilo ligneo (vel potiùs feſtucâ) tentabis an Scilla vndique tenera ſit. Eâ exemptâ, ipſam in mortario diligenter teres, cui admiſcebis farinæ Erui albi, vel eius loco Ciceris rubri tenuiſſimè cribrati vncias octo ad ſingulas Scillæ libras, & formabis in Trochiſcos ponderis drachmarum duarum (manibus roſaceo invnctis) & ſiccabis in ſuperiore parte ædium meridiem ſpectante, in vmbra, ſæpiùs obvertendo, donec probè ſiccati ſint, deinde repone in vaſe ſtanneo puro, vel vitreo, vitatis plumbeis.

## TROCHISCI DE SPODIO, *MES.*

℞ Roſarum rubrarum drachmas duodecim.
Spodij drachmas decem.
Sem: Acetoſæ drachmas ſex.
Portulacæ.
Coriandri in aceto maceratorum & torrefactorum.
Pulpæ Sumach, ana drachmas duas ſemis.
Amyli toſti,
Balauſtiorum.
Berber: ana drachmas duas.
Gummi Arabici aſſati drachmã vnam ſemis.
Agreſtæ q.ſ. fiant Trochiſci.

## TROCHISCI DE SANTALIS MAI. *MES.*

℞ Santalorum trium ana vnciam.
Sem: Cucumeris.
Cucurbitæ,
Citruli,
Portulacæ,
Spodij, ana ſemunciam.
Roſarum drachmas ſeptem.
Succi Berber: drachmas ſex.
Boli Armeni drach: quatuor.
Camphoræ drach: vnam.
Cum aqua Portulacæ fiant Trochiſci.

## TROCHISCI DE VIPERA ANDROMACHI EX *GALENO.*

℞ Carnis Viperinæ detractâ cute, exemptis interaneis & adipe, abiectis capitibus & caudis, cum Anetho, ſale pauco & aquâ coctæ vncias octo.
Panis triticei puriſſimi, aut potiùs biſcocti triti & cribrati vncias duas.

Formentur Trochiſci, cum iure in quo decoctæ fuerint carnes Viperinæ, ſi opus ſit liquore, & invngantur Opobalſamo vel Oleo Nucis Moſchatæ per expreſſionẽ. Siccentur loco vmbroſo libero, ventoque perflabili per dies quindecim, aut eo ampliùs, ſæpe autem ſunt conuertendi, donec probè

bè exiccati fuerint, deinde in pyxidem vitream, aut figlinam vitreatam, benè obturatam reponendi. Annum integrum perſeuerent, quanquam longè meliùs fuerit haud multo poſtquam ipſos confeceris Theriacam adornare. Qui porro diutiùs conſeruare velit, ſubinde eos à puluiſculo abſtergat, qui illis obnaſci conſueuit, qui ſi diutiùs inhæreat Paſtillos perforabit; hoc modo conſeruari poſſunt integri ad tertium annum.

## TROCHISCI VITICIS SIVE AGNI CASTI, *RENODÆI.*

Doſis a ℈i. ad ℈iij ad ſummũ.

℞ Sem: Viticis, ſeu Agni caſti,
Lactucæ,
Roſarum,
Balauſtiorum, ana drachmam vnam.
Scobis Eboris,
Electri, ana drachmam vnam ſemis.
Boli Armeni in Aqua Centinodij loti drachmas duas.
Sem: Plantaginis ſcrup: quatuor.
Saſſafras ſcrupulos duos.

Cum Mucilagine ſem: Cydoniorum in Aqua Nenupharis extracta fiant Trochiſci ſ.a.

## TROCHISCI ALBI, *RHASIS.*

Exterius adhibendi.

℞ Ceruſſæ aquâ Roſarum lotæ drachmas decem.
Sarcocollæ craſſioris drachmas tres.
Amyli drachmas duas.
Gum: Arabici,
Tragacanthi, ana drachmam vnam.
Caphuræ,
Opij, ana drachmam dimidiã.

Lacte excipiantur ſingula, & fiant Trochiſci ſ.a.

Parari etiam poſſunt hi Trochiſci ſine Opio.

## TROCHISCI ALKEKENGI, *MES.*

Dicunt etiã Diaphyſsalidon & de Veſicaria.

℞ Baccarũ Alkekengi drach: tres.
Sem: Melonum,
Cucumeris,
Citruli,
Cucurbitæ, ana drachmas tres ſemis.
Gum: Arabici,
Tragacanthi,
Thuris maſculi,
Sanguinis Draconis,
Pinearum,
Amygdalarum amararum,
Sem: Papaueris albi,
Amyli,
Succi Glycyrrhizæ,
Boli Armeni, ana drachmas ſex.
Sem: Apij,
Hyoſcyami,
Carabes,
Terræ ſigillatæ,
Opij, ana drachmas duas.

Cum

Troch: Agni Casti.

Ad Gonorrhœam utiles. Ad simplicem sanguinis eductionem permissam. Ad virulentam, incipientem, nondum inveteratam, corpore semel atque iterum purgato, et sanguine imminuto. Dantur cum decoct: semin: Papav: et melonum; vel cum aqua Rosarum. à ʒi ad ʒiß vel ʒiij ad summum. Renodæus.

Troch: Alkekengi, seu Halicacabi.

...næ ardorem, exulcerata fistula urinaria, vesica, ...bus et Ureteribus, ulcera detergunt, glutinant & ...ice tegunt; Loci acrimonia mitigant, strigmenta mucosa, aspa et dolorifica complanant, & leniunt; ...æ urinæ tarditatem, et dysuriam natam tollunt./ ...: August: /Fernel.

Troch: Albi Rhasis.

Conducunt Oculorum affectibus multis. Eorum dolores ...gant, inflammationes temperant, fluxiones sistunt, et ...am detergunt, exsiccant, digerunt et parum roborant. ...od:

## Troch: de Carabe.

Sanguinem excreantibus, Tabidis, purulenta excreant:
Dysentericis auxiliantur. Sanguinem undecunque em
sistunt ac supprimunt. Ph: Aug:
Sanguinem manantem ex thorace, hepate, renibus, utero, ham
cũ succo plantaginis vel herbæ sanguinalis, vel myrti
granatorum, aq: pluviâ aut chalybeatâ aut omphacio ℥i
potus sistunt. Foesius.
Dysenteriæ infuso proficiunt, eosque ex enemate ad intestin
orta tormina ad ℨij sæpe adhibemus, ppurgato prius
~~Ad febres~~ [illegible]

## Troch: Diaspermatωn Gal.

Dantur ex passo, aut aquâ ad omnes affectus interno
loxificos. Sanguinem rejectantibus apprime conf
ac somnũ conciliant. Ph: Aug:

## Pastilli Hæmoptoici Gal:

## Troch: Diacorallių.

Sanguinolenta excreantibus, Dysentericis, Cæliacis et
fastidientibus mire subveniunt. Ph: Aug:

Sief de Plumbo. /.

Cum ſucco recentium Baccarum Halicacabi, aut decocto earundẽ fiant Trochiſci ſ.a.

Parantur etiam ſine Opio.

## TROCHISCI DE CARABE, *MES.* Succino. [Bauderon 9]

℞ Carabes drachmas ſex.
Cornu Cerui vſti,
Gum: Arabici aſſati,
Corallij rubri, vſti,
Tragacanthi,
Acaciæ,
Hypociſtidos,
Balauſtiorum,
Maſtiches,
Laccæ lotæ,
Sem: Papaueris nigri aſſat: ana drachmas duas.
Thuris,
Croci,
Opij, ana drachmam vnam ſemis.

Mucilaginis Sem: Pſyllij q. ſ. formentur Trochiſci ſecundùm artem.

## TROCHISCI DIACORALLIV. *GALENI.*

℞ Boli orientalis,
Corallij rubri, ana vnciam vnam.
Balauſtiorum,
Amyli,
Terræ Lemniæ, ana vnciam dimidiam.
Hypociſtidos,
Sem: Hyoſcyami,
Opij, ana drachmas duas.

Succi Plantaginis quantitatem ſufficientem: formentur Trochiſci, ſecundùm artem.

## TROCHISCI DIASPERMATΩN, *GALENI.*

℞ Sem: Apij,
Ammeos, ana vnciã vnã.
Aniſi,
Fœniculi, ana vnciam dimidiam.
Opij,
Caſiæ Ligneæ, ana drachmas duas.

Cum aqua pluuiali fac Paſtillos ſecundùm artem.

## HÆMOPTOICI PASTILLI, *GALEN.*

℞ Amyli,
Balauſtiorum,
Terræ Samiæ,
Succi Hypociſtidos,
Gummi,
Croci,
Opij, ana drachmas duas.

Excipe ſucco Plantaginis, fiant Trochiſci ſ.a.

## SIEF DE PLVMBO, *MES.*

℞ Plumbi vſti & loti,

Æris vſti,
Antimonij,
Tutiæ lotæ,
Gum: Arabici,
Tragacanthi, ana vnciã vnam.
Opij drachmam dimidiam.
Aquæ pluuiæ quantitatem ſufficientem. fiant Trochiſci.

## TROCHISCI è SVCCINO, *GALEN.*

℞ Iridis Illyricæ,
Ramentorum Succini,
Maſtiches,
Croci, ana drachmas duas.
Opij drachmas quinque.
Excipiantur omnia Mucilagine ex Sem: Pſyllij. fiant Paſtilli.

## SIEF DE THVRE RHASIS.

℞ Cadmiæ,
Pompholigos,
Thuris, ana drachmas decem.
Ceruſſæ drachmas quadraginta.
Gum: Arabici,
Opij, ana drachmas ſex.
Aquæ pluvialis q. ſ. fiant Paſtilli, ſiccandi & ſeruandi.

## AGARICVS TROCHISCATVS, *MES.*

℞ Agarici electi vncias quatuor.
Infuſionis Zingiberis in vino generoſo factæ quantitatem ſufficientem. fiant Trochiſci.

## TROCHISCI DE AGARICO.

℞ Agarici electi vncias tres.
Salis gem: drachmas ſex.
Zingiberis drachmas duas.
Cum Oxymelite ſimplici q.ſ. fiant Trochiſci ſecundùm artem.

## TROCHISCI ALHANDAL, *MES.*

℞ Pulpæ Colocynthidos albæ, leuis, à ſeminibus repurgatæ vncias decem.
Forcipibus incide & frica aliquoties cum olei roſati vnciâ vnâ, & Trochiſcos finge, cum parte,
Mucilaginis, Gum:
Arabici,
Tragacanthi,
Bdellij, ana drachmis ſex.
Macerentur per quatriduum in aqua Roſarum. Siccati in vmbra, denuò terantur, & cum reliqua Mucilagine refingantur ſecundùm artem.

## TROCHISCI DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas decem.
Succi Eupatorij, i. Agerati condenſati.

Amyg-

## Trochisci de Agarico.

fert, Agaricus sic præparatus antiquis Capitis doloribus; cere obstructionibus à crassâ tenaci ac pituitosa materia tis. Stomachũ, renes, lienem, hepar, mundificat, etim mulierũ matrices repurgat. Epilepsias abolet Vertiginem, vermes enecat et expellit, prodest phthisicis alibus, unde DEMOCRITUS MEDICINAM FAMILIÆ cit. Venenis resistit Asthmati conducit, Spiritũ quoque ilitat. Ph: Aug:

## Trochisci Alhandal.

ter viscidã pituitã, & succos oẽs glutinosos purgant, multũ conferunt Colico dolori, à pituita vitreâ et nato, Apoplexiæ, Vertigini, Epilepsiæ, Asthmati, is frigidis et Arthriticis, qui vix medicamẽtis coibus nt. Renodæus. uendã vim pillularũ usurpantur.

## Sief de Thure.

~~Sief. seu Troch. albi Rhasis~~

uxiones Oculorũ et Chemoses celebrat. Ph: Aug: ~~Vide Bauderoni Pharmacop. l. 1. 9. p. 318.~~

## Troch: de Rhabarbaro.

ad frigidos, biliososq; jecoris affectus, ad ejus ructionem, dolorem, tumorem, et depravatã actionem. ropi quoque vel præsenti, vel iminenti efficiunt, et regio bo, seu ictero. Renod:

Conf. de Rhabarb. Cratonis.

℞. Sacch. in aq. cinam. dissol. ℥ iiij
Rhabarb. el. & subtil. pulveris. ʒ ij.
Extract. Rhabar. ʒß. M. s. a. f. Conf. in rotulis ad roborandũ hep. Scholtzi. Conf. 5.

Amygdalarum amararum, anâ vnciam dimidiam.
Roſarum drachmas tres.
Spicæ Indicæ,
Abſinthij,
Sem: Aniſi,
Apij,
Rad: Rubiæ tinctorum,
Aſari, ana drachmã vnam.
Cum aqua Cuſcutæ vel eius loco ſucci Eupatorij depurati fiant Trochiſci ſecundùm artem.

## TROCHISCI è VIOLIS SOLVTIVI, *MES.*

℞ Violarum modicè ſiccatarum drachmas ſex. *Aliter componit Bauderonus. l.*
Turpeti optimi ſemunciam.
Succi Glycyrrhizæ,
Scammonij,
Mannæ, ana drachmas duas.
Cum Syrupo violarum formentur Trochiſci.

*Vſurpantur à med: Venetis in expurganda pituita lenta et viſcida, quæ thoracis vias intercipit, et ſuſpiriosos facit, bileq vitellina pituitæ permixta deturbanda. Foeſius.*

# OLEA

# De Oleis.

ſu Oleorꝫ à q[b]us unguenta
ata, Emplastra magnā suæ ꝯpoſis partem
ante. Vide Renod: pr̃faco lib. 4t. de Oleis.
medi[ci] Pharmacopœus interdū carere ꝑt;
vix unquā. Gal. l. 6. c. 3. simpl. medic./.
ſe tempatū est, seu calidū & humidū, in ꝓ
u, vel ut loquitur Gal. c. 25. l. 3. simp. med./.
calefacientia & refrigerantia, humectantia
cantia mediū, Acopū est, seu laſsitudines tollit,
lenit, ſqualidā cutim emollit. Gal. c. 6. & 7. l. 2.
med.

cet nulli ꝯexceſs ꝑticeps, sed temperatū, ꝓpterea
est, q̃lis infusæ rei ꝯditio; ſi frigida, frigidum;
ida calidū. & exsiccatoriū, si ea ipsa siccandi
habuerit.

## Olea Purgantia.

Oleū Diacolocynthidos carminat.
purgativū Quercet. Phar. dog.

℞. Herb. sicc. Rutæ; Calamenthi, Origanum, pulegii. an. m. j. Sem: dauci, Cumini, Fœnicul. Baccarū laur. an. ℥j. Ol. olivarū. ℔ij. Vini rubri ℔j. Coquantur ad consumptionē.
Cū hoc oleo sic præparato decoque pulp. Colocyn. ℥ij. digerantur ad ignē B. mar. cal. per 12 horas: deinde bulliant per 2. horas, donec oleum vim totā colocynth. attraxerit: deinde exprimantur & colentur. Hoc oleū in offic. pari & diu servari potest.
Dosis ℥i. vel ℥ij. prout majori vel minori efficaciā opus fuerit, cū jure pingui permixtum; Summū erit medicamentū ad omnes soporiferos affectus, Apoplexiā Lethargū, & similes.
Vide alia eo modo.

Aliud purgans ad vermes. Vide.

# OLEA SIMPLICIA PER EXPRESSIONEM.

## OLEVM AMYGDALARVM DVLCIVM. *MES.*

[illegible] temperatus: Humidus gr. 2°.
3. c. 1. Amygdalæ sint decorticatæ. Ren:

℞ Amygdalarum dulcium, ſiccarum, ſed non rancidarum confricatarum q. v. terantur optimè, & è prælo exprimatur oleũ ſine vi caloris.

Renod. [illegible] Phthisicis & tabidis confert, alimentum [illegible] & pingue, ac aereum præstando, macilentos [illegible] gutturis affectionum, bronchiorum, pulmonis, cæterarumque [illegible] & Vesicæ ardores injectum mitigat; [illegible] scabra & aspera ad æqualitatem perducit, tensa & dura [illegible] siccitatem omnium juncturarum, & aliarum partium emendat. Ren.

## OLEVM AMYGDALARVM AMARARVM, *MES.*

[illegible] 1° gr: humido et sicco temperatus.

Eodem modo fit, vt Amygdalarum dulcium.

Commendatur ad Obstructiones solvendas, [illegible] [illegible] [illegible] ad dolorem nervorum mulcendum, duritiem molliendam [illegible] ad dolorem nervorum mulcendum, duritiem molliendam [illegible] tinnitus dissipandos. Renod. [illegible] delendum, aurium tinnitus dissipandos. [illegible] incidit, digerit, potenter terget; proinde [illegible] difficulter mejentes, asthmaticos, lienososque juvat, [illegible] sanat, lumbricos enecat, sumptum & injectum Uteri [illegible] ut & asthmati linctum & illitum, si a frigida causa [illegible] duritiei & dolori nervorum opitulatur. Renod.

## OLEVM AVELLANARVM *MES.*

℞ Auellanarum mundatarum quantitatem ſufficientem, terantur optimè, & relinquantur per horas quinque vel ſex in Balneo tepido, deinde torculari exprimatur oleum.

Dolores nervorum & Arthriticos sedat. Ad articulorum dolores utiliter bibi scribit Manardus. Alii ad Venenum et morsus serpentum valere putant. Usu pene nullus. Foesius.

Et eodem modo fiunt,

OLEVM BALANINVM vel DE BEEN,
EX BALANO MYREPSICA, *MES.*

Oleum
- Macis,
- Nucis Indicæ,
- Nucis Moſchatæ.
- Nucum Iuglandium Caryinon.
- ex Nucleis
  - Ceraſorum.
  - Mali Armenij, Chryſomelinum.
  - Mali Perſici.
  - Pinearum.
  - Prunorum.
  - Piſtaciarum.
  - Strobylorum.
- ex Seminibus
  - Aurantiorum.
  - Cannabis.
  - Carthami & dicitur Cnicinum.
  - Citri.
  - Cucumeris.
  - Cucurbitæ.
  - Citruli.
  - Ebuli.
  - Hyoſcyami,
  - Lactucæ,
  - Lini,
  - Melonum.
  - Paupaueris.
  - Petroſelini,
  - Raphani,
  - Rapi,
  - Ricini, & dicitur Oleum de Cherua, Cicinum, Ricininum.
  - Seſami, dicitur Seſaminum.
  - Sinapi,
  - Ex Vuarum acinis.

OLEVM

## Oleū ex Vitellis Ovorum.

Exptū est plurimum oferre oleū hoc affectib9 cutaneis. Scabritiem q. cutis corrigit. Cicatrices omnesq; maculas delet. Impetiginī et Serpiginī pdest. Labiorū, Papillarū, et, manuū rimas, & fissuras sanat. Vlceribus aurium, articulorumq, dolorificis vtiliter adhibetur. Contusas à sanis ptib9 separat, etiā cū cerebri, membranæ fuerint tasæ. Melichi9

## Oleum Laurinum.

Vim ht calefactoriam, et emollientē, aperientē, cutientem: ob hæc intemperiem om̄ frigidā & simplicē pituitā, vel flatib9 sanat, & ab his colico dolori nato, si decocto ovmienti injiciatur in intestina, mirificē pdest. Cerebri, nervorū, Articulorū, & Lumborū affectib9 frigidis pstens est auxilium. Lassitudines tollit, Venarū [illegible] aperit, Paralysi medet, spinæ dorsi illitū, et horrori febrili. Renodæ9.

Scabit infestatis, et asp̄a impetigine laborantib9 in balneo medet, fugiendū hī in scabit aut impetig inflamātiom minante calidis & biliosis reis; nam frigidis et pituitosis ētt cōmodū. Vermes et pediculos necat, furfures, Ophiasim alopecias delet, tamen Capiti calido ētt admovendū. Phar: August:

## Oleum Rosatū Omphacinū.

Multū refrigerat et roborat, ob id doloribus à cāa calida confert, Erysipelata extinguit, ardores plurimū mitigat, humorū fluxus cohibet, & ventriculi ac viscerū æstu[i]. Renodæ9.

### OLEVM LAVRINVM, *MES.*

℞ Baccarum Lauri maturarum & recentiũ q. ſ. contundantur, & cum aquæ quantitate ſufficienti coquantur, donec pingue ſupernatauerit, deinde exprimatur torculari, & oleum ſupernatans aquæ ſeparetur ſ.a.

### OLEVM OLIVARVM COMMVNE.

Exprimitur ex Oliuis maturis.

### OLEVM OLIVARVM OMPHACINVM.

Ex Oliuis immaturis fit per expreſſionem.

### OLEVM EX VITELLIS OVORVM, *MES.*

℞ Vitellorum ouorum ad duritiem in aqua coctorum, & poſteà in vaſe vitreato ad lentum ignem probè calefactorum quantum vis. Cauendo ne inter calefaciendum adurantur, è quibus deinde prælo exprimatur oleum.

Obſeruandum, quòd ſi irrorentur aromatico & calido Vino dum caleſiunt & ſubiguntur, commodius elicietur oleum.

## OLEA SIMPLICIA PER INFVSIONEM VEL DECOCTIONEM.

### OLEVM ROSACEVM OMPHACINVM.

℞ Olei Omphacini libram vnam.
In qua infunde,
Roſarum rubr: immaturarum contuſarum vncias quatuor.

Pone in vaſe vitreo, vel vitreato, & diligenter obtura, & expone Soli per dies ſeptem, & quotidie agita, ita vt vndiquaque incaleſcat: deinde leuiter decoque in duplici vaſe: poſteà exprime & illas Roſas abjice, et ſecundò alias Roſas infunde, & vt prius expone Soli per dies ſeptem, rurſum decoque: iteretur infuſio Roſarum tertiâ vice, & decoquatur leuiter ſecundùm artem, & reponatur oleũ & vſui ſeruetur.

## OLEVM ROSATVM COMPLETVM, *MES.*

Fit eodem modo, ex oleo dulci & maturo ſæpe loto, & Roſis rubris expanſis, contuſis, & Soli expoſitis, & leuiter decoctis in duplici vaſe, ita tamen vt tertia infuſio ſit per quadraginta dies; quibus peractis (ſi placet) reponatur Oleum cū Roſis ſine expreſſione.

Eodem modo fiunt,

Oleum Abſinthites, ex comarum Abſinthij vncijs quatuor & Olei libris tribus; ter repetendo comarum infuſionem, & vltimâ infuſione addendo Succi Abſinthij vncias quatuor, & coquendo leuiter ad Succi conſumptionem.

Oleum Anethinum, ex Olei completi libra vna, florum & frondium Anethi vncijs quatuor, cum triplici infuſione.

Oleum de Caſtoreo, ex Caſtorei vncia vna, Olei libra vna, Vini q. ſ. coctis ad Vini conſumptionem.

Oleum Chamæmelinum, ex oleo completo & floribus q. ſ. per 40 dies inſolentur.

Eodem modo & Oleū è Meliloti Summitatibus.

Oleum Cheirinum, ex floribus Leucoii Lutei i. Keiri, & oleo veteri claro, vt oleum Anethinum.

Oleum Cydoniorum, ex carnis immaturæ cum cortice, et Succi Cydoniorum, ana vnciis ſex. Olei Omphacini libris tribus. Inſolentur in vaſe vitreo per dies quindecim: tum coque vaſe duplici per horas quatuor: pòſt fiat permutatio carnis & ſucci eorum ter: demùm cola, & reconde.

Oleum Enulatum, ex Enulæ radicum contuſarum, & Succi eiuſdem, & Olei Amygdalarū, ana libra dimidia, Vini dulcis vnciis tribus, coctis ad Vini conſumptionem.

Oleum Euphorbii, ex Euphorbii vncia dimidia, Olei Cheirini, Vini odoriferi, ana vnciis quinque, coctis in duplici vaſe ad vini conſumptionem.

Oleum Formicarum *Nic:* ex Formicarum alatarum vnc: ij. & olei vnc: viij. maceratis, inſolatis per dies 40. excolatis, repoſitis.

OLEVM

1. Oleum Rosatū Complētū.

...m ardores extinguit, roborat, cogit, densat, ventriculū ...uantem temperat, & recreat, Renum ardores reprimit, ...orē Capitis à caussa calidâ sedat, fluxiones sistit, ...humorumq impetū cohibet. Renod.

2. Oleū Absinthites.

...acit et roborat, pręsertim ventriculū, appetitū excitat, ...ores crudos coquit, flatus dissipat, vermes enecat, obstructiones à cāā frigidâ tollit. Renod:

3. Oleum Anethinū.

...it, Calefacit, flatus discutit, nervos confortat, ...itudines tollit, dolores articulorumq mitigat, venarumq laxat ...acula, et convulsionibus confert. Renod:

4. Oleū de Castoreo.

...dores, Nervorumq et Cerebri offensas frigidas, tetanū, ...orē, convulsionem palysin: sanat rigores acerrimos, rigora febriū sedat, spinæ dorsi illitū. Ph. Aug:/.

5. Oleum Chamæmeli.

Calefacit, et moderatè resolvit, fluxiones cohibet vi suâ astringente, ideoq Colicis, Articularijs, cæterorumq dolorum initijs salubre est. Lassitudines juvat, dolores sedat, ac mitigat, tensa laxat, febres discutit, pręsertim quæ stipatâ cute proveniunt, Melancholicas, et pituitosas. Hypocondriorumq tensionibus utile, Capitis dolores lenit, nam meatus laxat, vapores discutit, acrimoniā temperat. Acopū est et Anodynū, ideoq nō temerè injicimus initio Colici doloris. Fern: Renod: Ph. Aug.

6. Oleum meliloti.

7. Oleum Keirinū.

moderatè calefacit, tenuat, lenit, digerit, dolores vel à flatibus, vel mā frigidâ ac pituitosâ mitigat, confert Arthriticis, nervorumq et juncturarum doloribus. Renod.

8. Oleum Cydoniorum, seu melinū.

Refrigerat, astringit, ventriculi, Jecoris, et Intestinorum retentricē facultatem roborat. Coctionē juvat, Vomitū sistit. Ob id Choleræ, morbo, lienteriæ dysenteriæ confert, et partes quævis laxiores et imbecillā firmat ac roborat./
Fernel. Renod:

9: Oleũ Enulatũ.

Calfacit, tenuat, digerit, ob id affectib. nervor. uteri et vesicæ frigidis prodest, et febrium rigori, ac colo à flatibus dolenti. Ph. Aug.

10. Oleum Euphorbij.

Eadem præstat sed efficacius, quam Castorei, multum prodest frigidis Cerebri et nervorum affectib., Cephalalgiæ, Hemicraniæ, Lethargo, et naribus immittitur ad eliciendam pituitam. Epispasticis medic: utiliter admiscetur, est enim præstantiss: in attrahendo remedium, in frigidis Vitijs, cum sit tenuium partium. In coxarijs, inveteratis, et profundis articulorum remedijs ex alto evocandis laudatiss: remedium. Calidius et siccius oleo de Lapidib., ideo nõ nisi vehementer frigidis adhibendũ. In Aurium tinnitu, sibilo et hebetiori sensu ex frigore contracto tepidũ adhibet Gal. 2. compos: med: locali. Ph: Aug: Renod.

11 Oleũ Formicarum.

Raro paratur, et ferè solum expetitur ad genitalia frigidiora calefacienda, et venerem excitandã. Parvis sumptibus paratur, et à quibusdam nrã frigidi expetitur, itaq. Pharmacopœi non careant, sed parvã quantitate conficiant. Renod.

## 4. Oleum Lumbricorum.

Anodynon est cujus fotu nervi recreantur, quod quotidie in nervorum vulneribus, convulsionibus, eorumque resolutionibus experimur; etsi quibusdam suspectum sit.

c. 7. Celsus in Aurium inflammatione oleum, in quo Lumbrici cocti sunt, praescribit.

## 5. Oleum Sampsuchinum, vel Majoranae

A copis etiam et lassitudinibus utile, frigidis cerebri et nervorum vitiis prodest, spinae in balneo inunctum paralysin juvat, et spasmum Cynicum, naribus immissum, aut ore detentum, et sternutamentum leviter ciet. Auribus immissum tinnitum a flatu dissipat. Ad uteri praeclusiones et conversiones efficax, menses, secundas et partus extrahit, uteri strangulatum recreat, scorpionum morsibus medetur. Ph. Aug:

## 3. Oleum Irinum.

Calefacit, emollit, roborat, tenuat, potenter digerit, ac resolvit, concoquit, penetrat, aperit, maturat. Aurium sonitus tollit. Hepatis, splenis, uteri, et articulorum dolores sedat, thoracis, pulmonumque, materiam coquit: facit ad intestinorum tormina et Ilei cruciatus. Naribus illitum distillationibus et Ozaenis medetur. Fern: Renod. Ph. Aug:

## 7. Oleum Menthae.

Ventriculum frigidiorem calefacit, imbecillum roborat, et coctionem juvat, vomitum sistit, appetentias revocat, nauseabundo stomacho succurrit, flatus discutit. Fern: Ren: Ph: Aug.

## 1. Oleum Hyperici.

Calefacit et siccat, essentiaeque est tenuis: unde ad dolores a frigido contractos adhibetur. Est etiam Anodynum. Ischiadicis utiliter admovetur et varicibus, contra dolorem, podagram, Chiragram, et Articulorum querelas prodest. Nervorum puncturis et vulneribus est efficax, illitu aut fotu convulsiones prohibet. Ambustis cicatricem ducit et vulnera glutinat. Foesius.

## 2. Oleum Jasminum. seu Sambacinum.

Chamaemelino aut Irino viribus proximum. Frigidis affectibus, non obscurum adfert remedium, unde his calefactionem et relaxationem desiderantibus utiliter exhibetur. Ingrata est nimia odoris nimia bonitas, quae quibusdam vix ferri possit. Foesius. Ph. Aug.

## 6. Oleum Mastichinum.

Cerebrum, nervos, hepar, ventriculum, articulos astrictione corroborat, lienteriae, vomitioni, et cruditati commodat. Duros humores emollit, dolores sedat. Renod: Fern

## OLEVM HYPERICI.

℞ Summitatum Hyperici vncias quatuor: Macerentur in Olei Oliuarum veteris libra vna, & Vini odoriferi vncijs ſex, per triduum ad Solem vel in Balnei calore, & exprimantur: Eodem modo renovetur infuſio ſummitatum Hyperici ſecundâ & tertiâ vice: Vltima infuſio coquatur ad vini ferè conſumptionem, & exprimatur; Expreſſioni adde Terebinthinæ vncias tres, Croci ſcrupulum vnum. Parum iterum coquatur & reponatur.

Oleum Iaſminum.
Ex floribus & oleo veteri claro, vt Roſaceum.

## OLEVM IRINVM.

℞ Radicum Iridis Flor: librã vnã.
Florum Liliorum alborum libram dimidiam.
Aquæ cui incoctæ ſunt aliæ Iridis Flo: radices q.ſ.
Olei dulcis libras ſex.
In vaſe duplici coque, radices & flores recentes iterum immitte, prioribus expreſſis & abiectis, vt in oleo Roſato.

## OLEVM LVMBRICORVM.

℞ Lumbricorum terreſtrium libram dimidiam.
Probè lauentur in vino, deinde adde
Olei Oliuarum libras duas.
Vini vncias octo.
Coque in duplici vaſe ad Vini conſumptionem.

Oleum Sampſuchinum vel Maioranæ ſimplex, Ex herbæ vncijs quatuor, infuſis in Vini vncijs ſex, & Olei libra vna, cum inſolatione & duabus aliis infuſionibus repetitis, & tandem euaporatione Vini in Balneo.

## OLEVM MASTICHINVM.

℞ Olei Roſati Omphacini libram vnam.
Maſtiches vncias tres.
Vini odoriferi vncias quatuor.
omnia in vaſe vitreato impoſita, coquantur in duplici vaſe ad Vini conſumptionem.

Oleum Menthæ. Ex herbis & oleo Omphacino, vt Roſaceum.

Oleum Myrtillorum, ex Baccarum Myrtillorum confractarũ & vino adſtingente aſperſarum libra

libra vna (vt Myrtinum è folijs)
Olei Omphacini libris tribus.

Macerentur & inſolentur per octiduum; dein coquantur & repetatur tertiò Baccarum noua infuſio, & inſolatio, & coctio in vaſe duplici: tum exprimatur Oleum & reſeruetur vſui.

1. ## OLEVM MYRRHÆ.

Aliquot oua recentia coquantur donec indurueriut, per mediam longitudinem incidantur, vitelli eximantur, cauitates Myrrhâ tritâ ad medietatem impleantur; & denuò coniungantur albumina, filoque parum conſtringantur, & craticulæ inter duas paropſides collocandæ ſuperponantur. Tum in cella vinaria, vel alio loco ſubterraneo & humido ponantur. Sic enim Myrrhæ liquatus humor in paropſidem inferiorem deſtillabit.

2. Oleum Narciſſinum, Ex floribus & oleo, vt Roſaceum.

3. Oleum Nardinum ſimplex, Ex
Spicæ Nardi vncijs tribus.
Olei dulcis libra vna ſemis.
Vini, et aquæ, ana vnciis duabus cum ſemiſſe, coctis in duplici vaſe ad humoris cōſumptionem.

Oleum Nenupharinum, ex 4
Olei Omphacini libra vna.
Florum Nymphææ alb: recent: vncijs quatuor, ter repetitis, vt in oleo Roſato.

Oleum Papaueris, ex floribus, capitibus, & folijs Papaueris ſatiui, & oleo Omphacino, vt Anethinum. 5

Oleum Rutaceum ſimplex, ex herbis contuſis & oleo maturo, vt Roſatum. 6

Oleum Sabinæ eodem modo fit vt Roſaceum. 7

Oleum Sambucinum, ex floribus & oleo, vt Roſatum. 8

Oleum Scorpionum ſimplex, ex Scorpionibus numero triginta. 9
Olei Amygdalarum amararum libris duabus.

Macerentur per dies quadraginta loco calido, in vaſe vitreo inſolentur, colentur, reponantur.

Oleum Sicyonium, ex radicum Cucumeris agreſtis, & ſucci eiuſdem, ana vncijs ſex. 10

Olei

1. Oleum Myrrhæ.

…tantos affectus, multos e officacissimu. Renod:

2. Oleum Narcissinum.

3. Oleum Nardinum.

…cit, tenuat, digerit, modice astringit, ob affectib9 …ib9 frigidis, flatulentis, Cerebri, Ventriculi, Jecoris, …nis et Uteri plurimu confert. Et corporis odorem et …ro commendat. Fern: Renod: Ph: Aug:

4. Oleu Nenupharinum.

…rat magis qm Violatu, ardoresq; pcipue renu, vesicæ, …apitis, at etiam deliriu compescit papaverino mixtum, …citq; somnu. Vesicæ comitum illitum aut injectum. …rrhæa arcet, lentigines impedit, dolores Capitis a ca… …a sedat. Fern: Renod: Ph: Aug:

5. Oleum Papaveris.

…oia pstat, qm nymphææ, febriu ardores & insomniu… …at, fronti, auribus, naribus, et temporib9 illitu somnum …re et humiditate conciliat, febriu squalore pfecto …impinguat, aspam arteriam lenit. Renum doloribus …tempis calida modete. Fernel. Ph: Aug:

6. Oleu Rutaceum.

Calefacit, crassos humores attenuat, digerit, flatus qm Anethinu valentius discutit, confert dolori colico, palysi, spasmo, Uteri ac Vesicæ pfrigeratioi, et spinæ resolutioem inunctus opponit. Renod. Fern. Ph. Aug:

7. Oleum Sabinæ.

8. Oleum Sambucinu.

Lenit, abstergit, cutem expurgat, ictero, & hepati obstructo confert; articulorum et nervorum doloribus utile eos et roborat. Epotum aut injectu alvum irritat, serosaq; excrementa p inferna ducit. Ph: Aug:

9. Oleum Scorpionu.

Extenuat, adeo ut illitum Lumbis Renu calculu, Pubi v. aut perinæo illitu, aut in Vesica injectu Vesicæ calculu terere et exturbare creditur. Maxime v. id pstat, si ab egressu balnei calculoso liniatur. Veneris pcipue ictis a Scorpione, et pestilentiæ adeo resistit, ut ei9 solo usu quondam cu famulitio a peste servatu scribit manard; et ex sola inunctione aliquos esse liberatos q saevissima biberant venena. Renod: Fern: Ph. Aug:

10. *Oleu Amygdalarum Amararum. *Vide pag: 121. pced.

Calefacit, incidit, tenuat, digerit, potenter terget; unde calculosos, difficulter mingentes, asthmaticos, lienosos juvat, obstructiones solvit, flatus discutit, Lumbricos enecat, duritiem nervorum mollit, injectu frigidis uteris prodest, ut et asthmati linctu et illitu, si a frigida ca oriatur. Faciei et cutis maculas et asperitates emendat, manantia Capitis ulcera, surfurosq; ex vino detergit. Vid Ph: Aug:

## Oleũ Sicyonium. Cucũ: agr:

## Oleum Solani.

## Oleum de Styrace.

Calefacit vehementer et emollit, ob id confert dolentibus à frigore renibus, vesicæ, utero, musculis, tendinibus, juncturis, eorumque durities insigniter emollit. Ad nervorum injurias & vulnera fotu commodũ, Chirurgis expetitũ, ad scabiem efficax scribit Manardus addita Hellebori albi octavâ portione. Ph. Aug:

## Oleum Verbenaceũ.

## Oleum violaceum.

Ardores extinguit, remittitque phlegmonas, pleuriticos juvat, pulmonis, Thoracisque vitia lenit. Forn

## Oleum Aparicij Benedictũ.

Præstantissimũ medicamentũ, ad plurima nervosarum vulner cujus descriptionem ab Hispano quodam Sacerdote fide d accepi, qui retulit in Hispania nõ licere hoc medic: repon quod homines medicamenti viribus confisi, facilè digladiar Sanat vulnera (ut ajunt) spatio XXIIII horarum.

Utendi modus talis est. Abluto prius vulnere vino albo [ca]lido, statim inungitur totũ vulnus oleo hoc calido: quod commodè fieri nequeat, per siphonẽ intra vulnus tan clysterẽ immittitur, et confestim labia vulneris ad mu contactũ adducuntur, deligatura aut suturâ aut glu deinde per eos circumstantes similiter inunguntur. Supra vulneris labia jam reducta, linteũ imponitur, oleo pr madens, & supra hoc aliud vino nigro expressũ, mox lintea sicca; deinde fascia superligatur. Fabricius ib. c. 7.

## Oleum de Capparib.

Lienis affectibus magnoperè prodest, ejusdem duritiæ schirrho, obstructioni et dolori, medetur, meat et poros cutis aperit, flatus discutit. Forn: Ren

Olei Oliuarum maturarũ libra vna, coctis in duplici vaſe ad ſucci conſumptionem.

Oleum Solani, ex baccarũ Solani maturarum vncijs quatuor, coctarum in olei libra vna.

Oleum de Styrace, ex olei Oliuarũ libra vna.
Styracis vncijs tribus.
Vini q. ſ. coque poſt ſufficientem macerationem ad vini conſumptionem.

Oleum Verbenaceum, ex herba & oleo, vt oleum Menthæ.

Oleum Violaceum, ex oleo Oliuarum Omphacino, & floribus Violarum, vt Roſatum.

# OLEA COMPOSITA.

## OLEVM APARICII BENEDICTVM. Hier. Fabr. ab Aq. pentateuch. l. 2. c. 7.

℞ Olei vetuſtiſſimi vncias tres.
Terebinthinæ puræ vncias octo.
Tritici puri ſeſquivnciam.
Flor: Hyperici vncias duas.
Rad: Cardui Benedicti.
Valerianæ, ana vnciam.
Thuris puluerizati vncias duas.
Radices & herbæ craſſo modo contundantur, in olla ponantur, tantum Vini albi ſuperfundatur, vt Vino mergantur omnia: factâ per biduum infuſione, Oleum & Triticum adjiciuntur, & coquuntur omnia ad vini conſumptionem. Factâ forti expreſſione additur Terebinthina & Thus; ſinuntur parum bullire iterum; ſeruantur vaſe vitreo.

## OLEVM DE CAPPARIBVS

℞ Corticum Radicum Capparũ vnciam vnam.
Cortic. Tamariſci,
Folior. Tamariſci,
Sem: Agni Caſti,
Cetrach ſiue Aſpleni,
Rad: Cyperi, an: drachmas duas.
Rutæ drachmam vnam.
Olei Oliuarum maturi libram vnam.
Aceti albi fortis,
Vini albi, ana vncias duas.
Trita & macerata aliquandiu, leuiter coquantur in duplici vaſe vſque ad conſumptionem Vini & Aceti: exprimantur, colentur, reponantur.

## OLEVM DE CASTOREO *IACOBI* de *MANLIIS.*

℞ Caſtorei,
Styracis Calamitæ,
Galbani,
Euphorbij,
Caſiæ ligneæ,
Croci,
Opopanacis,
Carpobalſami, ſive Cubebarũ,
Spicæ Nardi,
Coſti, ana drachmas duas.
Cyperi,
Schœnanthûs,
Piperis longi,
nigri,
Sabinæ,
Pyrethri, ana drachmas duas ſemis.
Olei libras tres.
Vini Hiſpanici libras duas.

Galbanum, & Opopanax in Vino ſeorſim diſſoluantur, deinde reliqua omnia contuſa, cum oleo & vino coquantur in duplici vaſe, poſteà colentur, ac diſſolutum expreſſumq; Galbanum cum Opopanace, oleo affundantur, & iterum coquantur, ſæpiùs miſcendo, vt Galbanum & Opopanax in vaſis fundo ſubſidentia oleo commiſceantur. Styrax autem per ſe diſſoluatur in vino. Adde poſteà Terebinthinæ drachmam vnam ſemis, quò meliùs Styrax oleo commiſceri poſſit.

## OLEVM COSTINVM, *MES.*

℞ Coſti amari vncias duas.
Caſiæ ligneæ vnciam vnam.
Summitatum Sampſuchi vncias octo.

Trita macerentur biduo in Vini q. ſ. deinde cum olei oliuarum Vino loti libris tribus coquantur in duplici vaſe ad conſumptionem Vini ſ. a.

## OLEVM CROCINVM, *MES.*

℞ Croci vnciam vnam.
Myrrhæ puræ vnciam dimidiam.
Cardamomi drachmas nouem.
Calami aromatici vnciam vnã.

Infundantur omnia in aceto, (præter Cardamomũ) diebus quinque, ſexto projiciatur ſuper ea Cardamomum, & ſtent ſimul per diem vnum: mane ſequenti adde libram vnam ſemis olei, & coquantur lento igne ad aceti conſumptionẽ ſecundùm artem. Sunt qui ponunt Vinum loco Aceti.

## OLEVM DE EVPHORBIO, COMPOS. *NIC:*

℞ Staphidis agriæ,
Struthii, vel Saponariæ, ana vnciam

## Oleum de Castoreo Jac: de Man.

ad omnes nervorum et Cerebri offensas frigidas, Tetanu, ...ulsionem, Tremorem, Paralysin sanat, Rigores febriu ...ximos et frigora sedat, Spinæ dorsi illitu. Ph. Aug:/.

## Oleu de Castoreo simplex.

℞. Testiu Castorei a membranis mundat: ʒj.
Vini albi odoriferi. ℥iij. Olei. ℔. j.
Omnia simul coquantur ad exhalationem vini, o leu postea vasi reponendu. Mic: Reposit. ~~et Fern: cu~~ ~~facit~~
~~post~~ sine vino: et jubent decoqui ʒj Cast. ad ʒx.
olei consumptionem. Cu oleu totu die igne pt sustinere sine jactura, aut certe paucula, nisi cum
urit. Propterea quæ oleo coquuntur ~~fer~~ mollescunt, sed frigentur, et indurantur. Fern: aquæ vitæ ʒj adjicit.
sed hæc tantilla portio vim ignis no patitur, nisi momentanea. Renod:

Vires. Illud Jac: de Manlijs magis composita et sumptuosa, hoc tm præstat, quod illud pollicetur. Confert o. frigidis cerebri et nervorum affectib9, surditati, auriu tinitui.
Fernel: Renod:

## Oleum Costinum.

...cit vehementer, ideoq; nervorum dolores ex frigore ...lit, Paralysi confert, nervos roborando, Ventriculu, ...sculos, tendines, et ligamenta confirmat; aperit ...tructiones, Hepatis præsertim. Spinæ illitum ...ilem rigorem mitigat: Capillos tenaci configit, ...itiem moratur, mucoso humore ea accelerante ...mpto. Ph. Aug:

## Oleum Crocinum.

ad Uteri et nervos roborandos, eorumq; dolores ...andos, duritiés emolliendas et discutiendas, colorem conciliandum. Renod:
... e" ad Luem Veneream. Vide ib.

## Oleum ex Euphorbio Comp:/.

## Oleum ex Euph: Simplex.

℞. Euph: ʒß. Olei Keirini seu Leucoij, Vini odor: an. ℥ß.
Coquantur simul ad vini consumptionem. /. Renod: Fern:
Eadem sed efficacius multo præstat, quæ oleu de Castor. ac præterea naribus immissu pituitam elicit. Fern:
Valet ad dolores frig: Juncturarum, Hepatis et Lienis. Renod:

Oleum Excestrense.

Oleum Hirundinum.

ciam dimidiam.
Pyrethri drachmas ſex.
Calaminthes montanæ ſiccæ vnciam vnam ſemis.
Coſti drachmas decem.
Caſtorei drachmas quinque.
Trita, triduoque macerata in Vini odori libris tribus ſemis coquantur cum olei Leucoij lutei libra vna ſemis, ad Vini ferè conſumptionem, tunc inſperge
Euphorbii recentis & albi tenuiſſimè triti vnciam dimidiam.
& miſcendo coque ad perfectionem.

## OLEVM EXCESTRENSE vulgò EXCETER dictum.

℞ Folior: Abſinthii,
Centaurii minoris,
Eupatorii,
Fœniculi,
Hyſſopi,
Lauri,
Maioranæ,
Meliſſæ,
Nepetæ,
Pulegii,
Sabinæ,
Saluiæ,
Thymi,
Flor: Chamæmeli,
Geniſtæ,
Liliorum alborum,
Sambuci,
Sem: Cymini,
Fœnugræci.
Radicum Hellebori albi,
nigri,
Corticum Fraxini,
Limonũ, ana vncias quatuor.
Foliorum Abrotoni,
Betonicæ,
Iuæ arthriticæ, i. Chamæpityos,
Lauendulæ, ana vncias ſex.
Roriſmarini libram vnam.
Euphorbii,
Sinapeos,
Caſtorij,
Pyrethri, ana vnciam vnam.
Olei libras ſedecim.
Vini libras tres.
Contuſis herbis, floribus & ſeminibus, & Euphorbio, & inciſis radicibus, corticibus & Caſtorio affuſis Vino & Oleo, ſtent per duodecim horas ad Balnei calorem, poſteà coquantur igne lento ad Vini & humoris conſumptionem; Coletur & ſeruetur vſui Oleum.

## OLEVM HYRVNDINVM.

℞ Hirundinum integrarum numero ſedecim.

Chamæmeli,
Rutæ,
Plantaginis maioris,
minoris,
Folior: Lauri,
Pulegij,
Anethi,
Hyſſopi,
Roriſmarini,
Saluiæ,
Hyperici,
Balſamitæ, ana manipulum vnum.
Olei communis libras quatuor.
Vini Hiſpanici libram vnam.

Confice ſ. a. Si vero tantum Butyri Majalis accipiatur quantum olei, & prædicta cum eo coquantur, Vnguenti & nomen, & conſiſtentiam acquiret.

## OLEVM HYPERICI COMP: ſeu BALSAMVM MAGISTRALE FLORENT:

℞ Vini albi potentis libras tres.
Summit: Hyperici maturarum manipulos quatuor.

Tere, Macera in vaſe vitreo, obturato eius orificio per duos dies, coque in duplici vaſe, & fortiter exprime; in Colaturam injice alios flores, vt dictum eſt, & tertiò idem facito, dein colato, & ad ſingulas colaturæ libras, adde
Olei veteris libras quatuor.
Terebinthinæ vncias ſex.
Olei Abſinthij vncias tres.
Dictamni,
Gentianæ,
Cardui benedicti,
Tormentillæ,
Carlinæ, vel Cardui Mariæ,
Calami aromatici, ana drachmas duas.
Lumbricorum pluries in Vino lotorum vncias duas.

Terantur craſſiuſculè terenda, & inſolentur triginta aut quadraginta diebus, & benè obturatum reponas.

## OLEVM IRINVM COMPOSIT: *NICOL: ALEX:*

℞ Olei veteris libras quindecim.
Aquæ libras quatuor & dimidiam.
Radic: Iridis Flor: libras tres & vncias quatuor.
Flor: Liliorum alborum vncias quindecim.
Radic: Cyperi recentium vncias ſex.
Helenij vncias tres.
Anchuſæ vncias duas.
Cinnamomi,
Spicæ Nardi,

Aſæ

Oleū Irinum Compos: Nic: Alex:

Oleū Hypiconis Compos:

## Oleum Mandragoræ.

Summè refrigerat et valet ad sedem inflamma[tionem], capitis dolores sedat, phreniticis, febricitant[ibus] et vigilantibus conveniens, fronti, temporibus naribus illitū, somnū conciliat. Ph. Aug: Fern:

## Oleū Majoranæ Compos:

## Oleum Moschellinum.

Frigidis affectibus præstantissimū, præcipue ventri[culo] debili quem roborat, calefacit, coctionem ju[vat]. Dolorem Lateris illitum sanat; Stranguriæ, Colicis, et nervorum propè omnibus vitijs succurrit. R[eform.] Phar: August:

Aſæ odoratæ, ſeu Benzoini, ana vnciam vnam.

Contundantur radices & aliæ ſpecies, & macerentur in oleo & aqua diebus quinque ad Solem vel loco calido, poſtea in duplici vaſe coquito, donec aqua conſumpta fuerit, refrigeſcere ſinito, colato, exprimito, & repónito.

## OLEVM MAIORANÆ SEV SAMPSVCHI COMPOS: *ACTVARII.*

℞ Foliorum Sampſuchi manipul. quatuor.
Serpylli manipul. duos.
Fol: Myrti vel Baccarum manipulum vnum.
Abrotoni,
Siſymbrij ſeu Methæ aquaticæ, ana manipul. dimidium.
Caſiæ ligneæ veræ vncias duas.
Olei Omphacini libras tres.

Concidantur & contundantur omnia, ac imponantur in vitrum, ac Oleum affundatur: tum obſtructo vaſis orificio, macerentur ad Solem, vel in æſtuario diebus octo. Tandem exprimantur, & Oleo expreſſo infundantur recentes ſpecies, quod tertiò eſt repetendum.

## OLEVM MANDRAGORÆ *NICOLAI.*

℞ Olei communis libras duas.
Succi Pomorum Mandragoræ, vel (eius defectu) foliorum vncias quatuor.
Succi Hyoſciami albi vncias duas.
Succi capitum Papaueris nigri vncias tres.
Succi Violarum,
Cicutæ, ana vnciam vnã.
Opij,
Styracis Calamitæ, ana vnciam dimidiam.

Succi cum Oleo decem diebus ad ſolem macerentur, deinde coquantur in duplici vaſe ad ſuccorum conſumptionem; Cola; Opium diſſoluatur in ſuccis, & Styrax diſſoluatur cum modico Terebinthinæ, probè miſce ſ.a.

Oleum hoc Nic. Ppositi improbat Renod: vt nimis stupefactivam et narcoticam. admittit e. praeter Mandrag: Hyosc: Papav. Cicutã, Opiũ. Ren: cap. 13. lib. 4. sect. 1.

## OLEVM MOSCHELINVM.

Moschatellinũ. Μοσχέλαιον.

℞ Nuces Moſchatas numero duas.
Moſchi drachmam vnam.
Folij, ſeu Macis,
Spicæ Nardi,
Coſti,
Maſtiches, ana drachmas ſex.
Styracis Calamitæ,
Caſiæ Ligneæ,

Myrrhæ,
Croci,
Cinnamomi,
Caryophyllorum,
Carpobalſami, vel Cubebarum,
Bdellij, ana drachmas duas.
Olei puri libras tres.
Vini generoſi vncias tres.

Terenda ex arte trita, atque confuſè miſta, bulliant ad Vini diſſipationem. Percolatum oleum vſui reſeruetur.

## OLEVM NARDINVM, *MES.*

℞ Spicæ Nardi vncias tres.
Sampſuchi vncias duas.
Xyloaloes,
Enulæ,
Folii Indi vel Macis,
Calami aromatici,
Folior: Lauri,
Cyperi,
Schœnanthûs,
Cardamomi, ana vnciam vnam ſemis.

Craſſiuſculè terantur, deinde in Vini & Aquæ ana vncijs quatuordecim, & Olei Seſamini, vel Oliuarum libris quatuor ſemis macerentur per horas viginti quatuor. deinde coque in vaſe duplici igne lento horis ſex, perſæpè mouendo.

## OLEVM NICODEMI

Fallop. mat: med: in primi: Dioſcorid. c. 19.

℞ Sem: (ſeu ſummit:) Hyperici,
Terebinthinæ antiq: ana librã vnam.
Lithargyri drachmas ſex.
Aloës hepaticæ,
Tutiæ Alex: ana drach: tres.
Croci vnciam vnam.
Vini albi optimi libras quatuor.
Olei antiqui libras duas.

Bulliant omnia ſimul in duplice vaſe, donec pars quarta conſumatur: demùm ſepeliantur in arena diebus Canicularibus per dies decem: poſteà per pannum candidũ cola, ſepara Vinum ab Oleo, & vtrumque ſeparatim ſerua.

## OLEVM NICOTIANÆ.

℞ Succi Peti, ſeu Nicotianæ,
Olei communis, ana libram vnam.

Macerentur, & coquantur ad ſucci conſumptionem.

Oleū Nicodemi.

at oēm dolorem et oīa vulnera ſanat. Fallop. ib.

Oleum Nardinum.

poſitū efficacius ad oa q^æ simplici tribuunt^r.

oll nimis ſumptuoſū et balſamū veri⁹ q^m vnguentū.

od:

Oleū Nicotianæ.

## Oleum de Piperib9.

Juvat morbos nervorum frigidos, paralysin, Spasm
Oris torturā, tremorem. Adhæc Epilepsia
adem, Arthritidem, dorsi et Coli dolores. Re
obstructiones. Vteri frigidis et humidis affectib9
Ani doloribus frigidis vtile, Renum quoq; et Vesi
doloribus. Lapidem frangit. Meltchius. /.

## Oleū Vulpinū.

Humores ad extima corporis superficiē evocat
discutit: eaq; ratiōe morbo articulari prodest

## Oleum Populeū.

Emollit, tenuior partium et calidū, Arthriticis et
ægricis vtile. Ph: Aug: /.

## OLEVM DE PIPERIBVS, *MES.*

℞ Piperis longi,
nigri,
albi, ana drachmas tres.
Myrobal: { Chebularum, Belliricarum, Emblicarum, Indarũ, ana drachmas quinque.
Radic: Apij,
Fœniculi, ana drachmas tres ſemis.
Sagapeni,
Opopanacis,
Ammoniaci,
Hyoſcyami albi, ana drachmas duas ſemis.
Turpeti drachmas duas.
Zingiberis drachmas tres.
Surculorum Thymi recentium,
Rutæ viridis, ana manipulum vnum.

Macerentur ſecundùm artem in ſ. q. Aquæ vitæ & Olei Cheirini libris duabus, deinde coque ad conſumptionem Aquæ vitæ.

## OLEVM POPVLEVM. *NIC:*

℞ Gemmarum Populi recent: libras tres.
Vini libras quatuor.
Olei com: libras ſeptem vncias duas.

Terantur diù Gemmæ Populi; diebus ſeptem in Oleo & Vino macerentur; demùm coquantur vaſe duplici ad Vini conſumptionem: ſi ſecundò & tertiò, eſt efficacius. Tandem exprimatur Oleum & reponatur.

## OLEVM VVLPINVM, *MES.*

℞ Vulpem (quâ fieri poteſt) pinguem, ætatis mediæ, venatu defatigatam, recenterque occiſam, mox & exenteratam; detractâque pelle, nec non oſſibus diligentèr confractis, in partes plures conſciſſam. Decoque in
Vini albi &
Aquæ Fontanæ ana libris ſex

Ad medietatem vſque, nec ſine diligenti deſpumatione in coctura principio: tùm demùm admiſce
Olei antiqui dulciſſimi libras quatuor.
Salis communis vncias tres,
Florum Saluiæ,
Thymi, ana libram vnam.

Procedatq; coctio ad totius aquæ ferè conſumptionem, mox affundantur

Aquæ

Aquæ impregnatæ,
(Anethi,
Thymi, ana manipulo vno pleno incocto,) libræ octo
Denuò inuicem coquantur omnia lento igne ad conſumptionem aquæ: Oleumque ab aquoſitate poſt colaturam, infundibulo ſeparatum, vſui reſeruetur.

Vires. Potentissimae in digerendo et discutiendo ... facultatis, quo nomine ad nervorum ... iniurias frigidas et articulares affectus, Arthritidem, dolores ... et podagram praecipue valet. ... Aug. Melich...

## De Linimentis

Linimentum Oleo tenacius, Unguento liquidius; nam ad cuius spissitudinem parum ceræ, aut pulveris admiscetur ... ut eorum facile effluentium vis & facultas, partibus diutius haereat; Accedunt interdum axungiae, adipes, medullae, mucilagines, gummi, succi &c. quo plus varietatis. Omnium autem ... cum sit paregoricus, & doloris sedativus Oleum pro basi recipit, vel simplex, vel amygdalinum, violatum, aut simile, quod nullo excessu temperiem immutet.

**VNG.**

Nota. Ad dolorem ex intemperie ab humore frigido natum, Oleum tale in Linimento assumendum est, quod pro gradu calefaciat, quo et humor ipse a temperie discessit ... iudicium de intemperie ...

Ad Somnum. Ad inflam: mitigandam & somnum conciliandum. Refrig: repellens & hypnoticum pars.
℞ Oleo rosato, Violato, Nenupharino, papaverino, Unguento Populeo, rosaceo, Succis Solani, Lactucae, plantaginis, aceto, mucilag. seminis psyllii, cydoniorum, altheae, extractis in aquis refrigerantibus.

Ad digerendum & relaxandum.
♃ Ol. Amygd: dul. Liliorum, camaem: Irini, cheirini, mucilag. sem: Lini, Altheae, foenugr. extr. in aq. digerentibus, butyr: recens, Oesypum, axung. gallinae, anseris, anatis ..., Vng. Resumpt. de Althea. ex quibus fiat linim: Chalasticum, & thoracicum, hoc modo.
♃ Ol. camaem: Liliorum an. ℥i. Butyri recentis, & Vng. resumpt. loti in aq. scabios. an. ℥ß. cerae q. s. f. Linim.

In Paralysi. Ad litum Cervicis & Spinae.
♃ Ol. costinum, nardinum, Vulpinum, cum Vng. marciato & aq. Vitae. M.

Ad Coctionem iuvandam. ♃ Ol. de menth. de absynth. ana ʒvi. mastic. ʒi. nuc. mosc. ʒß. cerati stom. ʒß. cerae q. s. M. f. Linim.

Ad astringendum. ♃ Ol. myrtill. & Cerati santal. an. ℥i. Cerae alb. q. s. si pulveres adstringentes addantur, quantitas olei augebitur.

Ad Tympan: & Inflationem Ventris:
♃ Flor: Samb. ... Butyr. majalis ... Succ: camaem. cum vino ... Ebulliant in B. ad consump. humiditatis & Adde Ol. Carui ʒvi. Cymini ʒii. ... ʒi. M. F. Vng. seu Linimentum: Secundum ... venter mung... bis in die mane &c. & vespere eundo cubi...

Ad Lienis duritiem.
♃ Ol. de Cappar. ℥i. Ol. Irin. & ... an. ʒß. Ol. nardini ʒii. Ammoniaci in aq. vel aceto dissoluti ʒß. pul. ceterach ʒi. parum. f. Liniment.

Ad Obstruct: Hepatis.
♃ Ol. de absinth. Amygd. amar. an. ... & cinam. an. ʒß. cerae ʒii. M. f. reg.

Ad Dysenteriam.
♃ Ol. myrtil. & mucag. sem. cydon. extr: in plantag. an. ℥i. acaciae ʒii. Cerat. sant... F. Linim. pro regione Ventris.

Ad flatus discutiendos.
♃ Ol. Aneth. & rutac. an. ℥i. Aq. Vitae ... Cerae q. s.

Ad Nephritidem.
♃ Ol. Liliorum, de sem. Lini, de scorpionibus in aq. pisitaria cum axung. cuniculi & Vng. butyr. recent. &c.

Ad Haemorrhoides humentes.
♃ Extr: mucag. sem: Lini, altheae in aq. cum butyr. rec. vitell. ovi, & Ol: amygd. dul. de nucleis persicorum.

ex Renod:

# De Vnguentis

guentū ē Medicamentū q̄d ē oleaginū, medie inter oleū & Emplastrū ɔsistentiæ. / stentia cùm sit pūm dissilis Vnguentorum, nimentorū, & Ceratorū, q. ijsdem fere u= rpantr. Nam Linimenti dr, q° juvandæ ptes niuntr. Vnguenti q° inungunt, Cerati q. ra ā & Oleo patr. Renod:

## De Confectione Vng:

Plus Olei hyeme, min9 æstate ɔmiscendū unguentis, frig9 e. Vng. q̄vis fluidū, ut & oleū ipsū inspissat: ex Obser: Gal: in ɔpo9 cerati storn: 8. c. 1. Comp. med.

Ceræ quadruplū Oleū adjiciat & pulverib9 oc= tuplum. Gal. c. 2. l. 4. Comp. med. gener. h. 9"

Singulis Olej uncijs singulæ drachmæ pulverū, quorū mna ex herbis arefactis, metallis. & terris ɔ promitur; eaq, cerato refrigescenti ɔfuso ac pau= latim ɔmiscere, & accurate trudiculæ agitatr, ne qd grumoti remaneat.

Vnciæ Olej, pulveris drachma, & ceræ ℥ ij. ɔmisceantr. Renod.

## Vng: Anodynum.

## Vnguentũ Album.

Refrigerans & leviter aſtringens valet, ad pruri[...] ſcabiem, aduſtionem, intertrigines, vlcera, puſtu[...] bilioſarum eruptiones, acrem ſerpiginē, intempſo vl[...] calidam, & multa Cutis vitia ſananda. Renod:

## Vng: Arcei.

Huj⁹ Balſami ſemuncia quãtumvis magnũ vuln⁹ curari poterit. Et ſtercq[illegible] quo optimũ pus conficit, et non nimiũ, illud etiã in [illegible] exteriores vulneris ꝓpellit, neq; plus intra vulnus relinquit, q[uam] q[uo]d ad vulneris coctionem, et curãtionem comodum eſt; Ruborē etiam aptiſſimũ carni addit, & cranium opportune humectat. Vſum ejus &c. vide apud Arceũ citato loco./.

## Vnguentum Ægyptiac.

Ad Vlcera antiqua et fiſtuloſa vſitatiſs: Ter[...] putredinem aufert; ſaniem abſumit, excreſce[...] mortuam carnem exedit; non ſine ſenſu dolo[...] Si thus maſculũ addat[ur], vt conſentire videt[ur] [...] miti⁹ erit & minus ſarcoticũ. Renod:

Ad carnem corruptã à sanâ separandã opt[...]

Vnguenta durant annũ integrũ, quędã, biennium, et triennium.

# VNGVENTA SIMPLICIORA.

Cera alba magis expetitur ad frigidorum; Flava ad calidorum Vnguentorum confectionem. Renod:

## VNGVENTVM ALBVM RHASIS.

℞ Olei Roſacei vncias nouem.
Ceruſſæ bonæ in aqua Roſarũ lotæ vncias tres.
Ceræ albæ vncias duas.
Fiat Vnguentum ſecundùm artem.
Adde Camphoræ drachmas duas, & erit Camphoratum.

Albumina Ouorum 3 Bauderon addit.

## VNGVENTVM ÆGYPTIACVM, *MES.*

Quidam melleum à basi nominant.

℞ Æruginis drachmas quinque.
Mellis drachmas quatuordecim.
Aceti fortis drachmas ſeptem.
Coquantur omnia ſimul, donec fiat Vnguentum ſpiſſum & colore ſubrubeum.

## VNGVENTVM ANODYNVM, EX *CORDO.*

℞ Olei Liliorum alborum vncias ſex.
Anethini,
Chamæmelini, ana vncias duas.
Amygdalarum dulcium vnciã vnam.
Pinguedinis Anatis,
Gallinæ, ana vncias duas.
Ceræ albæ vncias tres.
Miſce ſecundùm artem.

## VNGVENTVM SIVE LINIMENTVM *ARCEI.* l.1.c.4.

℞ Gummi Elemni,
Terebinthinæ Abietinæ, ana vnciam vnam ſemis.

Seui

Seui Veruecini antiqui,
& liquefacti, vncias duas.
Pinguedinis Porcinæ,
antiquæ, & liquefactæ,
vnciam vnam.
Miſce, fiat Vnguentum ſ.a.

## VNGVENTVM AVREVM.
*MES.*

℞ Ceræ Citrinæ libram dimidiam.
Olei libras duas ſemis.
Terebinthinæ vncias duas.
Reſinæ pineæ,
Colophoniæ, ana vnciam vnã ſemis.
Thuris,
Maſtiches ana vnciam vnam.
Croci drachmam vnam.
Confice ſecundùm artem.

## VNGVENTVM BASILICON MAIVS, *MES.*

℞ Ceræ albæ,
Reſinæ Pini,
Seui Vaccini,
Picis Græcæ,
Terebinthinæ,
Olibani,
Myrrhæ, ana vnciam vnam.
Olei libram vnam, aut quantitatem ſufficientem.
Miſce, fiat Vnguentum.

## VNGVENTVM BASILICON MINVS, SEV TETRAPHARMACVM.
*MES.*

℞ Ceræ flauæ,
Reſinæ pinguis,
Picis Græcæ, ana libram dimidiam.
Olei libras duas, vncias quatuor.
His duntaxat liquatis & permixtis fiat Vnguentum iuſtæ conſiſtentiæ.

## VNGVENTVM ex BDELLIO.
*MES.*

℞ Bdellii drachmas ſex.
Euphorbii,
Sagapeni, ana drachmas quatuor.
Caſtorei drachmas tres.
Ceræ drachmas quindecim.
Olei Sambucini, vel Cheirini drachmas decem.
Bdellium & Sagapenum in aq: Rutæ agreſtis diſſoluantur: cætera cum aq: calida vniantur.
Fiat Vnguentum ſ.a.

VNG-

Vnguentũ Aureum.

…a leviter detergit; agglutinat, vlcera cava
mundata carne implet, dolorem siquis in his
…, mitigat, et ad cicatricem accelerat. Ren. Fer:

Vng: Basilicon Majus.

…e diapyeticũ, seu pus movens et suppuratiuũ.
… in imbecilli9 est composito, et minus calidũ, ac ve-
tempatũ, ꝑptexdã pepasmo seu coquendis, et in
vertentibus humoribꝰ magis idoneum. Ex. Renod:

Vng: Basil: minus. Tetraphar:

…it symmetrꝫ et tempatũ, optimũ est suppuratoriũ,
…lefacit, humectat, dolorẽ mitigat, humorem
…xiũ ꝑti impactũ coquit, et pus movet, illiꝰ lenit
…ximoniam, et carne vlcera implet. Phlegmonis
…crescentibꝰ vtile. Renod: Fernel:

Vng: ex Bdellio

…. ad Paralysin, & Spasmũ jam ꝯfirmatũ. nam
…enter digerit, ac mollit, vt articulorꝫ & nervorꝫ
…hos dissipet; eorundẽ frigidos affectꝰ juvat,
membri alicujꝰ resolutõem sanat; ad Epilepsiã
…ximũ prodest. Ph. Aug:

Vngu: de Calce.

Vng: Dialthea simplex.

Vsu celeberrimū ad emolliendū, calfaciendū, et humectandū. Pectoris dolores ex frigore contractū delet, Lateriſq; doloribus feliciter adhibetur, p se aut etiā cū butyro illitum. Viscerum duritiés laxat. Splenicis, hepaticis confert, Stomachi inflationes discutit. Valet ad nervorū duritiem, oſſaq; fracta glutinat, vulnera claudit, resolutis nervis bonū facit, & ptisicis pfricatio; inprimis tn̄ veſicæ ad ignē illitū; periodicasq; febres abolet. Emollit, lenit, concoquit, incidit, digerit. Phl. Augr.

Vng: Dialthea Comp:

Vng: Enulatum.

Ad Pruritū, Scabiem siccas et humidas, quacunq; cāā ortam, atq; ad alias Cutis fœditates mire est efficax. Fernel. Renod:

### VNGVENTVM DE CALCE. *FOESII.*

℞ Calcis ſepties ſaltem ablutæ ſelibram.
Olei Roſati libram.
Agitentur probè in mortario plumbeo, adde Ceræ tres vncias.

### VNGVENTVM DIALTHÆÆ SIMPLEX, *NICOLAI.*

℞ Radic: Althææ recentium & contuſarum libras duas.
Sem: Lini,
Fœnugræci contuſorum, ana libram vnam.
Macerentur in aquæ libris octo. Deinde leuiter coquantur, & exprimatur Mucilago, cuius
℞ Libras duas, & Olei libras quatuor.
Bulliant ſimul, dum Mucilago ſit abſumpta, ac tum adde
Ceræ libram vnam.
Reſinæ libram dimidiam.
Terebinthinæ vncias duas.
Percoquantur in vnguenti conſiſtentiam.

### VNGVENTVM DIALTHÆÆ COMPOSITVM, *NICOLAI.*

℞ Radic: Althææ libras duas.
Sem: Lini,
Fœnugræci, ana librā vnā.
Scillæ pulpæ libram dimidiam.
Olei libras quatuor.
Ceræ libram vnam.
Terebinthinæ,
Gum: Hederæ,
Galbani, ana vncias duas.
Colophoniæ,
Reſinæ, ana libram dimidiam.
Radices benè abluantur & terantur; ſimiliter Fœnugrecum, Sem: Lini & Scilla, & tum benè trita fuerint, poſteà in libris octo aquæ per tres dies macerentur, quarto die ſuper ignem bulliant, & extrahatur Mucilago, cuius
℞ Libras duas: & cum oleo ſimul bulliant ad ſucci conſumptionem. Poſteà addantur, Cera, Reſina, & Colophonia, quæ cum liquefacta fuerint, adde Terebinthinā, poſteà Galbanum, & Gum: Hederæ in aceto diſſoluta.
Coque parumper, & ab igne remoueatur, tamdiù agitando donec infrigeſcat, & vt benè incorporentur omnia.

### VNGVENTVM ENVLATVM.

℞ Rad: Enulæ, dum emolleſcant in aceto coctarum, tritarum,

tarum, cretarum, libram vnam.
Axungiæ Porcinæ, vet: ſalitæ, libram vnam.
Olei communis vncias quatuor.
Ceræ nouæ vncias duas.
Salis communis vnciam vnam.
Hydrargyri ſaliuâ vel ſuc: limo: extincti,
Terebinthinæ reſiduo coct: Enulæ lotæ, ana vncias duas.

Simul Axungia, Cera, & Oleum liquefiant. His adde pulpam Enulæ, & Salem pulueriżatum: tandem Hydrargyrum cum Terebinthina, & pauca Axungia in mortario agitatione multâ re-extinctũ. Fiat vnguentum ſ.a.

Parari etiam debet ſine Mercurio.

## VNGVENTVM DIAPOMPHOLYGOS NIHILI, *NICOLAI.*

℞ Olei Roſacei vncias ſedecim.
Succi Solani vncias ſex.

Bulliant ad Succi conſumptionem, adde

Ceræ albæ vncias quinque.
Ceruſſæ lotæ vncias duas.
Plumbi vſti & loti,
Pompholygos præparatæ,
Thuris puri, ana vnciam vnam.

Redigantur in Vnguenti formam ſecundùm artem.

Immutat ſimplicium Doſim Renod.

## VNGVENTVM REFRIGERANS, *GALENI.*

Ceratum etiam dicitur.

℞ Ceræ albæ vncias quatuor.
Olei Roſati Omphacini libram vnam.

Liquentur in duplici vaſe, & tranſfuſa in vas aliud, ſenſim affusâ aquâ frigidiſſimâ, ac ſubinde mutatâ, diù ſubigantur donec albeſcant, poſtremò lauabis in Aqua Roſarum, & addes

Aceti Roſacei & aq: Roſaceæ parùm.

## VNGVENTVM DE MINIO ſeu RVBRVM CAMPHORATVM.

℞ Olei Roſacei libram vnam ſemis.
Minij vncias tres,
Lithargyri vncias duas,
Ceruſſæ ſeſquivnciam,
Tutiæ drachmas tres,
Camphoræ drachmas duas,
Ceræ in æſtate vncias duas,
in Hyeme vnciam vnam.

Fiat Vnguentum in pila plumbea cum piſtillo plumbeo; Cerâ priùs in Oleo liquatâ ad lentum ignem; poſteà reliquis adiectis tenuiſſimè tritis.

VNG-

## Vng: Diapompholygos.

...tiſsimũ e'' ad Vlcerũ ſanationem. Corp: calorẽ ...gat, humiditatẽ ſiccat, malignitatẽ cancroſam ...cat, dolorẽ lenit, cavitatem carne implet, et ad ...trices pducit. maxime tibiarũ vlceribꝰ pdeſt. Renod. ...frigerat, adſtringit, fluxiones inhibet, et ...a cava implet. Fernel.

## Vng: Refrigerans Gal.

...ad phlegmonas, eryſipelata, herpetes, carbunculos, ...hla, oẽmq; intemperiem calidam; febrientibꝰ multum ...cit, ſi hypocondrijs ſupponat. Renod.

...refrigerans ſiliũ e'', etiã Gal. autoritate; ſucci lactucæ, ... ſempervivi, aut ſimiliũ refrig: addunt. Renod: Sed hoc ...niſi utendi tempore: ſimplex, e. tm̃ in pharm: ſervatr./.

## Vng: de Minio.

...erat et ſiccat potentiſsime, idcirq; ignibꝰ ſacris adhibere ...tiſsime, Cancros ſanat, et exedentia vlcera, quæ humorẽ ...oniâ ſerpunt, ea namq; ſuâ frigiditate obtundit. Renod: ...er fac: cũ Vng: de Plumbo apd Foeſiũ ſect. 11. Ph. Aug:

## Vng: Nicotianæ.

Ad Vlcera, Scabiem, Scrophulas, pstantiss. sano novi
do Vnguenti hoc admirandū. Joub. Phar. in margine.
Vulneribus et vlceribus tam antiquis qm recentibus psanandis, ce=
lebrat. Adusta juvat, morphæam delet. Sineam Capitis
extergit, cutim a scabie mundificat. Ph: Aug:

## Vng: Opthalmicum.

Opthalmicum dr ab effectu, qd humorū flux
arcet, calorem tempat, acrimoniā mitigat, l
& sistit et siccat; dolorem sedat, ruborem au
et oculum roborat, si illius tantillū post vlia
purgaōēm et sanguinis eductionem ad angulos
palpebrar, adhibeatr. Renodæus./.

## Vng: Nutritum.

Vim ht reprimendi, desiccandi, carnē vlceribus cavis gene=
randi, tāqz ad cicatricē pducendi. Renodi:

## Linimentū G: Placent:

## VNGVENTVM NICOTIANÆ ſeu PETI, *IOVBERTI.*

℞ Folior: Nicotianæ libras duas.
Axungiæ Porcinæ recentis diligenter lotæ libram vnam.
Herba trita maceretur per noctē in Vino rubro; manè bulliat igne lento cum Axungia ad Vini conſumptionem, Cola & colaturæ adde
Succi Nicotianæ depurati libram dimidiam.
Reſinæ abiegnæ vncias quatuor.
Coquantur ad ſucci conſumptionem, addendo circa finem,
Radic: Ariſtolochiæ rotundæ pulueriſatæ vncias duas.
Ceræ nouæ q. ſ. fiat Vng.

## NVTRITVM ſeu CRVDVM, ſeu è LITHARGYRO ſeu TRIPHARMACVM, *MES.*

℞ Lithargyri auri tenuiſſimè læuigati libram dimidiam.
Olei Roſati libram vnam.
Aceti vncias quatuor.
Affunde viciſſim modò Oleum, modò Acetum, & agita in mortario tamdiù donec totum liquorem ebiberit Lithargyrus. Fiatque conſiſtentia Vnguenti albidi.

## VNGVENTVM OPHTHALMICVM. *RENODÆI.*

℞ Boli Armeni in aqua Roſarum loti vnciam vnam.
Lapidis Calaminaris in aqua Euphragiæ abluti,
Tutiæ præparatæ, ana drachmas duas.
Margaritarum tenuiſſimè læuigatarum drachmam dimidiam.
Caphuræ ſcrupulum dimidiū.
Opij grana quinque.
Vnguenti Roſacei vncias quinque. Et Olei Roſacei q. ſ.
Fiat Vnguentum ſ. a.

## LINIMENTVM GVIL: PLACENTINI SIMPLEX.

℞ Ceruſæ lotæ vncias octo.
Ceræ albæ vncias ſeptem.
Lythargyri loti,
Succi Solani, ana vncias quinque.
Thuris pulueriſati drachmas decem.
Olei Roſacei pluries in aqua ſimplice loti libras duas.
Miſce, fiat Linimentum.

## VNGVENTVM è PLVMBO *FOES.*

℞ Plumbi vſti cum Sulphure,
Lythargyri, ana vncias duas.
Ceruſæ,
Antimonij, ana vnciam vnam.
Olei Roſati q. ſ.
Fiat Vnguentum.
Elimatam Plumbi ſcobem in olla Sulphure exurito.

## POMATVM, SEVVM CONFECTVM. Amat: Luſitan: ſine Speciebus.

℞ Adipis Ceruini, vel Hædini ad renes, libras duas.
Pinguedinis Suillæ recentis libram ſemis.
Pomorum Camuſiorũ mund: inciſ: numero octo,
Pinguedines membranis purgatas Vino albo abluito, panno lineo exprimito; in olla vitreata aquâ Roſaceâ ſemiplena infundito, prunis lenibus admoueto, bacillis agitato, feruere permittito, aquoſitas dum ferè conſumatur. Reſiduum in vaſe fictili Roſaceâ inſperſo per rarum linteum percolato. Colatis addito
Olei Amygdalarum dulcium vncias ſex.
Ceræ albæ vncias quatuor.
Ad ignem liquefacta recolato; Roſaceâ abluta reſeruato.

## VNGVENTVM POTABILE EX *FOES.*

℞ Butyri recentis ſine ſale libram vnam ſemis.
Rubiæ tinctorum,
Caſtorei,
Spermatis Ceti,
Radic: Tormẽtillæ, ana vnciam dimidiam.
Bulliant ſimul in Vini odorati q. ſ. ad Vini conſumptionem, & fiat Vnguentum.

## VNGVENTVM AD PRVRITVM SCABIOSORVM, *RENODÆI.*

℞ Axungiæ Suillæ in ſucco Scabioſæ ſæpiùs lotæ libram dimidiam.
Radicis Oxylapathi in aceto ad putrilaginem coctæ, & per ſetaceum traiectæ,
Sulphuris in ſucco Limonum abluti, ana vnciam vnã ſemis.
Vnguenti Populnei in ſucco Enulæ nutriti vnciam dimidiam.
Omnibus in mortario ſubactis fiat Vnguentum ſ. a.

## Vng: è Plumbo.

rigerat et siccat potentiſsimè, ideoq; ſenib? acris felicißimè adhibetE: Cancros sanat et edentia vlcera. Inflammatis ꝓdest. Foeſi?

## Vng: Potabile.

PEcipitatos juvat, eorumq; qui ex alto ceciderunt vulnera interna glutinat. Fooſi?

## Pomatum, Sevum Confectū.

## Vng: ad Pruritū scabioſorꝝ.

Ad Scabiem pruriginosam efficacißimū. Serū E. bilioſum, et pituitam acrem et salſam mitigat & humores quosvis calidos otempat. Renod:

## Vng: Rosatum.

Calorem immoderatũ extinguendo, Phlegmonas omnes, Erysipelata, et Herpetas sedat. Dolores Capitis à caã calidâ, et Ventriculi et Renũ ac Hepatis, incendiũ mitigat: Q̃ʳ opiũ admittit, hæc omnia potentiꝰ p̃stat; et p̃terea somnũ conciliat; phreniticos conducit et viros reficit. Renod:

## Vng: Tutiæ.

## Vngu: Rubrũ desiccans.

Refrigerat, roborat, fluxionẽ sistit, ptes affectã tuet & humiditates excrementitias digerit, assumit, siccat, vlcera ac vulnera ad cicatricẽ pducit. Renod:

## Vng: Adstringens.

Laxiores ptes ↄtrahit, ductus viasq; coarctat, iones intercipit et repellit, Vulvæ, Vteri, Sedis intestini plapsum cohibet, & pfluentem sanguinem admodum sistit. Fernel:

### VNGVENTVM ROSATVM, *MES.*

℞ Axungiæ Porcinæ, membranis expurgatæ, libram vnam, lauetur nouies aquâ calidâ, & deinde toties aquâ frigidâ, deinde additâ
Roſarum rubrarum recentium contuſarum librâ vnâ,
ſinatur marceſcere per dies ſeptem, deinde coquatur lento igne & coletur: rurſus cum pari admiſtione Roſarum recentium contuſarum totidem dies marceſcat: tum coquatur & coletur vt antè, tandem affunde ſucci roſarum rubrarum vncias ſex. Ol: Amygd: dulc: ℥ij. Renod: cutis meatus reſerat.
Coque igne lento ad ſucci conſumptionem: coletur: fiat Vnguentum ſecundùm artem.

### VNGVENTVM RVBRVM DESICCATIVVM. *NICOLAI.*

℞ Olei Roſati Omphacini libram vnam ſemis.
Ceræ albæ vncias quinque.
Liquatis inſperge, in plumbeo mortario
Terræ Lemniæ, vel Boli Armeni,
Lapidis Calaminaris, tritorum exquiſitè, ana vncias quatuor.
Lithargyri auri,
Ceruſſæ, ana vncias tres.
Caphuræ drachmam vnam.
Fiat Vnguentum ſ. a.

### VNGVENTVM TVTIÆ VVLGARE.

℞ Tutiæ præparatæ vncias duas.
Lapidis Calaminaris ſæpiùs vſti, & in aqua Plantaginis extincti vnciam vnam.
Pulueriſentur tenuiſſimè, & cum Axungiæ Porcinæ ſæpiùs in aqua roſacea lotæ libra vna ſemis
Fiat Vnguentum.
Paratur etiam cum Vnguento roſaceo, loco Axungiæ.

## VNGVENTA MAGIS COMPOSITA.

### VNGVENTVM ADSTRINGENS *FERNELII.*

℞ Olei roſati in aqua aluminoſa ſæpiùs loti libram vnam ſemis.
Ceræ albæ vncias quatuor.
Gallarum

Gallarum immaturarum.
Nucum cupreſſi,
Baccarum Myrti,
Balauſtiorum,
Malicorij,
Corticum glandium,
Acaciæ,
Rhois,
Maſtiches, ana vnciam vnam.

Omnia exquiſitiſſimè trita macerentur in ſuccis Meſpilorum & Sorborum immaturorum per dies quatuor, deinde ſiccentur igne non acri, ſicque cum oleo & cera fiat Vnguentum ſecundùm artem.

*Ἄγρειπον. q. a succ. agrestis, q. fit ex succis simplicium agrestium per macerationem in oleo. /

### VNGVENTVM AGRIPPÆ, * NICOLAI.

a Myreps. vocat. Ϋενπα. Lat. Cod. de Agrippa. falso sic R. Agrip. tribuit.

℞ Radic: Bryoniæ libras duas.
Radic: Cucumeris Agreſtis libram vnam.
Scillæ laminarum libram dimidiam.
Radic: Ireos recentis vncias tres.
Radic: Filicis maris.
Ebuli,
Tribuli aquatici, vel ari ana vncias duas.

Tuſa omnia recentia macerentur diebus ſex vel octo in Olei albiſſimi non rancidi libris quatuor.

Nic. lib. Lentiscini: rithose. Nos albissimi i. com, et antiqui.

Coquantur deinde igne lento, donec radices incipiant marceſcere, poſteà exprimantur, & in expreſſo oleo, Ceræ albiſſimæ vnciæ quindecim liquefiant, & reducantur in Vnguenti conſiſtentiam.

### VNGVENTVM DE ALABASTRO. BEN: VICT: FAVENT:

℞ Succi Chamæmeli vncias quatuor.
Succi { Roſarum rubrarum vncias duas.
Rutæ recentis.
Betonicæ, ana vnciam vnam ſemis. }
Succi Radic: Althææ vncias duas.
Olei Roſacei Omphacini librã vnam ſemis.
Alabaſtri puri ſubtiliſſimè pulueriſati vncias tres.

Infundantur per noctem, deinde coquantur ad ſuccorũ conſumptionem, & cum Ceræ albæ vncijs ſex fiat Vnguentum ſecundùm artem.

### VNGVENTVM APOSTOLORVM, *AVICENNÆ:*

Componitur ex tot simplicibus quot olim erant Apostoli. Avican: vocat Alhauakin. Renod:

℞ Terebinthinæ,
Reſinæ,
Ceræ albæ,
Ammoniaci, ana drachmas quatuordecim.
Radic: Ariſtolochiæ longæ,

Thuris

## Vng: Agrippæ.

...mus confert Hydropi, nervis affectis et oedematibus, ...cunq; in corporis parte fuerint. Nephriticis succurrit, ac ...tri illitũ alvũ movet et stranguriam sedat, ad lieno... ...et ventris dolores utile est. Ph. Aug. Forestus in melichi... ...ri illitũ hydropicis prodest; ut & lienosis si ...istrũ hypochondriũ inungatur. Bc. Renod. /.

## Vng: de Alabastro.

...t omni capitis dolori, sive is per intemperiem, sive per consensum ...us fuerit, cum et citra febrem, omniq; morbi tempore, solo ...epto principio. Ph. Aug:
...re dentium extra ungatur maxilla ung: Alabastrino. ...tum tangitur, ut Vng: Alab. in morta calidam misceatur ...gidis, sicut in frigidam cum calidis. Sennert: de dol. dentiũ.

## Vng: Apostolorum.

...ra et vlcera contumacia item fistulas expurgat ...tergendo, fungosam aut mortuã carnẽ excedit, ... absumit, novæq; restitutionem accelerat. Fernel. ...enod:

## Ung: Aregon.

Numeratur inter calidiora unguenta calida, ideoq; corporis vitijs frigidis prodest, Convulsioni, Paralysi, Tetano, et nervorum distentioni. Spinae, ac renum dolores et colicos cruciatus sanat. Ad omnem stomachi et ventris dolorem, uterina quoque mulierum mala, Quartanas, et morbum Comitialem conducit. Articularios juvat, et rigores febrium spinae illitus discutit. Eo frequenter utimur in Lue Venerea. Ph. Aug:

Calefacit, valde extenuat atq; digerit, corporis externiq; nervorum frigidis affectibus, Convulsioni, Resolutioni, Lumborum, Articulorum, Colicoq; dolori aptum. Fern.

## Ung: e Succis Apritivis.

Viscerum obstructiones liberat, eoq; in jecorarijs crebro utimur. Foesius./.

Thuris maſculi,
Bdellij, ana drachmas ſex.
Myrrhæ,
Galbani, ana vnciam dimidiã.
Opopanacis,
Floris æris, ana drachmas duas.
Lithargyri drachmas nouem.
Olei (ſi æſtas fuerit) libras duas, (Sin Hyems) libras tres.
Aceti q. ſ. ad Ammoniacum, Opopanacem, & Galbanũ diſſoluenda.
Confice ſecundùm artem.

## VNGVENTVM AREGON, ADIVTORIVM. NICOLAI.

℞ Roriſmarini,
Maioranæ,
Serpylli,
Rutæ,
Radic: Ari,
Radic: Cucumeris Agreſtis, ana vncias quatuor ſemis.
Fol: Lauri,
Saluiæ,
Sabinæ,
Radic: Bryoniæ,
Pulicariæ, i. Conyzæ maioris & minoris, (& in defectu minoris accipe duplum maioris) ana vncias quatuor.
Laureolæ vncias nouem.
Fol: Cucumeris Aſinini,
Nepetæ, ana libram dimidiam.
Omnia Menſe Maio collecta & expurgata tundantur recentia, & macerentur diebus ſeptem in olei optimi libris ſex, affuſâ aquæ Vitæ librâ vnâ: deinde coquantur dum contabeſcant, & dum conſumpta ſit aqua. Oleum percoletur, in quo liquentur,
Ceræ vnciæ ſedecim.
Adipis Vrſini,
Olei Laurini, ana vnciæ tres.
Olei Moſchelini vncia dimidia.
Petrolei vncia vna.
Butyri vnciæ quatuor.
Coagitatis demùm hi pulueres inſpergantur,
Maſtiches,
Olibani, ana drachmæ ſeptem.
Pyrethri,
Euphorbij,
Zingiberis,
Piperis, ana vncia vna.
Omnia in Vnguenti formam redigantur ſecundùm artem.

## VNGVENTVM è SVCCIS APERITIVIS PRIMVM FOESII.

℞ Succi Apij,
Endiuiæ,
Menthæ,
Abſinthij,
Petroſelini vulgaris,
Valerianæ, ana vncias tres.
Olei Abſinthij,
Menthæ, ana librã dimidiã.

Ceræ

Ceræ Citrinæ vncias tres.
Miſce, & ad ignem fiat Vnguentũ
Additur quandoq; Pulueris
Calami Aromatici,
Spicæ Nardi, ana drachma vna.
Olei Capparum aliquid.

## VNGVENTVM APERITIVVM SECVNDVM.
*FOESII.*

℞ Succi Ebuli vncias octo.
Apij,
Petroſelini, ana vncias quatuor.
Succi Abſinthij,
Ireos, ana vncias quinque.
Olei communis libram dimidiam.
Olei Liliorum alborum vncias decem.
Olei Abſinthij,
Chamæmelini, ana vncias ſex.
Pingued: Anatis,
Gallinæ, ana vncias duas.
Coquantur omnia ſimul ad conſumptionem Succorum; poſteà colentur, & cum Ceræ albæ vncijs ſeptem, & pauxillo Aceti paretur Vnguentum ſ.a.

## VNGVENTVM DE ARTANITA MAIVS *MES.*

℞ Succi Artanitæ, id eſt, Cyclaminis, vel eius defectu decocti radicum fortis libras tres.
Succi Cucumeris agreſtis;
Butyri vaccini, ana librã vnam.
Olei Irini libras duas.
Pulpæ Colocynthidos vncias quatuor.
Polypodij vncias ſex.
Euphorbij vnciam dimidiam.
Contundenda terantur, & macerentur in ſuccis, & oleis per dies octo in vaſe vitreato bene obturato: poſteà coquantur in duplici vaſe ad ſuccorum ferè conſumptionem: Cola, colaturæ adde
Ceræ vncias quinque,
Fellis Taurini drachmas ſeptem ſemis.
Feruefiant ſimul, donec Cera liqueſcat, & adde
Sagapeni drachmas ſeptem ſemis.
Myrrhæ drachmas tres.
In aceto diſſoluta agitentur ſimul, donec parùm infrigeſcant, & tunc inſperge paulatim puluerem ſubſequentium medicamentorum ſimul mixtorum,
Scammonij,
Aloes,
Colocynthidos,
Mezeræi foliorum, vel baccarũ.
Turpeti, ana drachmas ſeptem ſemis.
Salis gemmæ drachmas quatuor ſemis.
Euphorbij.
Piperis longi,

Vnǵ: Aperitivum. 2ᵘˢ Foesij.

Vng.: de Artanita, maj.

stomacho vomitu purgat; Hypogastri a . inunctu dejicit. Ob id Hydropicos mixe juvat, serosus excre- largo evacuando. Vermes enecat et educit. Jis qui purgans medicamentum sumere abhorrent. Melichi 9.

Vtug:

umbilici regionē applicanda, cavendo, ne ventri vel hepatis regionē attingam9, cū purgari volum9. Sen. Sp.

Vng: Cataplaſmas.

Vng: Citrinum.

Papulas ex bile, aut ſalſa pituita, in Cute præſertim fa[illegible] erumpentes reprimit, lentigines, impetigines, livores e[illegible] fœdas cicatrices delet, oculorum rubores aufert, & cutan[illegible] affectus ſanat. Renod: Fernel.

Zingiberis,
Chamæmeli, ana drachmas tres.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM CATAPSORAS.

℞ Ceruſſæ, in aqua Portulacæ priùs lotæ, deinde in aceto, radicum Raphani ſylueſtris infuſarum ſuccis imprægnato, & ab ijſdem expreſſo:
Lapidis Calaminaris,
Chalciteos, ana drachmas ſex.
Lithargyri plumbi vncias duas.
Plumbi vſti,
Sanguinis Hirci ana ſemunciam.
Argenti vivi ſublimati vnciam vnam.
Succor: Semperviui,
Solatri,
Plantaginis, ana vncias duas.
Axungiæ Porcinæ à pelliculis mundatæ libras tres.
Oleorum Violarum,
Papaueris,
Mandragoræ, ana vnciam vnam.
Miſceantur, & benè incorporentur priùs Sublimatum & Axungia, deinde addantur Olea cum Succis, & poſtremò pulueres, vt ex omnibus diligenter invicèm commiſtis, fiat ſ. a. Vnguentum.

VNGVENTVM CITRINVM SEV CITRIVM.
*NICOLAI.*

℞ Boracis vnciam vnam.
Caphuræ drachmam vnam.
Corallij albi vnciam dimidiam.
Amenti vel Gypſi, vel Aluminis plumoſi vnciam vnam.
Vmbilici marini, ſeu belirici,
Tragacanthæ albiſs:
Amyli, ana drachmas tres.
Cryſtalli,
Entalis,
Dentalis,
Olibani, i. Thuris albiſs:
Nitri,
Marmoris albi, ana drachmas duas,
Gerſæ Serpent: ex radic: Dracuntij factæ vnciam vnam.
Ceruſſæ vulgaris vncias ſex.
Adipis Suilli recentis, non ſaliti, mundi, libram vnam ſemis.
Seui Caprini præpar: vnciam vnam ſemis.
Adipis Gallinacei vncias duas ſemis.
Redigantur pulueriẑanda in puluerem ſubtiliſſimum ſ. a. plurima verò per ſe. Conficiatur Vnguentum ſic: Adipem Suillum & Gallinaceum mundatum, immitte in ollam fictilem vitreatam ſtricti orificij, quibus imponantur Citria mala duo, mediæ magnitudinis, vnà cum pulpa & ſucco interiori fruſtulatim inciſa: coope-

riatur vas & collocetur in Balneo calido per dies ſeptem, deinde excolentur Citria, liquefactoque Seuo Caprino ſenſim inſpergantur pulueres, Caphura verò & Borax vltimò injicienda erunt, probè agitando donec Vnguenti formam acquirat.

## VNGVENTVM COMITISSÆ *VARIGNANÆ.*

℞ Cortic: medianorum,
Glandium,
Caſtanearum,
Quercus arboris,
Fabarum,
Baccarum Myrti,
Caudæ Equinæ,
Gallarum,
Acinorum Vuarum,
Sorborum immatur: ſiccorum,
Meſpilorum immaturorũ ſicc:
Folior: Pruni ſylueſtris,
Radic: Biſtortæ,
Tormentillæ ana vnciam vnam ſemis.

Terantur craſſiuſculè & coquantur in Aquæ Plantaginis libris octo, donec pars media conſumpta fuerit, colentur. deinde

℞ Ceræ citrinæ nouæ vncias octo ſemis, diſſolue cum Olei Myrtini ſimplicis libris duabus ſemis, & lauetur nouies cum decoctione prædicta, ſemper nouã decoctionem affundendo quotieſcunque laueris. Poſteà inſperge ſequentium, tenuiſſimũ puluerem.

℞ Corticum medianorum,
Glandium,
Caſtanearum,
Quercus arboris,
Gallarum, ana vnciam vnam,
Succi Hypociſtidos,
Cineris oſſium cruris bubuli,
Baccarum Myrti,
Acinorũ Vuarum immaturarũ.
Sorborum immat: ſiccorum, ana vnciam dimidiam.
Trochiſcorum de Carabe vncias duas.

Miſce & cum prædicta Cera & Oleo Myrtino lotis, addendo Olei Maſtichini non loti q. ſ. fiat Vnguentum bonæ conſiſtentiæ ſ.a.

## VNGVENTVM AD HÆMORRHOIDAS. *NORIMB.*

℞ Amyli albiſſ:
Ceruſſæ lotæ,
Lithargyri præparati,
Plumbi vſti,
Tragacanthæ, ana drachmam vnam & dimidiam.
Opij Thebaici,
Camphoræ, ana ſcrupulũ vnũ.
Albuminis oui vnius,
Olei Roſacei,
Violacei, ana vnciam vnã & dimidiam.
Ceræ q.ſ. fiat vnguentum.

VNG-

## Vnguentũ Comitissæ.

-rib' illitũ menses sistit, & Hæmorrhoidas ortũ prohibet, et laxatas venas constringit. ℞ Dul. ...d cui similitudinem pleraq; alia parant ex pulver. ...ingentib', rosarũ, myrtill: nucũ cupr. malicorij, ...arũ, balaustiorũ, boli armenæ, sang: dracon: ...læ, cũ Oleo ros. omphac. myrtino, mucag. gummi ...gacanthi, extr. in aq. plantag. & cera, quod a quibusdam ...ò defensivũ dr. quod fit ex ovi alb: bol. arm: ...leo ros. vel, Bolo, Aceto, & oleo. Vel

℞. Ol. ros: ℥vj. aceti ℥iiij. ceræ alb. ℥iß. ...t. simul ad aceti consumpt. adde boli arm: ter. ...g. drac. an. ℥i. f. defensivũ. vulgò magistrale.

A

## Vng: ad Hæmorrhoidas Norimb.

## 1. V. Ad Fluxionē intercipiendã.

℞. Ol: ros. omphac. ℥viij. ceræ albæ ℥i. Liquescant simul; adde acaciæ, sang: drac. an. ʒij. pulv. mastic. gallarũ, malicorij, balaustiorũ, nucũ Cupress. myrtill. an. ʒi. f. Vng.

## 2. Vng: Stypticũ Fernelij. Planij.

℞. Ol. ros. sæpius in aq: alumin. loti ℔. jß. Ceræ alb. ℥iiij. gallar. immat: nuc: cupr. baccar. myrti, balaust. malicor. cort: gland. acaciæ rhois, mastiches, an. ℥i. cũ succis mespil. & sorborũ misceatur. f. Vng: cum Vng. Comitiss.

Vires. Inter astringentia primũ locũ obtinet. Ob id admovet partib' imbecillis roborandis, & ab humorum irruentiũ impetu tuendis. Nã fluxiones oẽs intercipit, vulvæ, uteri, sedis, intestiniq; prolapsu cohibet, & effluentẽ sanguinẽ admotũ sistit, pendentes mãmillas retrahit, minores efficit, & ventris a partu rugas tollit. Renod.

## 3. Vnguent: de Bolo.

℞. Bol. Armen. ℔ß. succ: solan. & plantag. an. ℥iij. aceti ℥ij. Ol. ros. ℔j. Sensim agitentur in mortario donec spissitudinẽ acquirat.

Vires. Vim ht refrig. astring. & robor. optimeq; convenit initio fluxionũ calidarũ, incipienti vi... phlegmonj. Erysipelati. &c. Renod.

## Vnguentū Hæmorrh.

Linimento hoc utor ego fælicissimo cū successu. Vim habet emolliendi, sedandi dolorē, et ex p^te exsiccandi Hæmorrhoidas. Saxonia Pract: Med: l. 3. c. 35.

## Vng: Martiatum.

Valet ad frigidos Corporis affect9, morbos Capitis, Thoracis, Stomachi, Jecoris, Lienis, aliosq dolores frigore natos. Tremori, Paralysi, Convulsioni, [illegible] plurimū confert. Lieni indurato præcipue confert. Lienosos &c. et hydropicos expertū est, Livorē emendat, et Articulorū tumores frigidos discutit.
Renod: Form:

## Vng.: Laurinum.

VNGVENTVM HÆMORRHOIDALE SAXONIÆ, pag. 154.

℞ Mucilag: è ſemin: Pſyllij,
Cydoniorũ,
extractæ aquâ Solani, ana ſemunciam.
Olei Roſacei completi vnciam.
Vitellum vnius Oui.
Agitentur ſimul in mortario plumbeo, piſtillo plumbeo, addendo Ceræ liquatæ parum.
Miſce, fiat Vnguentum ſ a.

VNGVENTVM LAVRINVM VVLGARE.

℞ Foliorum Lauri libram vnam.
Baccarum Lauri libram dimidiam.
Foliorum Braſſicæ vncias quatuor.
Olei ex pedibus Bouinis libras quinque.
Seui Bouini libras duas.
Contundantur herbæ, & baccæ, & coquantur cum oleo & ſeuo ad humoris conſumptionem, & coſentur.

VNGVENTVM MARTIATVM *NICOLAI.*

℞ Folior: Lauri,
Roriſmarini, anà vncias octo.
Rutæ vncias ſeptem.
Fol: Tamariſci vncias ſex.
Ebuli,
Esbrij, vel Maioranæ,
Sabinæ,
Balſamitæ, vel Menthæ aquaticæ,
Saluiæ,
Ocimi,
Polij montani,
Calaminthæ,
Artemiſiæ,
Enulæ,
Betonicæ,
Brancæ Vrſinæ,
Spargulæ vel Aparines,
Herbæ venti, i. Anemones ſylueſtris, vel Parietariæ in eius defectu.
Pimpinellæ, i. Sanguiſorbæ,
Agrimoniæ,
Abſinthij,
Herbæ Paralyſeos,
Herbæ ſanctæ Mariæ, i. Coſti hortenſis,
Cymarum Sambuci,
Craſſulæ maioris, Semperuiui minoris,
Semperuiui, i. Sedi maioris,
Millefolij,
Chamædryos,
Centaurij minoris,
Quinqueneruiæ, i. Plantaginis maioris,
Fragariæ,
Tetrahit, vel eius loco Virgæ aureæ,
Quinquefolij, ana vncias quatuor ſemis.

Radic: Althææ,
Sem: Cymini,
Myrrhæ, ana vncias tres.
Fœnugræci vnciam vnam ſemis.
Sem: Vrticæ maioris,
Violarum,
Papaueris rubri, i. erratici,
Mentaſtri, ſeu Menthæ agreſtis,
Menthæ ſatiuæ,
Acetoſæ,
Polytrichi, i. Adianthi albi,
Carduncelli, i. Cardui benedicti,
Matriſyluæ, i. Periclymeni,
Maturellæ, i. Valerianæ maioris.
Herbæ Moſchatæ, vel Geranii Moſchati,
Alleluiæ, i. Trifolij acetoſi,
Linguæ Ceruinæ,
Criſpulæ, i. Buphthalmi,
Camphoratæ, i. Abrotoni,
Medullæ Ceruinæ,
Styracis Calamitæ, ana vnciam dimidiam.
Butyri drachmas decem.
Adipis Vrſini,
Gallinacei,
Maſtiches,
Thuris, ana vnciam vnam.
Olei Nardini vncias duas.
Ceræ libras duas.

Herbæ recentes inciſæ Vino odorifero cum Olei libris octo, diebus ſeptem infundantur, octauo die omnia ſimul decoquantur ad Vini ferè conſumptionem. Amotum ab igne coletur, atque rurſus in lebetem Oleum injiciatur, cui lento igne parum calefacto injice butyrum, Medullam, Adipes, Oleum Nardinum, & Ceram; deinde Styracem, diſſolutam in Vino & paulo Terebinthinæ mixtam. Maſtichem verò, Myrrham, & Thus, pulueriſata poſtremò inſperge. Cumque fuerint omnia probè mixta, agitatione continuâ in vaſe reconde.

## MVNDIFICATIVVM EX APIO. *Guid. tr. 7. do. 1. c. 5.*

℞ Succi Apij libram vnam.
Mellis vncias nouem.
Farinæ Tritici vncias tres.

Coquantur ad ignem vſque ad ſpiſſitudinem.
Fiat Vnguentum ſ. a.

## VNGVENTVM NEAPOLITANVM. *RENODÆI.*

℞ Axungiæ Suillæ ſucco Saluiæ lot: libram vnam.
Hydrargyri per laneum traiecti, ſaliuâ ritè extincti, vncias quatuor.
Olei Laurini,
Chamæmelini,
Lumbricorum, ana vncias duas.
De Spica ſeſquiunciam.
Aquæ vitæ vnciam vnam.
Ceræ flauæ vncias duas.

Tere-

## Mundificativum.

ficat et maturat ulcera maligna. Guido.

…xerit aliquantu succi absynthij, non permitteret ulcus dege-
…ere in fistulam, aut in Cancrum. Id. Si supcalefieret
…s, addito succo plantaginis aut crassulae erit utilis.
…i adderetur farina lupinorum aut orobi aut foenugraeci
…or erit. Guido ib.

## Ung: Neapolitanum.

ad Luis Indicae curationem, promovet oris fluorem,
humoris virulenti per os exputationem, si eo post
…rgatu corpus partes bis atque iterum liniantur. Renod.

## Vng: Resinum.

Potest & contemperare & ex alto trahere & medicamento adhaerentiam pr̄stare, et vlc⁹ siccare et consolidare. Rud: l.16.

## Vng: Pectorale.

Lateris et pectoris dolores mitigat, tussim sedat, molli[illegible] excreationem, et expectorationem juvat; humores [illegible] digerit et attenuat. Ph. Aug:

## Vng: Nervinum.

## Vng: Populneum.

Somnum conciliat, et febricitantib⁹, ac caput dolen[illegible] propter calorē, inunctū fronti et temporib⁹, aut pla[illegible] pedum, aut manuū Carpis prodest. Renod: Fernel. [illegible]

Terebinthinæ in ſucco Enulæ lot: vncias tres.
Pulueris Chamæpityos,
Saluiæ, ana drachmas duas.
Fiat Vnguentum, vt artis eſt.

## VNGVENTVM RESINVM.
Euſt: Rud: Morb: Gall: l.5.c.1.f.

℞ Reſinæ Pini optimæ,
Terebinthinæ,
Ceræ citrinæ lotæ,
Olei puri, ana p.æ. Miſce.

## VNGVENTVM NERVINVM.

℞ Fol: Paralyſeos, cum flor:
Saluiæ,
Chamæpityos,
Roriſmarini,
Lauendulæ,
Lauri, cum baccis,
Chamæmeli,
Rutæ,
Apij,
Meliloti cum flore,
Abſinthij, ana manipul: vnum.
Menthæ,
Betonicæ,
Pulegij,
Petroſelini,
Centaurij minoris,
Hyperici, ana manipulum dimidium.

Olei ex pedibus Ouinis, vel Bouinis, libras quinque.
Seui Ouini, vel Bouini, vel Medullæ eiuſdem libras duas.
Olei de Spica vnciam dimidiam.
Contuſis herbis, & coctis cum oleis, & ſeuis, fiat Vnguentum ſ. a.

## VNGVENTVM PECTORALE *NICOLAI*.

℞ Butyri recentis aq: Violarum loti vncias ſex.
Olei Amygdalarum dulcium vncias quatuor.
Chamæmelini,
Violacei, ana vncias tres.
Adipis Gallinæ,
Anatis, ana vncias duas.
Radic: Ireos drachmas duas.
Croci drachmam dimidiam.
Ceræ albæ vncias tres.
Ceram & Adipes in Oleis liquato, dein ſæpiùs lauato aquâ Hordei, vel aq: Hyſſopi. His probè lotis adde Iridem & Crocũ in tenuiſs: pulueremredacta, fiat Vnguentum ſ.a.

## VNGVENTVM POPVLNEVM, *NICOL:*

Hypnoticũ

℞ Oculorum Populi arboris recentium libram vnam ſemis.
Axungiæ

Axungiæ Porcinæ recentis & inſulſæ libras tres.

Oculi ſeu Gemmæ Populi contundantur & macerentur in Axungia, donec ſequentes herbæ colligi poſſunt.

℞ Folior: Papaueris nigri,
Mandragoræ,
Cymarum Rubi tenerrimarũ,
Folior: Hyoſcyami,
Solani,
Lactucæ,
Vermicularis (i) Semperuiui minoris, (non illecebræ)
Sedi, ſeu Semperuiui maioris.
Violarum,
Vmbilici Veneris,
Bardanæ, ana vncias tres.

Contuſa omnia permiſceantur Axungiæ, & Oculis Populi: exactis diebus decem, affunde aq: Roſarum libram vnam, coquantur igne lento, dum aqua, omniſq; liquor abſumatur: coletur, exprimatur, & ſi ſit opus recoquatur, dum Vnguenti temperaturam acceperit.

## VNGVENTVM RESVMPTIVVM *NICOL.*

℞ Axungiæ Porcinæ recentis vncias tres.
Adipis Gallinæ,
Anſeris,
Anatis, ana vncias duas.
Oeſypi humidæ vnciam dimidiam.
Olei Violati,
Chamæmelini,
Anethini, ana vncias duas.
Butyri recentis libram vnam.
Ceræ albæ vncias ſex.
Mucilaginis Tragacanthi,
Sem: Cydoniorũ,
Lini,
Radic: Biſmaluæ,
Gummi Arabici, ana vnciam dimidiam.

Mucilagines extrahantur aquâ Roſaceâ, & additis reliquis, fiat Vnguentum ſ.a.

Si medulla vituli (ʒiii Fern: apoſ) adjiciat[ur], virtut[em] habit magis emollient[em] et relaxant[em]. Renod:

## VNGVENTVM SPLENICVM.

℞ Olei Capparum vnciam vnam.
Olei Liliorum,
Chamæmelini,
Butyri recentis,
Succi Bryoniæ,
Cyclaminis, ana ſemunciam.

Bulliant Olea ad conſumptionem Succorum, addendo
Ammoniaci aceto ſoluti drachmas duas ſemis.
Pinguedinis Gallinæ,
Medullæ cruris Vituli,
Oeſypi, ana ſemi vnciam.

Cortic:

## Vng: Resumptivum.

.. Thoracis dolores lenit, humores commitentes
..ussim coquit, sputu movet, pleuritidi auxiliat.
.. succos inutiles musculis thoracis impactos resol-
..t, et poros relaxat, lenit, emollit. Renod:

Hoc ... compo[siti]o, ut caeteris q[uae] ad emolliendum
..ndu[m] & relaxandu[m] [com]posita sit, iure praeferat[ur]. Non
Vng: Diadipibus, neq[ue] vng: pectoralis gominum,
Vng: Philagrij, neq[ue] ullum aliq[uo]d ad praedictos effect[us]
...tius. Plantius in Fernel. /.

## Vng: Splenicum.

Vng: Splenicū. 2ū.     Valentia Scabioſæ.

Cortic: rad: Tamariſci,
Capparum,
Ceterach,
Radic: Filicis, ana drachmam vnam.
Pulueris ſem: Agni caſti,
Geniſtæ, ana ſcrupulum.
Ceræ, q.ſ. Fiat in formam Vnguenti.

VNGVENTVM ALIVD SPLENICVM MAGISTRALE.

℞ Corticis radicum Capparum drachmas ſex.
Radicum Bryoniæ,
Iridis Florentinæ,
Farinæ ſem: Fœniculi dulcis,
Ammoniaci in aceto ſoluti, ana ſemunciam.
Comarum Abſinthij,
Florum Camomillæ, ana drachmam vnam.
Vng: ex ſuccis aperitiuis Fœſij, viz. deſcriptionis ſecundæ,
Vng: ex floribus Aranciorum, ana drachmas ſex.
Olei Irini,
Capparum, ana vnciam vnam cum ſemiſſi.

Trituranda triturentur exactè, vt, per cribrum tranſmiſſa, cæteriſque in mortario calido ſ.a. (elaboratâ contuſione) admixtis, fiat Vng:

*Sunt qui Vnguenta non admittunt, Emplaſtra verò facilè ferunt; His igitur (pro data occaſione) Vnguenti partem in formam Emplaſtri redactam citiſsimè coaptare licebit, (quod nec minùs intentioni ſatisfacit) ſuperaddendo Ceram, Picem naualem, & Terebinthinæ Cypriæ modicum.*

VALENTIA SCABIOSÆ IOANNIS ARDERNII, ex oppido (vulgò) Newark, in Comitatu Nottingham: Chyrurgi exercitatiſſimi: qui floruit anno 1370. tempore *Edouardi* tertij Regis Angliæ, ipſiſſimis verbis ex antiquo manuſcripto excerpta.

℞ Succum Scabioſæ, in æſtate per pannum colatum, & cum Axungia Porci à pelliculis mundatâ; in mortario benè tundatur, percutiendo ſed non conterendo, & ſemper paulatìm impone de ſucco ad axungiam, vt benè imbibi poſſit, & vt axungia viridis fiat; Quo facto, accipe illam axungiam, & cum dicto ſucco, in aliquo vaſe ponatur, vt axungia ſucco cooperiatur, & ſic ſtare permittas per nouem dies: poſt nonam diem iterùm accipe prædictam axungiam cum ſucco, & modo prædicto contunde, & aquoſitas quæ de eo exibit tenuis & diſcolorata deponatur, & ſic permitte ſtare per quinque dies; poſt quintum diem, iterùm accipe nouum ſuccum Scabioſæ, &

& iterùm (vt prædictum eſt) cum dictâ axungiâ contundatur; quo facto, iterùm per quindenam in vaſe aliquo cum ſucco quieſcere permittatur; quo verò tempore tranſacto, iterùm contundatur (vt prædictum eſt) & ab aquoſitate purgetur, & in vaſe mundo reponatur, & ſic ſtet in pace per aliam quindenam cum appoſitione noui ſucci; poſt quindenam verò, iterùm contundatur, & ſi fuerit ſatis viridis coloris, poſt bonam contuſionem, in vaſe terreo vel vitreo vſui reſeruetur.

*De quantitate vtriuſq; tàm axungiæ quàm ſucci, haùd ambigendum: Illius enim pro ſuo arbitrio quantitatē, Pharmacopœus ſibi præparandam ſuſcipiat, quàm quidèm vſui futuram eſſe conjiciat: Huius autèm ſucco frequentèr repetito, illam imbuat, donec viridi colore ſaturo axungiam impraegnari conſpexerit. Hæc ſiquidem debet eſſe regula, pro menſura ſucci.*

*Hoc autèm monitum eſſe volumus, quantò viridius, tantò efficatius Vnguentum reddi: ſi ergò primâ vice, vel etiam ſecundâ, copioſa ipſius Scabioſæ folia, poſt vnam vel alteram diem à collectione ſ. a. reſeruata (vt aquoſitatis excrementitiæ aliquid deponant) cum axungiâ contundantur, nec non aliorū ſuccus prælo fortitèr expreſſus ſuperaffundatur, vt digitos ad minimum duos ſupereemineat, & in vaſe convenienti obturato commiſta, Soli exponantur, totidem vel pluribus diebus ab authore conſtitutis: deindè poſt fortem expreſſionem, ſucco ſolo fortitèr (vt ſuprà) expreſſo, & ab aquoſitate modicè ſeparato, vireſcens axungia repetitis vicibus (haùd neglectâ contuſione) imbuatur, colorem authoris ad mentem induci, ſimulq; vires Vnguento maiores imprimi, experientiâ edocti atteſtamur.*

## TAPSIVALENCIA eiuſdem Authoris.

℞ Tapſibarbati, & cum axungiâ Porci à pelliculis mundatâ, & minutìm inſciſsâ, benè in mortario vel in pelui contundantur inuicèm, donec axungia benè de ſucco fuerit imbuta, & poſtquàm feceris, permittatur illa axungia cum ſucco ſimilitèr ſtare, per nouem dies, aut plus, donec axungia viridis appareat; Quo viſo, iterùm cum ſucco nouo benè contundatur, & quandò axungia de ſucco perfectè imbuta fuerit & colorata, quod ſuperfluum eſt de ſucco effundatur, & iterùm benè ſine aliquō ſucco contundatur, & in vaſe terreo reponatur, & vſui reſeruetur. Et nota quòd iſta medicina de menſe in menſem debet ſemel contundi, & in contuſione, de Oleo Roſaceo, Violaceo, & Chamæmeli imponere

Tapsivalentia.

Tapſimel ejuſdem.

Vng: Stomachicum.

Vng: ad Lumbricos.

ponere paulatim, vt Valentia ea competentèr poſſit imbibere: Et ſi de bono populeone prædictis addatur, efficacius erit medicinæ iuuamentum.

TAPSIMEL eiuſdem.

℞ Succum Chelidoniæ, Tapſi barbati ana: Mellis deſpumati quantum de ſuccis, & invicem bulliant ad conſumptionem ſucci, poſteà ab igne deponatur, & vſui reſeruetur. Cùm indè contra pruritum vti volueris, accipe de eo quantum volueris, & ei impone, de Puluere Vitrioli combuſti, & Aluminis combuſti, Atramenti, i. arrementi. Et ſi neceſſe fuerit, iterùm bulliatur donec Vnguentum ſatis tenax fuerit, & inde in Anum ponatur parùm, contra pruritum, & citò ceſſabit pro certo, & in omni parte corporis, & hoc Vnguentum dicitur Tapſimel, à Tapſi barbato & Melle: Iſtud pro certo eſt nobile Vnguentum.

*Hæc ad verbum ex veteri Manuſcripto, & ſtylo ſuo.*

Caueat Pharmacopœus, ne Mel ex coctione contrahat empyreuma.

VNGVENTVM STOMACHICVM *NORIMB.*

℞ Olei Abſinthini,
Maſtichini,
Nardini, ana vnciam vnã.
Roſarum rubrarum,
Corallij rubri,
Caryophyllorum,
Cinnamomi,
Ligni Aloes,
Maſtiches,
Menthæ,
Schœnanthûs, ana drachmam vnam.
Ceræ q. ſ.
fiat Vnguentum ſ.a.

VNGVENTVM AD LVMBRICOS MAIVS. *FOESII.*

℞ Olei Rutæ,
Sabinæ,
Menthæ,
Abſinthij,
Amygdalarum amararum ana vnciam vnam ſemis.
Succi florum vel foliorum Perſicæ.
Abſinthij, ana vnciam dimidiam,
Pulueris Rutæ,
Menthæ,
Gentianæ,
Centaurij minoris,

Tormentillæ, ana drachmam vnam.
Semin: Caulium.
Pulpæ Colocynthidos, ana drachmas duas.
Aloes hepaticæ drachmas tres.
Farinæ Lupinorum vnciam dimidiam.
Myrrhæ in aq: Graminis lotæ drachmam vnam ſemis.
Fellis Taurini vnciam vnam ſemis.
Cum Succi Limonum q. ſ. & Ceræ vncia vna ſemis, fiat Vnguentum ſecundùm artem.

# EMPLA-

## De Emplastris & Ceratis ./.

mplastris ; à τῷ ἐμπλάττειν
ingerido, vel illinendo.
mplastra, ꝯprie dicta
unt medta, quæ linteis vel pellibus tenuibus
ducta, cuti ꝯporis tenaci hærent, & nimia cum
rotis ꝯveniunt, sed plus Ceræ & pulverum ad-
ittunt & ex terrenis & glutinosis medicatis
ꝯponuntur; metalla etiam & mineralia, et
erumque lithargyrum, quæ solidam iis ꝯsistentiam
ibuunt, accedunt. Alia quidem eo qualiter ad justam
sistentiam, ut quæ recipiunt litharg: & cerusam, &
a dissolutione & subactione, cum pulveres liquatæ
ræ miscentur. Unde Emplastra dicuntur quæ subigendo,
massa seu magdaleones refrigerata finguntur.
erdum massæ non plane refrigeratæ Telæ
mplasticæ ex litteis usu detritis inver-
untur, & eximunt, quo usi Sparadrappos vocat.

Empl: de Cerussa.

Intertriginib9 quacunqz ex cā succurrit, ac leves Cutis exulcerātiōēs sanat. Sola coctione ab Vngu: albo dīt; vt et Vng: Tetraph. Ph. Aug:

Empl: ex Ammoniaco.

# EMPLASTRA ET CERATA.

## EMPLASTRVM EX AMMONIACO.

℞ Ammoniaci vnciam vnam.
Vng: Dialthææ, } ana vnciã
Emplaſtri Meliloti, } dimidiã.
Furfuris frumenti optimè cribrati vnciam vnam.
Pulueris radic: Bryoniæ, & Ireos, ana vnciam dimidiam.
Pingued: Anatis,
Anſeris,
Gallinæ, ana drachmas tres.
Bdellij,
Galbani, ana drachmam vnam ſemis.
Reſinæ Pini,
Ceræ, ana vncias quinque.
Olei Irini,
Terebinthinæ, ana vnciam vnam ſemis.

Bulliant pinguedines; & Oleum cum ſ.q. Mucilaginis ſem: Lini, & Fœnugræci: & vt ad debitam Emplaſtri formam ducantur, addantur Cera & Terebinthina: mox Vng: Dialthææ, & Emplaſtrum de Meliloto, deinde Gummi in aceto diſſoluta: poſtremòque Pulueres atque reſina Pini pulueriżata ſubtiliter, omnia miſcendo benè, & fiat Emplaſtrum ſ. a.

## ALBVM COCTVM, DE CERVSSA. *VLMENSE.*

℞ Ceruſſæ ſubtiliſſimè tritæ,
Ceræ Citrinæ,
Olei Oliuarũ, ana partes æquales.



Vt alba evadat plus cerussæ addunt, interim maxime providentes ut coquatur, ubi v. coxerit, nigrũ evadit. Poterius Ph.

Ceruſsâ æneum in cacabum im-
miſsâ, lentè addatur Oleum, & lento igne bulliant, aſſiduò & agitentur dum ſimul deſideant: dein indatur Cera minutim conciſa ſucceſſiuè, nec ferueat, donec probè liquata: Coquantur demùm omnia ſ. a. dum nigricent, ad iuſtam conſiſtentiam.

## EMPLASTRVM DE BACCIS LAVRI, *MES.*

℞ Baccarum Lauri vncias duas.
Thuris,
Maſtiches,
Myrrhæ, ana vnciam vnam.
Cyperi,
Coſti, ana vnciam dimidiam.
Terebinthinæ vnciam vnam.
Mellis deſpumati, & leuiter tantum calfacti q. ſ. fiat Emplaſtrum ſecundùm artem.

Efficaciss: et mirabile ad hydropem; si eo tempore cyperi quantitas triplicetur, et addatur stercus capræ aut vaccæ siccum ad pondus omnium. Mesue. Tum augendum est mellis pondus. Ph: Aug.

Ideo Barbarum est, quia simplicia ut Aloes, Asphaltum, myrrha ex Calocutia barbarorum terra afferuntur. Langius Epist: Medic. l. 1. Ep. 77.

## *EMPLASTRVM BARBARVM MAGNVM, Gal: comp: med: ſec. gen. l. 2. f.

℞ Picis ſiccæ libras octo.
Ceræ Citrinæ libras ſex, vncias octo.
Reſinæ Pini libras quinque, vncias quatuor.
Bituminis Iudaici, vel Mumiæ, libras quatuor.
Olei ſeſquilibram.
Æruginis æris,
Lithargyri,
Ceruſſæ, ana vncias tres.
Thuris ſelibram.
Aluminis liquidi, vel Rochæ non vſti ſeſquiunciam.
ſciſſilis, vel Rochæ combuſti vncias quatuor.
Opopanacis,
Squamæ æris,
Galbani, ana drachmas duodecim.
Aloes,
Opij,
Myrrhæ, ana ſemunciam.
Succi Mandragoræ, vel cortic: radic: ſicc: drachmas ſex.
Aceti libras quinque.
Lithargyrus, Ceruſſa, Oleum coquantur ad mellis ſpiſſitudinem: Pix liquefacta, cum Puluere Bituminis, incorporetur: addantur, & coquantur alia ſ. a. donec Acetum conſumatur, nec manus inquinentur. Fall. vuln. gen. c. 15.

## EMPLASTRVM DE BETONICA, *ANDERNACI.*

℞ Betonicæ viridis,
Pimpinellæ,

Agrimo-

## Emplastrum de Baccis Lauri.

...re Ventriculi, intestinorum, hepatis, renum, Uteri & ...icae à flatibus, vel à causa frigida ortum sedat, & ...iam tormina et flatulentam discutiendo hydropi...co confert. Renod:

## Empl: Barbarum Magnum.

...cens cruentis vulneribus medicaris, imponis. Emplastra ...nativa ex asphalto facta: vocant a. ea [illegible] ...acto barbara. Longi. ibid., ex Gal. l. 2. ad Glauc.

## Emp: de Betonicâ.

Commendatur plurimum ad fracturas uniendas, ossaque carne obtegenda, squamas ossium detrahendas, et ad ea quae in alto latent, foras evocanda efficax existit: amissas durasque carnes restituit, valde abstergit, digerit, et siccat. Renod:

Agrimoniæ,
Saluiæ,
Pulegij,
Milleſolij,
Conſolidæ maioris,
Gallitrici,ana vncias ſex.
Thuris,
Maſtiches, ana drachmas tres.
Ireos,
Ariſtolochiæ rotundæ, ana drachmas ſex.
Ceræ albæ,
Terebinthinæ,ana vncias octo.
Gummi Oleæ Æthiopicæ. i. Gummi Elemi vncias duas.
Reſinæ Pini vncias ſex.
Olei Abietini vncias duas.
Vini albi libras tres.

Contuſæ herbæ decoquantur in Vino, deinde colentur, & colaturæ reliqua addantur, & fiat Emplaſtrum ſ.a.

## EMPLASTRVM D. *CÆSARIS.*

℞ Radic: Biſtortæ,
Nucum Cupreſſi,
Roſarum rubrarum,
Santalorum omnium,
Menthæ,
Semin: Coriandri, ana drachmas tres.
Maſtiches vnciam dimidiam.
Hypociſtidos,
Acaciæ,
Sanguinis Draconis,
Terræ Sigillatæ,
Boli veri,
Corallij rubri, ana drachmas duas.
Terebinthinæ aquâ Plantaginis lotæ vncias quatuor.
Olei roſacei vncias duodecim,
Succor: Semperviui,
Plantaginis,
Telephij, ana vnciam vnam.
Ceræ flauæ libram vnam ſemis.

Hypociſtis & Acacia diſſoluantur cum ſuccis, & coquantur lento igne ad conſiſtentiam, deinde commiſceantur reliqua, & fiat Emplaſtrum ſ.a.

## EMPLASTRVM CATAGMATICVM. *VIGONIS.*

℞ Succ: Radic: Althææ vncias ſex.
Cort: rad: Fraxini,& folior: eius,
Rad: Conſolidæ maioris:
& minoris, vnà cum folijs, ana vncias duas.
Baccarum Myrti vnciam vnam ſemis.
Folior: Salicis,
Summitat: Hyperici, ana manipul: vnum ſemis.

Contuſis contundendis, bulliant ſimul in vini rubri adſtringentis, & aquæ fabrorum, ana libris duabus,

bus, ad medietatis conſumptionem; colentur, adde,

Olei Myrtini,
Roſacei,
Omphacini, ana libram vnam ſemis.
Seui Hircini liquefacti vncias octo.
Lithargyri Auri, &
Argenti,
Minij, ana vncias quatuor.
Ceræ flauæ libram vnam.
Colophoniæ libram dimidiam.

Denuò bulliant ad conſumptionem decocti, addendo ſub finem,

Myrrhæ,
Thuris,
Maſtiches, ana vnciam dimidiam.
Terebinthinæ claræ vncias duas.
Boli Armeni,
Terræ Sigillatæ, ana vnciam vnam.

Baculo optimè agitentur, dum decoquuntur, & fiat Emplaſtrum ſecundùm artem.

## * CATAGMATICVM *RENODÆI.*

℞ Rad: Symphyti minoris,
Althææ,
Viſci querni, ana vncias duas.
Plantaginis,
Chamæpityos,
Hyperici, ana manip: vnum.

Fiat decoctio in æquis partibus Vini nigri, & aquæ fabrorum, ad medias: colaturæ adde

Mucilaginis ſem: Cydoniorum in decocto Omazorum extractæ
Olei Maſtichini,
Roſacei, ana vncias quatuor.
Ceræ Virgineæ libram vnam.
Lithargyri auri vncias duas.
Terebinthinæ vncias tres.
Balauſtiorum,
Roſarum,
Myrtillorum,
Acaciæ, ana ſemunciam.
Mumiæ,
Granorum Androſæmi,
Colophoniæ,
Maſtiches,
Succini, ana drachmas ſex.
Picis naualis ſeſquivnciam.
Boli Armeni,
Farinæ volatilis,
Thuris, ana drachmas duodecim.
Sanguinis Draconis vncias duas.

Ad elixatas in percolato Mucilagines, aquoſa humiditas cum exhalauerit, admiſceantur Olea, tum Cera, pòſt Lithargyrus. Coctis, vnitis, agitatis, ab igne ſemotis, addatur Terebinthina, deinde pulueres. Sic demũ miſceantur, agitentur, ſubigantur omnia, vt in Emplaſtrũ coeant conſiſtentiâ legitimum.

EMPLA-

Catagmaticũ Renod:

gnes h͞t viros ad oſsium fracturas ſanandas. Corp
coalitũ juvat et accelerat, callũ quo ſimul aggluti-
ntē auget, fovet nativũ ꝑtis calorem, et humorum
xiones ſistit.

Empl: Nic: Alex: Ceroneū.

Ad dolorem Scapularū et Thoracis à frigore [illegible] ... Lienis duritiem emollit. Aquā inter cutem à frigi[illegible] Jecoris intemperie natā sanat, et Vteri vitijs ex [illegible] pertatis prodest. Lumborū, pudendorū, Vesicae et Renū vi suā calefaciente dissipat. Ossium fracturis & lu[illegible] utile. Repellit, concoquit, mollit, carnosāq; procreat. P[illegible] Fernel:

### EMPLASTRVM CEPHALICVM.

℞ Reſinæ claræ vncias duas.
Picis nigræ vnciam vnam.
Ladani vnciam dimidiam.
Myrrhæ,
Maſtiches, ana drachmam vnam ſemis.
Gum: Iuniperi drachmas duas.
Terebinthinæ,
Farinæ Fabarum,
Orobi, ana vnciam dimidiam.
Nigellæ odoratæ drachmas tres.
Nucis Moſchatæ drachmas duas.
Stercoris Columbini vnciam dimidiam.

Diſſoluatur Myrrha in Vino Maluatico, & cum reliquis in mortario calido admiſtis fiat Emplaſtrum ſ. a.

Si vis fortius, adde pulueris
Euphorbij,
Pyrethri,
Piperis nigri, ana ſcrupulos duos.

### EMPLASTRVM CEROMA, ſeu CERONEVM, *NICOLAI ALEXANDRINI, Cap. 286.*

℞ Picis [naualis, i. ex nauibus vetuſtis deraſæ, quæ multiplicem aquæ marinæ loturam ſunt expertæ.]
Ceræ flauæ illotæ ana drachmas ſeptem.
Sagapeni drachmas ſex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci, ana drachmas quatuor.
Aloes,
Thuris [maſculi]
Myrrhæ, ana drachmas tres.
Styracis calamitæ,
Maſtiches,
Opopanacis,
Galbani,
Aluminis,
Sem: Fœnugræci, ana drachmas duas.
Confitæ, i. fecis liquidæ Styracis.
Bdellij, ana drachmam vnam.
Lithargyri ſemidrachmam.

### EMPLASTRVM EX CICVTA CVM AMMONIACO.

℞ Cicutæ manipulos quatuor, Ammoniaci ſemilibram; infunde Aceto acerrimo dies octo, dein bulliant, dum Ammoniacum ſoluatur: hinc per pannū lineum validè exprimatur, iterumque expreſſus liquor ebulliat quinquies, & adiectâ Cerâ &oleo amygdalino dulci f. Emplaſt.

EMPLA-

## EMPLASTRVM DE CRVSTA PANIS.

℞ Maſtiches,
Menthæ,
Spodij,
Corallij rubri,
Santalorũ omnium, ana drachmam vnam.
Cruſtæ Panis toſtæ, infuſæ in aceto Roſaceo, per mediam horam vncias duas.
Olei Maſtichini,
Cydoniorum, ana vnciã.
Ceræ vncias duas.
Styracis liquidæ,
Ladani, ana drachmas tres.
Farinæ Hordei q. ſ.
Miſce, fiat Emplaſtrum ſecundùm artem.

## EMPLASTRVM è CYMINO.

℞ Semin: Cymini,
Baccarum Lauri, ana libram vnam.
Reſinæ Pini libras duas.
Communis libras tres.
Olei Anethini ſelibram.
Ceræ libram vnam.
Miſce, fiat Emplaſtrum.

## DIACHYLON SIMPLEX.

*MES.*

A ſucci mucaginei ſic vocat. ſimplex ad etiam magis composit. Album à Colore. Commune ab vſu cōi. Pentepharmacũ ex numero ſimplicium. Renod.

℞ Mucilaginis Fœnugræci,
Sem: Lini,
Radic: Althææ, ana libram vnam.
Olei veteris clari, libras tres.
Lithargyri libram vnam ſemis.
Lithargyrus tenuiſſimè teratur, & cum Oleo ſubigatur, poſteà igne lento coquatur, ſpatha ſemper agitando, donec probè permixta ſint: ab igne depoſita paulatim frigeſcant: poſteà mucilagines affundantur, permiſceantur & decoquantur ad iuſtam craſſitiem ſecundùm artem.

## DIACHYLON IREATVM.

Adde Pulueris Ireos vnciam vnam ſingulis libris Diachyli ſimp: & erit Ireatum.

## DIACHYLON MAGNVM.

*MES.*

℞ Lithargyri auri tenuiſſimè pulveriſati libram vnam.
Olei Irini,
Anethini,
Chamæmelini, ana vncias octo.
Mucilaginis Radic: Althææ,
Sem:

Emp: de Crusta Panis.

fert ad Vomitũ Puerorũ, et ijs qui cibũ retinere nequeunt. Ph: Aug.

Diachylon Simplex.

Malacticũ optimũ e<sup></sup>'' Iecoris, Lienis, Ventriculi, et externarũ partiũ pr̃duros tumores emollit, et incipientes schirros sensim dissipat. Humores ꝯcoquit. Podagricis quovis tempore opitulatur. Inflam̃aõe correpta viscera, ac musculos vulneratos, citra alterius Cataplasmatis opem aut spongias, aut irrigationes curat. Ad Vteri recentes aut diuturnas phlegmonas pessario inditũ optime admovetur. Aug: Fern: Renod:

Diachylon Magnũ.

Emp: de Cymino.

Diachylon Ireatũ.

Qd Iridem admittit valentius e'' quã simplex; magis e. attrahit, incidit, resolvit. Fern. Renod.

## Diachalciteos. Diapalma.

Valet ad cruenta vulnera, Tumores pestilentes, et exituras. Ad vlcera quoque et ambustas divulsasque partes, et ecchymomata. Renod:

Vtile est in omni Arthritide, à quocunque humore ducat originem. Scribitque Solenander Cons. 25. sect. 4. se novisse quosdam, qui alias frequenter podagræ paroxysmis tentari consueverant, usu hujus emplastri continuo, et purgationibus per intervalla assumptis, quinquennium integrum ab istis doloribus liberatos fuisse. Atque emplastrum hoc non inquinat, non pruritum excitat, neque odore aut alia qualitate molestum est. Aptatur a. ad formam membri. In pedibus ex aluta tenui fiunt calcei, qui hoc emplastro obducti pedibus aptantur. Eadem aluta emplastro hoc oblita carpis et aliis partibus applicari solet. At v. idem emplastrum in vino decoctum et cum pulvere myrtillorum, mastiches, Tartari, chamæpit. camomillæ permixtum, ad eosdem usus multo præstantius est. et Nos vidimus arthriticos, qui hujusmodi emplastrum in pedibus et carpis continuo gestarent felicissimo successu. Lazarus Riverius. Prax. Med. To. 1. c. de Arthrit:)

## Diachylon cum Gummi. Renod:

Eadem præstat quæ superius, sed efficacius; magis enim duritiem quamlibet mollit, coquit, et digerit. Gummatum potentia attrahit, emollit, et resolvit. Renod: /.

## Diach: de Mucilag:

Praeduros tumores valide mollit ac digerit, abscessus maturat, eorumque ruptorum saniem ac pus abstergit. E[st] emollientia et suppurantia, ejusque frequens est usus. F[...] Renod: 24. Aug:

Prioris efficaciam et vires æmulatur Empl: de [...] quod ad Oedemata et schirrhos partium etiam nobil[ium] emolliendos frequentissime usurpatur. P dulcis

Sem: Lini,
Fœnugræci,
Vuarum Paſſarum,
Caricarum pinguium,
Icthyocollæ,
Succi Ireos,
Scillæ,
Oeſypi, vel Olei ex pedibus Ouillis, ana drachmas duodecim ſemis.
Terebinthinæ vncias tres.
Reſinæ Pini,
Ceræ flauæ, ana vncias duas.
Miſce: fiat Emplaſtrum ſ.a.

## DIACHYLON MAGNVM CVM GVMMI EX
*RENODÆO.*

℞ Bdellij,
Sagapeni,
Ammoniaci, ana vnciam vnam.
Diachyli magni maſſæ addantur Vino diſſoluta priùs, colata, & ad mellis craſſitiem cocta: & ſic fit Diachylon cum gummi.

## DIACHYLON COMPOSITVM SIVE EMPLASTRVM DE MVCILAGINIBVS.
*MES.*

℞ Mucilaginis Radic: Althææ,
Sem: Lini,
Fœnugræci,
Cortic: mediani Vlmi, ana vncias quatuor ſemis.
Olei Chamæmelini,
Liliorum,
Anethini, ana vnciam vnam ſemis.
Ammoniaci,
Galbani,
Opopanacis,
Sagapeni, ana vnciam dimidiam.
Ceræ nouæ vncias viginti.
Terebinthinæ vncias duas.
Croci drachmas duas.
Vino ſoluantur Gummi,
Fiat Emplaſtrum ſ.a.

## DIAPALMA SEV DIACHALCITEOS,
*GALENI.*

Seu Dalmeu à tota myropolarum et Chirurg. turba vocatur: quia spatha tam palmea inter coquendum agitetur, et subigatur.

℞ Axungiæ Porcinæ inſulſæ, vetuſtæ, à membranis purgatæ, libras duas.
Olei veteris,
Argenti ſpumæ, (i.) Lithargyri, tritæ, & cretæ, ana libras tres.
Chalcitidis vſtæ, læuigatæ, ſeu Vitrioli albi vſti, & pulueriſati vncias quatuor.
Conficitur autem in hunc modum.
Primùm Lithargyrum tenuiſſimè læuigatum lento igne cum oleo, & axungia diutiſſimè coquunt, ac nutriunt ſemper agitando rudicu-

lâ, ſeu ramo Palmæ, vel aliûs arboris aſtringentis, vt Quercus, Buxi, vel Meſpili, qui recenter ſit inciſus, atque vt ſpatulæ vis medicamentoſa meliùs Emplaſtro communicetur, eius extremitatem ſubinde præſcindunt, & ſuperficiem abradunt, ad humiditatem vſque natiuam: mixturæ ſic coctione & agitatione incraſſatæ, & igni ſubſtractæ Vitriolum album, Chalcitidis veræ penuriâ, pulueriſatum injiciunt & ſubigunt, ſicq; maſſam habent laudabilem pro Emplaſtro.

## EMPLASTRVM DIAPHOENICON CALIDVM, *MES.*

℞ Ceræ vncias duas.
Olei Roſacei,
Nardini, ana vncias quatuor.
Simul liquentur, deinde
℞ Dactylorum ſiccorum numero quadraginta.
Panis biſcocti vnciam vnam.
Macerentur in Vino odorato per biduum, deinde
℞ Carnis Cydoniorum in Vino rubro coctorum vnciam vnā.
Contundatur & permiſceatur ſuperioribus; & adde ſequentia in mortario benè contuſa.
℞ Maſtiches,
Thuris,
Abſinthij Romani, ana drachmas duas ſemis.
Ligni Aloes,
Macis,
Myrrhæ,
Aloes lotæ,
Spicæ Nardi,
Acaciæ,
Galliæ Moſchatæ,
Trochiſcorum Ramich,
Calami Aromatici, ana drachmam vnam.
Ladani drachmas duas.
Miſce, & fiat Emplaſtrum ſ.a.

## DIAPHOENICON FRIGIDVM, *MES.*

℞ Dactylorum maturitati proximorū in Vino auſtero coctorum vncias quinque.
Panis biſcocti vnciam vnam.
Carnis Cydoniorum in Vino auſtero coctorum vnciam vnam ſemis.
Styracis Calamitæ,
Maſtiches,
Ladani,
Acaciæ,
Omphacij, id eſt, ſucci Vuarum immaturarum.
Flor: Labruſſæ, vel Vitis ferentis vuas acidas vel auſteras.
Roſarum rubrarum,
Santali Citrini,
Trochiſcorum Ramich,

Myrrhæ

Empl: Diaphœn: Cal:

[V]ẽriculũ et Hepar firmat, ob id Lienterias, et [Dy]ſenterias Hepaticas juvat. Ph. Aug:

Empl: Diaphœn: frig:

[m]ultũ ɔpõẽ variat à priori. Ventrẽ totũ, inferioresq[ue] [ali]aliasq[ue] ptiũ recrementa ſuſcipiat, roborat, coctionẽ [iuva]t, ob hæc Vomitũ, Choleram morbũ, Lienteriam, [Dys]enterias Hepaticã, ut pcedens juvat. Ph. Aug:

Emplastrum de Gummi Elemi.

Hoc Emplastri genus Vulneribus Capitis sanandis [illegible] accomodatissimum longo usu comperi. Arcaeus l. 1o. de vuln. cap. 4o.

Empl: Divinum.

Ad ulcera maligna multo praestantius, quam vel Emp: Gra[illegible] vel de Janua. Eorumque saniem et putredinem deterg[it] absumit, novam carnem profert, & ad cicatricem perdu[cit]. Fernelius.

Vim habet partes quibus adhibetur, emolliendi, dolores sedandi, [illegible] attrahendi, digerendi, & resolvendi. Renod:

Empl: Gratia Dei. s.

Laudatur ad vulnera ulceraque repurganda, coales[cenda] & ad partes quibus adhibetur roborandas. Renod: Ex eadem fere materia cum Empl. de Januá, et ad eosdem usus. [illegible]

Efficacius haec cuncta praestaret, si ex vino rubro pararetur. [illegible]

Myrrhæ,
Ligni Aloes, ana vnciam dimidiam.
Ceræ vncias quatuor.
Terebinthinæ aquâ Roſaceâ lotæ vnciam vnam ſemis.
Olei Roſacei vncias decem.
Vini auſteri q. ſ.
Fiat Emplaſtrum ſ. a.

### EMPLASTRVM DIVINVM. *NICOLAI.*

℞ Magnetis vncias quatuor.
Ammoniaci vncias tres, & drachmas tres.
Bdellij vncias duas.
Galbani,
Myrrhæ, ana drachmas decem.
Olibani drachmas nouem.
Opopanacis,
Maſtiches,
Ariſtolochiæ longæ,
Viridis æris, ana vnciam vnam.
Lithargyri libram vnam ſemis.
Olei communis libram vnam ſemis.
Ceræ nouæ vncias octo.

Miſce ſ. a. Lithargyrus cum Oleo diù agitetur, poſteà coquantur ad ſpiſſitudinem, tum Cera addatur, eâ liquatâ, ab igne auferantur, & adjiciantur Gummi in aceto, aut vino diſſoluta, cocta, & colata, deinde puluis Myrrhæ, Maſtiches, Thuris, Ariſtolochiæ, & Magnetis, poſtremò Æruginis, ne diutiùs cocta Emplaſtrum faciat rubrum, & ſic fiat Emplaſtrum ſecundùm artem.

### EMPLASTRVM DE GVMMI ELEMI Pet: Apon: Conciliat: ſec: Vig: Antid: c. 16.

℞ Gum: Elemi vncias tres.
Reſinæ Pini,
Ceræ puræ.
Ammoniaci, ana vncias duas.
Terebinthinæ tres vncias & mediam.

Vino Maluatico q. ſ. ad conſumptionem Vini coquantur cætera: tum Ammoniacum aceto diſſolutum adjiciatur.

### EMPLASTRVM GRACIA DEI. *NICOLAI.*

℞ Terebinthinæ librã dimidiam.
Reſinæ libram vnam.
Ceræ albæ vncias quatuor.
Maſtiches vnciam vnam.
Betonicæ, Verbenæ, Pimpinellæ } recentium; ana manipul: vnũ.

Tuſæ herbæ in vino albo coquantur dum tabeſcant; liquor exprimatur, in quo Cera & Reſina co-

quantur ad liquoris conſumptionem: ab igne ſublatis, Terebinthina permiſceatur, & poſtremò Maſtiche in puluerem redacta, & ſic fiat Emplaſtrum, ſ. a.

## EMPLASTRVM GRISEVM DE LAPIDE CALAMINARI.

℞ Lapidis Calaminaris præparati vnciam vnam.
Lithargyri vncias duas.
Ceruſſæ vnciam dimidiam.
Tutiæ drachmam vnam.
Terebinthinæ drachmas ſex.
Ceræ albæ vnciam vnam ſemis.
+ Seui Ceruini vncias duas.
Thuris electi drachmas quinque.
Maſtiches drachmas tres.
Myrrhæ drachmas duas.
Camphoræ drachmam vnam ſemis.
+ Ceræ, & Seui Ceruini, ana q. ſ.
Confice ſ. a.

## EMPLASTRVM AD HERNIAM, *FERN.*

℞ Gallarum,
Nucum Cupreſſi,
Pſidiæ, ſiue Malicorij,
Balauſtiorum,
Acaciæ,
Sem: Plantaginis,
Pſylij,
Naſturtij,
Cupularum Glandium,
Fabarum torrefactarum,
Ariſtolochiæ longæ, & rotundæ,
Myrtillorum, ana vnciam dimidiam.
Hæc omnia pulueriſentur, & in aceto Roſato macerentur per dies quatuor, deinde torrefiant & exiccentur, tum
℞ Conſolidæ maioris & minoris.
Caudæ equinæ,
Glaſti,
Scolopendrij, i. Cetrach,
Radic: Oſmundæ regalis,
Filicis, ana vnciam vnam.
Thuris,
Myrrhæ,
Aloes,
Maſtiches,
Mummiæ, ana vncias duas.
Boli Armeni loti in aceto,
Lapidis Calaminaris præparati,
Lithargyri Auri,
Sanguinis Draconis, ana vncias tres.
Picis Naualis libras duas.
Terebinthinæ vncias ſex vel q. ſ.
Vt fiat Emplaſtrum ſecundùm artem.

Empl: Griſeum.

ter desiccat, abstergit, explet, et vlcera humida,
putreſcentia adjuvat, et ad cicatrices ducit. Ph. Aug.

Empl: ad Herniam.

## Empl: Hystericū, ꝫ, matricē.

Vires h͞t eximias ad ipsi⁹ procidentiā, aberraōēm, [illegible] Illius ꝫ. depravatū motū cohibet, Symptomata Hysteri[illegible] restinguit, et pluribꝫ alijs pt̃er ...nōm affectionibꝫ, medo[illegible] Nic: ...pol... hāc ut ferē ... valdē ... Renod.

## Empl: de Janua, seu Betonicâ.

Ad vulnera et recentia vlcera mirē efficax, inflamāō[illegible] sedat, deterget, agglutinat, carnē implet, ad cicatricē ducit. [illegible] Vim h͞t maturandi et digerendi. Peculiari a. dote robo[illegible] caput, ejusq; vulneribꝫ vlceribꝫq; prodest. Renod:

## Empl: de Mastiche.

Robur toto ventriculo ɔciliat, fervorē illi⁹ ɔtemp[illegible] supinitatem ac subversionem cohibendā, vomitū ɔpesc[illegible] et imbecillitatem firmandā: Et cū non sit valdē ca[illegible] vt multa stomachica, tutō applicatꝰ ventriculo ca[illegible] et imbecillo, nec calido hepati officit. Renod.

## EMPLASTRVM HYSTERICVM, *NICOLAI*, Præp: ſec: *RENODÆVM.*

℞ Radic: Biſtortæ libram vnam.
Ligni Aloes,
Santali Citrini,
Nucis Moſchatæ,
Berberis acinorum,
Antheræ, ana vnciam vnam.
Cinnamomi,
Caryophyllorum,
Schœnanthûs,
Flor: Chamæmeli, ana vnciam dimidiam.
Thuris,
Maſtiches,
Aliptæ Moſchatæ,
Galliæ Moſchatæ,
Styracis Calamitæ rubri, ana drachmam vnam.
Moſchi optimi drachmam dimidiam.
Ceræ libram vnam ſemis.
Terebinthinæ librã dimidiam.
Olei Moſchelini vncias quatuor.
Ladani libras quatuor.
Picis Naualis libras tres.

Cerâ cum Pice liquatâ, Ladanum & Terebinthina addantur, dein Styrax, poſtremò reliqua trita & creta, & fingatur Emplaſtrum ſecundùm artem.

## EMPLASTRVM DE IANVA. SIVE DE BETONICA, *NICOLAI.*

℞ Succi Betonicæ,
Plantaginis,
Apij, ana libram vnam.
Ceræ,
Picis,
Reſinæ,
Terebinthinæ, ana libram dimidiam.

In ſuccis Cera, & Reſina lento igne coquantur, & continenter moueantur ad ſuccorum conſumptionem; poſtremò Terebinthina & Pix addantur bene agitando, & ſic fiat Emplaſtrum ſ. a.

## EMPLASTRVM DE MASTICHE *RENODÆI.* * Stomachicū.

℞ Maſtiches vncias tres.
Boli Armeni in Vino nigro loti vnciam vnam ſemis.
Roſarum rubrarum drachmas ſex.
Scobis Eboris,
Corallij rubri, ana vnciam dimidiam.
Terebinthinæ vncias duas.
Ceræ flauæ,
Olei Myrtillorum, ana libram dimidiam.

fiat

fiat Emplaſtrum ſ. a. addendo
Colophoniæ, vel Tacamahacæ,
Ladani, ana vncias duas.

## EMPLASTRVM DE MELILOTO, *MES.*

℞ Florum Meliloti vncias ſex.
Flor: Chamæmeli,
Sem: Fœnugræci,
Baccarum Lauri,
Radic: Althææ,
Maioranæ,
Com: Abſinthij, ana drachmas tres.
Sem: Apij,
Cardamomi,
Ireos,
Cyperi,
Spicæ Nardi
Caſiæ Ligneæ,
Sem: Ammeos, ana drachmam vnam ſemis.
Ammoniaci drachmas decem.
Styracis calamitæ,
Bdellij, ana drachmas quinque.
Terebinthinæ vnciam vnam ſemis.
Ficuum pinguium numero duodecim.
Seui Hircini,
Reſinæ, ana vncias duas ſemis.
Ceræ vncias ſex.
Olei Sampſuchini,
Nardini, ana q. ſ.

Tum ℞ Meliloti noui, & Fœnugræci, & Chamæmeli ana q. ſ. & coquantur in aquæ libris duabus ad medias, deinde in colaturam immiſſis triturandis ſubtiliſſimè pulуerizatis cum radicibus & ficubus coctis & cribratis, rurſum coquantur optimè ſemper mouendo, ne comburantur, & additis Oleis, Terebinthinâ, Cerâ, Seuo, & Reſinâ ſimul liquatis, gummiſque in aceto diſſolutis, fiat Emplaſtrum ſecundùm artem.

## EMPLASTRVM DE MINIO COMPOSITVM, *VIGONIS.*

℞ Olei Roſacei odorati libram vnam ſemis.
Olei Myrtini,
Vnguenti Populei, ana vncias quatuor.
Pinguedinis Gallinæ vncias duas.
Seui Caſtrati, i. Veruecis.
Vaccini, ana libram dimidiam.
Axungiæ Porcinæ vncias ſeptem.
Lithargyri Auri,
Argenti, ana vncias tres ſemis.
Ceruſſæ vncias quatuor.
Minij vncias tres.
Terebinthinæ vncias decem.
Ceræ q. ſ.

fiat

## Empl: de Meliloto.

nuc emollit ac digerit, doloresq; lenit, accomodatur
ntriculi, Jecoris, atq; Lienis p duris Tumoribus,
pocondriorũ tensionem laxat, flatus discutit.
nel: Renod:

## Empl: de Minio./.

era et vlcera antiqua & maligna potenter
rat. Ph: Aug:
describit Nic. Massa. Consil. pte. 2ª. fol. 96. Ad
nera pectoris penetrantia, et ad vlcera quã plurima
iqua et difficili consolidatiõis. Sic cõ.
minij ℔ ij. Ol. Ros. ℔ j. ℥ viij. Picis navalis ℥ iiij.
t oĩa simul donec ad Coctura redigantur in formã
ati, mõdo adde Terebinth. ℥ ij. Mis. postea calidũ
e in situla aquæ frigidæ & sine refrigerare.
tea manibus ducatur ad optimam permistionẽ./.

fiat Emplaſtrum ſ. a. tendens ad nigredinem.

ALIVD DE MINIO SIMPLICIVS, LONDINENSIVM.

℞ Minij vncias nouem.
Olei Roſarum rubrarum librã vnam ſemis.
Aceti vini albi vncias ſex.
Coquantur in perfectam Emplaſtri conſiſtentiam.

Paratur etiam ſine aceto in hunc modum.

℞ Minij libram vnam.
Olei Roſacei libram vnam ſemis.
Ceræ libram dimidiam.
fiat Emplaſtrum ſ. a.

EMPLASTRVM ISIS EPIGONI Gal: comp. med: gen: l. 5.

℞ Ceræ luteæ drachmas centum.
Terebinthinæ drachmas ducentas.
Squamæ Æris rubei,
Æruginis raſæ,
Ariſtolochiæ rotundæ,
Thuris,
Salis Ammoniaci,
Guttæ Ammoniacæ,
Æris vſti, ana drachmas octo.
Aluminis combuſti drachmas ſex.
Aloes,
Myrrhæ,
Galbani, ana ſeſquiunciam.
Olei antiqui libram vnam.
Aceti acris q. ſ.

Metallicis Aceto ſub Sole diſſolutis, mox affunduntur liquabilia, deinde pulueres; demum ex omnibus fiunt magdaleones.

EMPLASTRVM DE MASTICHE, *NIC. AL.*

℞ Maſtiches,
Picis naualis,
Sagapeni,
Ceræ, ana drachmas ſex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci,
Aloes,
Thuris,
Myrrhæ, ana drachmas tres.
Opopanacis,
Galbani,
Styracis calamitæ,
Aluminis (Rondeletius ſubſtituit, & nos ex eo) Bituminis,
Fœnugræci, ana drachmas duas
Comphittæ, i. fæcis Styracis liquidæ,

Bdellij,

Bdellij,
Lithargyri, ana ſemidrachmam.

Lithargyrus in puluerem redactus cum ſufficienti aqua decoquatur, deinde Pix, quâ liquefactâ, adde Ceram, Ammoniacum, poſteà Sagapenum; Opopanax, Galbanum infundantur & liquentur, & percolata injiciantur: mox Styracem, Comphittã, Terebinthinam ſpatulâ miſce: poſtremò Colophoniæ, Maſtiches, Thuris, Bdellij, Aluminis, Myrrhæ, Fœnugræci pulueres paulatim inſperge: coquatur: coctum in aqua fundatur, & forma magdaleones.

## EMPLASTRVM ΜΗΤΡΟΠΡΟΠΤΩΤΙΚΟΝ.

℞ Maſtiches vnciam vnam cum ſemiſſe,
Galbani purioris in Vino rubro diſſoluti, & à fœcibus poſt colaturam expurgati, drachmas ſex.
Terebinthinæ Cypriæ drachmas duas.
Nucum Cupreſſi,
Gallarum, ana ſeſquidrachmam.
Olei Nucis Moſchatæ per expreſſionem, drachmã vnam.
Picis ex nauibus vetuſtis deraſæ drach: duas cum ſemiſſe.
Moſchi grana duo cum ſemiſſe.

Contundantur leuiter Maſtiche, Pix, Galbanum, & Terebinthina, cum calido piſtillo in mortario calido, ſub finem admiſcendo Nucis Moſchatæ Oleum. Tum demum per vices adjiciantur pulueres, nec non Moſchus ſuper marmore cũ modico Olei Maſtichini diſſolutus, & poſt exactam miſtionem fiat Emplaſtrum.

## EMPLASTRVM NIGRVM, *AVGVSTAN:* STICHPFLASTER.

℞ Colophoniæ,
Reſinæ,
Picis naualis,
Ceræ albæ,
Vitrioli Romani,
Ceruſſæ,
Olibani,
Myrrhæ, ana vncias octo,
Olei Roſacei vncias ſeptem.
Ol: Iuniperi ex granis vncias tres.
Ol: Ouorum vncias duas.
Ol: De Spica vnciam vnam.
Vitrioli albi,
Corallij rubri,
Mumiæ, ana vncias duas.
Terræ Sigillatæ,
Maſtiches,
Sang: Draconis, ana vnciam vnam.
Adipis Ardeæ vnciam vnam.
Thymalli vncias tres.
Lap: Magnetis præpar: vncias duas.
Lumbricorum præparatorum,

Cam-

Empl: Nigrum Aug:
de' efficax ad recentia vulnera et puncturas, unde tendiacem etiam hat. Ph. Aug:

Empl. Nervinū Vig:

Emollit, digerit, resolvit, nervosarum partium ma[illegible] cùm primis utile. Ph. Aug:

Emplastrum Oxycroceum.

Vim habet durities emolliendi et digerendi: Articulorum [illegible] ptium nervosarum dolores sedandi; & ossa fracta juvan[illegible] omnem duritiem emollit, et discutit &c. Fern. [illegible]

Camphoræ, ana vnciam vnam.
Fiat Emplaſtrum ſ.a.

EMPLASTRVM NERVINVM, *VIGONIS.*

℞ Olei Chamæmelini,
Roſacei, ana vncias duas.
Olei Maſtichini,
Terebinthini,
Lini, ana vnciam vnam ſemis.
Terebinthinæ coctæ vncias quatuor.
Seui caſtrati Vituli,
Hircini, ana vncias duas ſemis.
Herbarũ Roriſmarini,
Betonicæ,
Caudæ Equinæ,
Centaurij minoris, ana manipul: vnum.
Vermium terreſtrium lotorum & purgatorum in vino vncias tres.
Hyperici fol: & ſem: eius, ana manipul: vnum.
Maſtiches pulueriſatæ,
Gummi Elemi, ana drachmas decem.
Radicũ Rubiæ tinctorũ drachmas decem.
Picis naualis,
Reſinæ, ana vnciam vnam ſemis.
Lithargyri Auri,
Argenti, ana vncias duas ſemis.
Minij vncias duas.
Galbani,
Sagapeni,
Ammoniaci, ana drachmas tres.
Coquantur Herbæ, Radices, & Vermes in Vini libra vna ſemis ad medietatis conſumptionem, deinde exprimantur, & expreſſum bulliat iterum cum Oleis, Seuis, Lithargyro, & Minio ad Vini conſumptionẽ: deinde adde Gummi in Vino odorifero diſſoluta: poſtremò Terebinthinam, Reſinam, Picem, & Maſtichem in puluerem redacta, & fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM OXYCROCEVM, *NICOLAI* Myrepsi.

Ab Aceto in quo Gummi macerantur, et dissolvuntur. et à Croco cuius colore tota mixtura inficitur. Rē:

℞ Croci,
Picis Naualis,
Colophoniæ,
Ceræ, ana vncias quatuor.
Terebinthinæ,
Galbani,
Ammoniaci,
Myrrhæ,
Olibani,
Maſtiches, ana vnciam vnam drachmas tres.
Modus conficiendi hic ſit; Cera, Colophonia, & Terebinthina ſimul liquentur, auferendo ab

igne: mox Picem purã adde, dum adhuc feruet; tum Galbanũ, Ammoniacum, Thus, & Myrrham diſſoluta in aceto, injice: poſteà Maſtichem in puluerem redactam & Crocum pulueriſatum in aceto probè humectatum: & ſic fiat Emplaſtrum ſ.a.

## VIGONIS OXYCROCEVM
(in quo nil Croci) præſtantius
*NOR: AVG.*

℞ Ol: Myrtini,
Roſacei,
Omphacini, ana ſeſquilibrã.
Succi Rad: Althææ, libras duas.
Rad: & fol: Fraxini,
Conſolidæ minoris,
Fol: Myrti, ana manipulum.
Omnia priùs aliquantulum contuſa bulliant in Vino nigro, q.ſ. ad conſumptionem medietatis, cum
Myrrhæ,
Thuris, ana ſemunciâ.
Colentur inde fortiter: addantur colaturæ
Seui Hircini ſelibra,
Terebinthinæ vnciæ duæ,
Maſtiches vncia.
Iterum cum prædictis Oleis bulliant, ad conſumptionem decoctionis. Colentur poſtmodùm addendo
Lithargyri Auri,
Argenti, ana vncias tres.
Boli Armeni,
Terræ Sigillatæ, ana vncias duas.
Minij drachmas decem.
Coquantur igne lento, & cum Cera noua ſufficiente, ſemper agitando, fiat Emplaſtrum.

## EMPLASTRVM DE RANIS *VIGONIS.*

℞ Olei Chamæmelini,
Anethini,
Spicæ,
Liliorum, ana vncias duas.
Olei de Croco vnciam vnam, vide pag. 132. col. 2.
Axungiæ Porcinæ libram vnã.
Pinguedinis Vituli libram dimidiam.
Euphorbij drachmas quinque.
Thuris drachmas decem.
Olei Laurini vnciam vnam ſemis.
Adipis Viperæ, vel (eius defectu) Colubri, vncias duas ſemis.
Ranarum viuentium numero ſex.
Lumbricorum in vino lotorũ vncias tres ſemis.
Succi Radic: Ebuli,
Enulæ, ana vncias duas.
Schœnanthûs,
Stœchados,
Artemiſiæ, ana manipul. vnum.
Vini odoriferi libras duas.
Lithargyri Auri libram vnam.
Terebinthinæ claræ vncias duas.

Ceræ

Empl: de Ranis . Vigo:

huius empl. quod fra Cerati vel Vng: multi part: no
med. Phar: et Chirurgis, quod omnibus notissima sunt,
Veneris calcitratu fuerunt oblaesi. Renod:
Mercurio paratu quoscunque tumores frigid.
llit & digerit, praesertim articulorum; cum
rcurio luis Venereae virus oppugnat, si cervici,
bulis, juncturis, caeterisve partibus dolentibus
ibeatur; sed vis eius nonnunquam augetur interdum
duplicato, vel etiam quadruplicato Mercurio
dulcis l. 8. c. 7. de Empl.

## Sparadrapum. Renod.

Tela haec, partim sarcotica est, partim colletica, & epulotica; vim habet novam carnem generandi, et vulnera glutinandi, et eadem, ut et ulcera exsiccandi, et ad cicatricem ducendi. Fluxiones quoque sistit, et partes quibus adhibetur, roborat.

Emp: Sanctū And: à Cruce.

Emp: Στεφανιάζον.

Ceræ flauæ q.ſ.

Styracis liquidæ vnciam vnam ſemis.

Argenti viui ſaliuâ hominis ieiuni, vel ſucco Limonum extincti, vncias quatuor.

Modus conficiendi hic ſit.

Coquantur ſimul Ranæ, Lumbrici, & herbæ cum ſuccis, & oleis Chamæmeli, Anethi, Liliorũ, Axungiâ, pinguedine, & librâ vnâ ſemis vini odorati; Colaturæ adde Lithargyrũ, Ceræ vncias quatuor, & reſiduũ Vini (i) libram dimidiã. Coquantur ſimul ad conſumptionem totius Vini, & dum digitis non adhæreat, tum adde Oleũ de Croco, Laurinũ, de Spica, & Adipem: poſteà puluerẽ Thuris & Euphorbij, poſtremò Argentũ viuũ probè commixtum cum Styrace liquidâ, & Terebinthina, ſimul omnia cum ſpatula agitando vt ſimul incorporentur. Cauendum tamen ne imponatur Argentum viuum, cum nimis feruet Maſſa, ne euolet.

## EMPLASTRVM SANCTVM *ANDR:* à CRVCE.

℞ Reſinæ Pini rec: claræ odor: vncias duodecim.

Olei Laurini puri,

Terebinthinæ optimæ, ana vncias duas.

Gum: Elemi tranſparantis, grauis, vncias quatuor.

Reſina & Gummi in caciola ænea, ſuper ignem clarum debilem, aſſiduò rudiculâ arundineâ, vel ſpatulâ æneâ coagitentur, donec liqueſcant. Inde addantur Laurinum & Terebinthina, iterum parùm bulliant, mouendo itidem. Cum incraſſatum, per ſtamineam, aut tamiſium percoletur: quod extillauerit, in vaſe vitreato terreo operto aſſeruetur.

## SPARADRAPVM ſeu TELA *GALTERI* ex *RENOD.*

Emplastica: vel inventoris vel aut Confectoris

℞ Olei Roſacei libram dimidiam.

Seui Arietini vncias quatuor.

Ceræ vncias decem.

Lithargyri,

Reſinæ Pini,

Thuris,

Maſtiches, ana vncias duas.

Boli Armeni,

Farinæ volatilis, ana vnciam vnam.

Coquantur ſimul Oleum, Sevum, & Lithargyrus, donec Lithargyrus ſit incorporatus; deinde ex arte fiat Emplaſtrum, in quod adhuc liquatum & calidum, tela parùm attrita immergatur.

## EMPLASTRVM ΣΤΕΦΑΝΙΑΙΟΝ.

℞ Ladani ſemunciam.

Styracis calamitæ gummoſæ & colatæ,

Sandaracæ Arabum, i. gummi Iuniperi, ana drachmas duas.
Succini,
Terebinthinæ Cypriæ, ana drachmam vnam.
Coralliorum rub:
Maſtiches, ana ſemidrachmam.
Florum Saluiæ,
Roſarum rubrarum,
Iridis Florentinæ, ana ſcrupulũ.
Reſinæ, ex aqua Roſacea lotæ ſemunciam.

Reſina, Ladanum, & Maſtiche, cum Styrace, Sandaracâ & Terebinthinâ, in mortario calido leuitèr contundantur, eò vſque ſ. a. cum piſtillo calido (Vini rub: guttas aliquot aſpergendo) donec invicèm coiviſſe videantur: Tum demùm Pulueres per vices immittantur, itá vt diligenti agitatione continuò factâ, ex omnibus exactè commixtis fiat Emplaſtrum.

## EMPLASTRVM SINE PARI, *ANONYMI* ex manuſcripto excerptum.

℞ Thuris Libani,
Bdellij,
Styracis gummoſæ, ana drachmas tres.
Ammoniaci,
Galbani, ana drachman vnam cum ſemiſſe.
Picis naualis drachmas ſex.
Medullæ Ceruinæ,
Adipis Gallinæ,
Anſeris, ana drachmas duas.
Sulphuris viui ex lacte loti,
Pulueris Hermodactylorũ, ana ſeſquidrachmam.

Diſſoluantur Gummi in Vino albo tenui (non autèm in aceto, quod neruoſis & membranoſis partibus eſt inimicum) & cum Olei Roſati completi partibus duabus, Olei Ouorum parte vna, & Olei Terebinthinæ modico fiat ſ. a. Emplaſtrum.

## STICTICVM PARACELSI.

℞ Olei Oliuarum vnciâs ſex.
Ceræ vnciam vnam ſemis.
Lithargyri triti vncias quatuor ſemis.
Ammoniaci,
Bdellij, ana vnciam dimidiam.
Galbani,
Opopanacis,
Olei Laurini,
Lap: Calaminaris,
Ariſtolochiæ vtriuſque.
Myrrhæ,
Thuris, ana drachmas duas.
Reſinæ abietis, vel Terebinthinæ puræ vnciam vnam.

Oleum, Cera, & Lithargyrus ſimul coquantur, dum digitis non adhæreant; deinde maſſa ab igne remota paulùm frigeſcere ſinatur, addendo gummi diſſoluta in aceto Vini albi, quod recoquendo euaporet;

uaporet ; & coletur ſtrenuè, poſtremò pulueres & Terebinthinā & Oleum Laurinum adjice,& fiat Emplaſtrum ſ. a.

## EMPLASTRVM STOMACHICVM. *MES.*

℞ Ligni Aloes,
Abſinthij,
Gummi Arabici,
Maſtiches,
Cyperi,
Coſti,
Zingiberis, ana vnciam dimidiam.
Calami Aromatici,
Olibani,
Aloes, ana drachmas tres.
Caryophyllorum,
Macis,
Cinnamomi,
Spicæ Nardi,
Nucis Moſchatæ,
Galliæ Moſchatæ,
Schœnanthûs, ana drachmam vnam ſemis.

Excipe Miuâ Cydoniorum,& fiat Emplaſtrum, vſus tempore extendatur ſuper pannum, & ſuffumigetur ligno Aloes, & ſuperponatur ſtomacho.

## EMPLASTRVM STOMACHICVM MAGISTRALE.

℞ Menthæ,
Abſinthij,
Stœchados,
Fol: Lauri, ana drachmam vnam.
Maioranæ,
Roſarum rubrarum,
Santali Citrini, ana drachmas duas.
Calami Aromatici,
Ligni Aloes,
Florum Lauendulæ,
Nucis Moſchatæ,
Cubebarum,
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Maſtiches drachmas tres.
Caryophyllorū drachmas duas ſemis.
Olei Menthæ vnciam vnam ſemis.
Olei Nardini vnciam vnam.
Olei Spicæ drachmam vnam.
Reſinæ,
Ceræ, ana vncias quatuor.
Ladani vncias tres.
Styracis liquidæ vnciam ſemis.

Fiat Emplaſtrum.

DE

*seu Cerelæis. qua ex pauco tempore fieri queant ex oleo & Cera. [illegible] minus proprie sic dicuntur quæ præter hæc alia multa recipiunt, ut sunt Ceratum Santal. stomach: &c. Quæ n. ex tempore fiunt ex emplastris oleo liquatis, quando pro ratione affectus, solidiori emplastri duritie [illegible] acquit. sic & Cerata quædam Acopa fatigatis nervis, & lassatis musculis utiliter adhibentur.

# DE CERATIS.

## CERATVM AMMONIACVM.

℞ Ammoniaci diſſoluti in aceto vnciam vnam.
Vng: Dialthææ,
Empl: de Meliloto, ana ſemunciam.
Furfuris Frumenti optimi cribrati vnciam.
Pulv: radic: Bryoniæ ſicc:
Ireos ſicc: ana ſemvnciam.
Pinged: Anatis,
Anſeris,
Gallinæ, ana drachmas tres.
Olei Irini ſeſquiunciam.
Bulliant leuiter in mucilaginibus Sem: Lini,
Fœnugræci, ana q. ſ.
Adde Ceræ vncias quatuor.
Fiat Ceratum ſ. a.

## CERATVM DE GALBANO.

℞ Galbani præparati vnciam vnā ſemis.
Aſæ fœtidæ vnciam dimidiam.
Sem: Dauci ſcrupulum vnum.
Myrrhæ rubeæ drachmas duas.
Bdellij drachmam vnam.
Matricariæ,
Artemiſiæ, ana drachmam dimidiam.
Gummi diſſoluantur in aceto, & fiat Ceratum ſ. a. addita Ceræ q. ſ.

## CERATVM OESYPATVM *GALENI.*

℞ Oeſypi vncias decem.
Olei Chamæmelini,
Irini, ana librā dimidiam.
Ceræ flauæ libras duas.
Reſinæ libram vnam.
Maſtiches,
Terebinthinæ, ana vnciam vnam.
Spicæ Nardi drachmas duas ſemis.
Croci drachmam vnam ſemis.
Ammoniaci vnciam vnam.
Styracis Calamitæ vnciam dimidiam.
fiat Ceratum ſ. a.

## CERATVM SANTALINVM *MES.*

Minus o irridendus Pharmacopola, qui Sacchаro, quam qui hoc cerato caret, cuius perennis & fœlix vsus vtilitatem oſtendit. Renod:

℞ Roſarum drachmas duodecim.
Santali rubri drachmas decem.

# De Ceratis.

... unguento solidius, mollius Emplastro.
... Olei in Cerato non semper eadem, Hyeme
plus Olei, minus Ceræ: Æstate plus Ceræ,
minus Olei adjungitur. Renod.

... ratorum efformatio sit ... pro partis affectæ:
... lienis instar linguæ bubulæ; ... ventriculo
... scutiformis &c. extensa super corio.

... eroleo, confectione cera minutim secta in
... conjicitur, atq; igne lento liquantur: liquata ab
... removentur, & continenter spatha permiscentur du...
... : Postremo aqua frigida affusa, agitantur
... excutiendo lavantur. Sic ... madefacti magis re...
... orat; morbisq; calidis admoti conferunt, si ubi partis
... ore incaluerit, subinde mutetur. Gal. c. 6. l. 1.
... simpl. med: Renod. l. 3. c. 3.
... ta quæ quovis tempore haberi sunt, recentia
...; reliqua in vasis stanneis aut fictilibus repono./

## Ceratum Oesypatum.

... st emolliendi, resolvendi ac digerendi, sedandi
... lores: Proinde duris tumoribus Hepatis, Lienis,
... teri, Nervorum, articulorum et aliarum partium conducit
Renod:

## Ceratum Ammoniacum.

## Ceratum Santalinum.

... egmonas, et omnes intemperaturas calidas
... triculi, Hepatis, & partium aliarum exustiones
... icacissime compescit: Ren:
... i prohibeat Obstructio, omni fluori cohi-
... ndo convenit. Perdulcis./

## Ceratum de Galbano.

Ceratum Stomach. Gal.

Calorē Stomachi et totiꝰ Ventriculi fovet, coctio-
jurat, flatꝰ absumit, crudos humores coquit, app
excitat, & vomitū ĩpoſcit. Renod.

Solet extendi sup alutā, et supiori regioni stoma
aliqndo etiam toti ventriculo admoveri. Eū e. ro
et vegetiorem reddit. Id. /.

Flos Vnguentorū.

Santali albi,
citrini, ana drachmas ſex.
Boli Armeni drachmas ſeptem.
Spodij ex Ebore drachmas quatuor.
Camphoræ drachmas duas.
Ceræ albæ lotæ drachmas triginta.
Olei Roſacei vncias ſex.
fiat Ceratum ſ. a.

## CERATVM STOMACHICVM, *GALENI.*

℞ Roſarum rubrarum,
Maſtiches, ana drachmas viginti.
Fol: Abſinthij ſicc: drachmas quindecim,
Spicæ Nardi drachmas decem.
Ceræ mundæ vncias quatuor.
Aquæ Roſaceæ q. ſ.
Olei Roſatî librã vnam ſemis.
& ſic Vnguenti inſtar liqueſcit & fluit ad extrema. tum adde
Olei Roſati vncias octo.
Ceræ vncias quatuordecim.
Pulueres vt ſupra (præter Maſtichem quæ liquatur Oleo Roſato.)

## EMPLASTRVM à NOSTRATIBVS FLOS VNGVENTORVM DICTVM.

℞ Reſinæ,
Reſinæ Pini,
Ceræ,
Seui ouini, ana librã dimidiam.
Olibani vncias quatuor.
Terebinthinæ vncias duas ſemis.
Myrrhæ,
Maſtiches, ana vnciam vnam.
Caphuræ drachmas duas.
Vini albi libram dimidiam.
Coque ſimul in formam Cerati.

# OLEA

# OLEA CHYMICA.

## OLEA EX HERBIS.

### OLEVM ABSINTHII.

℞ Abſinthij ſicci libram vnam.
Aquæ fontanæ libras viginti.

Macerentur per horas viginti quatuor, & fiat deſtillatio per Alembicum magnum cum ſuo Refrigeratorio. Oleum cum aqua extrahes, quod ſeparabis per infundibulum. Aqua, quæ exſtillârit, ab Oleo ſeparata ſeruetur ad nouam diſtillationem.

Eodem modo parantur,

Olea Ex floribus Chamæmeli,
Chelidonij,
Hyſſopi,
Lauendulæ,
Maioranæ,
Menthæ,
Naſturtij,
Origani,
Pulegij,
Roſarum,
Roriſmarini,
Rutæ,
Sabinæ,
Saluiæ,
Satureiæ,
Thymi,
Verbaſci,

Et ex omnibus alijs floribus, & herbis calidis.

## OLEA EX SEMINIBVS.

### OLEVM SEM: ANETHI.

℞ Semin: Anethi contuſorum libras duas.

Aquæ

Aquæ fontanæ libras ſedecim. Macerentur per viginti quatuor horas, deinde diſtillentur per Alembicum magnum cum ſuo refrigeratorio, extrahes Oleum, & aquam, quod ſeparabis per infundibulum.

Eodem modo paratur,

Oleum ex Seminibus { Aniſi, Carui, Cymini, Dauci, Fœniculi, Frumenti, Petroſelini, Rutæ, Saxifragiæ, &c.

## OLEA EX BACCIS.

### OLEVM EX BACCIS IVNEPERI.

℞ Baccarum Iuniperi recentium libras quinquaginta.
Contunde & pone in vaſe ligneo cum aquæ libris viginti quatuor. Addendo fermenti acrioris libram vnam: ſtent in Cellario, benè clauſo vaſe, per tres menſes: deinde diſtillentur per Alembicum cum conuenienti quantitate aquæ, poſt ſeparationem Olei, reſerua aquam, ad aliam diſtillationem.

Eodem modo fit,

Oleum ex Baccis { Hederæ, Lauri,

## OLEA EX AROMATIBVS.

### OLEVM CINNAMOMI.

℞ Cinnamomi contuſi libras quinque.
Aquæ fontanæ libras quinquaginta.
Macerentur per horas viginti quatuor, & diſtillentur per Alembicũ magnum cum refrigeratorio.

Eodem modo paratur

Oleum { Caryophyllorum, Macis, Nucis Moſchatæ, Piperis,

## OLEA EX CORTICIBVS.

Olea ex Corticibus ſiccis,
Aurantiorum,
Citri,
Limonum,
Parantur eodem modo, quo Olea ex Herbis.

## EX LIGNIS.

### OLEVM EX GVAIACO.

Oleum ex ligno Guaiaco fit per retortam in reuerberatorio clauſo: ſeparetur tenuior & ſuauior pars à fœtidiore, craſſiore; & rectificetur cũ Sale, vel Tartaro calcinato, vel Colcothare, vel arena. Eodem modo fit Oleum è Buxo, Quercu, & alijs lignis ſolidioribus.

### EX LIGNO SASSAFRAS.

Oleum Saſſafras fit ſicut Oleum Cinnamomi: Et ſic fit

Oleum ex Ligno Rhodio,
Iuniperi,
Roriſmarini,
Hederæ.

## OLEA EX FVSILIBVS.

### OLEVM CERÆ.

℞ Ceræ flauæ libram vnam.
Liqua, & adde pulueris Tegularum libras tres.

Miſce, & pone in retortam, & extrahe Oleum igne conuenienti, rectificetur per retortam ſine tegulis, additâ aquâ: Conueniens ignis eſt, qui primò extruitur ſupra retortã, vſque dum exibilare deſierit, dein infra retortam. Et hoc modo parantur,

Olea ex Pinguedinibus.

## OLEA EX GVMMIS ET RESINIS.

### OLEVM MYRRHÆ.

℞ Myrrhæ contuſæ libras ſex.
Aquæ fontanæ libras triginta.
Salis nigri libras ſex.

Miſceantur, & diſtillentur per Alembicum.

### OLEVM TEREBINTHINÆ.

℞ Terebinthinæ Venetæ libras viginti octo.
Aquæ communis libras nonaginta ſex.

Imponantur in vas cupreum amplum cum ſuo cooperculo, & refrigeratorio: ſic exſtilletur Oleum tenue, & album, & in fundo reſtabit Colophonia, ſi ignis augeatur. Oleum iſtud album, inſtar aquæ, commodè extrahetur ſine empyreumate in B. M. in vaſe vitreo; ſi verò flauum & rubrum velis, opus eſt validiori igne, vt cinerum aut arenæ ſine aqua in vaſe vitreo.

OLE-

Ex Lignis. /.

## Oleum Balſami.

Hoc Balſamū poteſt interdū à Chirurgis veri loco ~~vſu~~ vſurpari. Norimb.

## Oleum Latericium.

Extenuat, in altū penetrat, inſuper oēm excrementitiā digerit, et abſumit: Frigidis affectib⁹ Lienis, renū, Veſicæ, Nervorum, Vteri et Articulorū cōducit. Lethargo quoq; Paralyſi, et Epi=
=lepſiæ prodeſt. Calidū ē in 3° receſſu, & quātò antiquius tantò ad oīa efficacius exiſtit. Renod:

## Oleum Thuris.

## OLEVM BALSAMI Pet: Apon: Concil:

℞ Myrrhe,
Aloes,
Spicæ Nardi,
Sanguinis Draconis,
Thuris,
Mumiæ,
Opopanacis,
Carpobalſami, vel Cubebarũ,
Bdellij,
Ammoniaci,
Sarcocollæ,
Croci,
Maſtiches,
Gummi Arabici,
Styracis liquidæ, ana drachmas duas.
Ladani,
Caſtorei, ana drachmas duas ſemis.
Moſchi ſemidrachmam.
Terebinthinæ ad pondus omnium.

Terenda terantur, miſceantur omnia, & diſtillentur in Alembico ſecundùm artem.

## OLEVM LATERICIVM, PHILOSOPHORVM quod dicitur, DIVINVM, SANCTVM, MAGISTERII, *MES.*

℞ Lateres è terra rubente antiquatos, in fruſta comminutos ad pomi magnitudinem, quæ fruſtula in prunis ignita tota excandeſcant; exempta extinguantur oleo Roriſmarini, vel claro veteri, dum ſe impleuerint: exempta iterum terantur tenuiſſimè. Puluis in vitream injjciatur Retortam ſeu Cucurbitam, fornaci ritè adaptatam, luto concluſam chymico, per ſublimationem diſtillandus. Oleum eliciatur prunis, excipiatur phialâ ſubiectis: & quo antiquius, eo valentius obſeratum recondatur.

Oleum Liguſtrinum, Cyprinum, ſeu de Alcanna, Meſuæ, Ex florum Liguſtri vncijs quatuor, Olei veteris vncijs decem.

Oleum Liliorum alborum, Ex floribus, & oleo veteri claro, vt Roſaceum, ſed abijciantur vngues crocei.

Et ſimplex è flor: Liliorum Conuallium adſimile.

## OLEVM THVRIS.

℞ Thuris q. ſ. pone in retortam: extrahe Oleum igne conuenienti: pòſt rectificetur per ſe, vel addito ſale, vel arenâ.

Eodem modo fiunt,

Olea { Ammoniaci, Benioini, Carannæ, Gagatis, Maſtiches, Opopanacis, Sagapeni, Styracis liquidæ, Tacamahaccæ, &c.

## OLEA EX MINERALIBVS, ET LAPIDOSIS.

### OLEVM ANTIMOMII.

℞ Antimonij crudi, Mercurij ſublimati, ana libram vnam.

Fiat puluis indendus retortæ vitreæ, cuius collum ſit latum, detur ignis per gradus in reuerberatorio clauſo. Stillabit in vas recipiens pinguedo, cuius pars collo retortæ adhærens ſuppoſito leui igne liquetur. Iſta pinguedo in Alembico paruo rectificetur, vel in retortula, & ſeruetur hoc coagulum; quod ſi liquidum velis, phiala aperta relinquatur in cella, abibit in aquam ſiue Oleum diligenter aſſeruandum vaſe probè obturato.

### OLEVM ARSENICI.

Cryſtallinum Arſenicum (priùs ſublimatũ cum ſolo Colcothare) commiſce cum æquali pondere Salis Tartari, & Salis Petræ: & inter vrceolos duos (quorum ſuperior ſit perforatus) calcinentur, vſq; dum nullus fumus aſcenderit. Materiam ſic calcinatam in aqua calida ſolues, vt inde Salem extrahere poſſis; puluerem, qui ſubſiderit, imbibe liquore Tartari, & exicca ad ignem; idque ter facias. Rurſus materiam in calida diſſolue, vt Salem eximas; & remanebit puluis candidiſſimus, & fixus; qui in loco humido ſoluetur in Oleum pingue butyri inſtar.

### OLEVM SALIS.

℞ Salis nigri Gallici (calore Solis, non vi ignis, facti) quantum vis.

Exiccetur ſupra ignem, cui adde

Terræ luteæ calcinatæ tantundem.

Contundantur ſimul in Mortario, priuſquam penitus refrixerint, deinde impleatur retorta cum collo longiori, benè lutata, & ponatur in fornace anemia, cum recipiente capaci benè lutato cum argilla temperata: ignem auge per gradus,

gradus, & intrà duodecim vel quatuordecim horas habebis Oleum in recipiente: vbi fornax refrixerit, & fumi probè ſedati fuerint, effunde oleum; & ſeruetur in vaſe optimè clauſo, ne aeris vim ſentiat: Et rectificetur à phlegmate.

Melius parabitur Oleum Salis, ſi Sal fuſus diſſoluatur in aqua pluuia, atque ex his paretur muria, quæ ſupernatans ovũ ſuſtineat, deinde Laterum candentium fruſtula in iſta muria extinguantur, donec ſalſus liquor planè abſorbeatur, terantur lateres craſſiuſculè; indatur puluis retortæ luto exactiſſimè obductæ tenaci, & detur ignis apertus ad ſummum gradum vſque & rectificetur à phlegmate.

## OLEVM SVCCINI.

℞ Succini flaui vncias duodecim,

Fiat puluis cui in phiala ampla vel retorta affunde tantundem aceti vini albi acerrimi, digerantur in fimo per octiduum, mox addito arenæ ſicciſſimæ vel ſilicum fluuiatilium in puluerem tritorum duplo, per retortam fiat diſtillatio in arena ſubdito igne per gradus.

Oleum rectificetur ex arena, vel Sale, vel Tartaro calcinato ſemel, & tandem cum aqua pluuia.

## OLEVM SVLPHVRIS.

℞ Campanam vitream ſexdecim ad minus librarum capacem (quò enim largior, eò melior) ponatur ſupra metretam terream, cum tribus, vel quatuor ſuſtentaculis, quibus campana commodè aptari poterit; deinde impoſitâ Sulphuris quantitate ſufficienti in ollam terream ſic munitam, vt poſſit ignis vim ſuſtinere, vratur Sulphur ſub campana, ſuperinjiciendo nouum Sulphur, vbi priùs conſumptum fuerit; fiat autem hæc operatio in cœlo & loco obſcuro, cum nec venti vigent, nec Sol ſplendet.

Maior habetur Olei quantitas, ſi vas Sulphur continens fornaculæ imponatur ſubdito igne, ita vt Sulphur perpetuò ſit in fuſione. Quidam tigillis Sulphur continentibus, ad fundum vſque indunt ellychnia Sulphure fuſo imbuta, quibus accenſis flamma non extinguitur.

Paretur autem loco ſubterraneo, vt in cella, vdo & pluuio cœlo.

Antequam Sulphur accenſum campanæ ſupponatur, ſuffumigetur campana fumo Saluiæ.

## OLEVM TARTARI.

℞ Tartari q. v. imponatur in retortam amplam, eâ proportione

vt

vt tertia pars vaſis impleatur: diſtilletur in arena igne forti, pòſt (ſeparato priùs Oleo ab Aqua ſiue ſpiritu Tartari) cum multa aqua rectificetur, cuius fœtor aliquatenus corrigetur, ſi in vaſe aperto ſub dio diù relinquatur, præſertim ad Solem: Quoniam tamen Salis diſſoluti liquor vulgò proſtat, pro Oleo Tartari ità paretur.

## LIQVOR TARTARI, vulgò OLEVM TARTARI dictum.

℞ Tartari vini albi q. ſ. imple propemodum eo vas terreum non vitratum, in fornace anemia calcinetur per horas duodecim, vbi refrixerit, ponatur in Manicam Hippocratis, quæ ſuſpendatur in cella humidiori vt diſſoluatur, ſuppoſito recipiente conuenienti. Reſiduum quod manicæ poſt ſolutionem adhæſerit, diſſoluatur in aqua communi, deinde filtretur, poſteaque euaporetur, quoad incipiat aſſimilari Alumini.

## OLEVM VITRIOLI.

℞ Vitrioli Vngatici, vel etiam Anglici optimi q. v. liquetur in cacabo, mox diuidatur in craſſiora fruſta, quæ impoſita prunis vrantur ad flauum vſque colorem ad rubedinem aliquantulùm accedentem. Fiat Puluis irrorandus optimo ſpiritu vini, ponatur in retortas VVallemburgicas, vel ſimiles fictiles ignis patientes, & detur ignis per gradus ad ſummum vſque, per triduum, donec recipientia, quæ antea tumultuantibus fumis obſcurabantur, clara euadant. Liquor ſtillatitius rectificetur; & ſeparentur abinuicem, Vini ſpiritus, Vitrioli ſpiritus acidulus, & validiſſimum ac valdè ponderoſum Oleum.

## AQVA MELLIS.

℞ Mellis puriſſimi libras quatuor.
Arenæ ſicciſſimæ libras duas.

Ponantur in cucurbitam tam capacem, vt materia quintam ſaltem vaſis partem occupet, atque in Balneo phlegma in cineribus paulò intenſiore gradu ignis aqua acida flaua proliciatur.

## AQVA FORTIS.

℞ Vitrioli exſiccati libras duas: Satis petiæ repurgati libram vnam: tere ſimul & retortæ optimo Luto Loricatæ impone & colloca in fornacē reuerberij, appoſitoq; recipiente amplo deſtilla per gradus, ſpacio viginti horarum: aquam exemptam clarifica cum drachm. 1. argenti ſ. artem.

PRAEPA-

Oleum Tartari.

Valet hic liquor ad cutem exugandam, scabiem tollendam, ulcera capitis manantia curanda. Confert etiam ad fistulas Indicæ luis sanandas. Obstructionib9 quoq, solvendis, mensibus movendis, et meatib9 reserandis [...]dort, si ex aquâ vel decocto idoneo debitè sumatr.

Aqua Mellis.

Oleum Vitrioli.

Extenuat humores pituitosos atq, consumit, omnesq, vias secret aperit. Putredinē inhibet, & humidiora corpora plurimū adjuvat, sed siccioribus temperaturis rarò, non nisi necessitate aliquâ urgente exhibendū. Jo. Crato in Consil. Scholtzij 27

Aqua Fortis.

## Cremor seu Sal Tartari.

Est digestivū excellens, in oib' obstructionib' admod[...]
utile. In melancholia hypochondriacā nihil moli[...]
si aliqt diebꝰ quotidie eius ʒß. vel ʒij In jusculo cum
capparibꝰ cocto exhibeantꝰ. Et exteriꝰ ad Hypocondrium
sinistrę Emplastrę ex Amoniaco in aceto scillitico soluto a[...]
plicetꝰ. Si in decoctione huiꝰ Tartari purgans aliqd, ut S[...]
folia injeceris, fient Crystalli inde efficaciores ad pu[...]
gandos humores Melancholicos. Myliꝰ in Antidot:

# PRAEPARATIONES CHYMICÆ MAGIS VSVALES.

## CHALYBS PRÆPARATVS PER INSOLATIONEM.

℞ Chalybem per Magnetem à ſordibus repurgatum: humectetur toties aceto vini albi acerrimo, & ſiccetur ad Solem, donec poſſit in porphyrite teri in puluerem impalpabilem, affuſâ paucâ aquâ Cinnamomi. Sufficiet autem duodecies irrorare, & ſiccare, mox in mortario ferreo terere, tandem læuigare, & ſeruetur ad vſum.

## CHALYBS PRÆPARATVS PER VSTIONEM.

℞ Chalybem (vt ſuprà) mundatũ: extinguatur candens duodecies in aceto albo acerrimo, & toties in vino Canarino aut Maluatico generoſiſſimo, ſiccetur, & (vt ſupra) tritus in porphyrite cum aqua Cinnamomi læuigetur, & ſeruetur ad vſum.

## CREMOR SIVE SAL TARTARI.

℞ Tartari vini albi, aut Rhenani quantum volueris, teratur ſubtiliſſimè, & tranſmittatur per ſetaceum, puluis abluatur ter quaterve aqua frigida ad eluendas ſordes, deinde bulliat in aqua fontis clara, in ampla patina, vel olla fictili vitriata, lento ſaltem fremitu; ſpuma prima tollatur. Cruſtæ autem ſupernatantes, quæ ſucceſſiuè concreſcet in aquæ ſuperficie, poſtquàm totam ſuperficiem occupauerint, colligantur cochleari ligneo perforato, & extendantur in charta bibula, Abluantur denuò aquâ frigidâ, ſiccentur optimè, & in porphyrite læuigentur in Alkool. Seruetur Puluis in ampulla vitrea, & nullum attingat metallum.

## CROCVS MARTIS.

℞ Laminas ferri vel Chalybis, quæ candentes aut ſcintillantes condantur Magdaleone, vel fruſto magno Sulphuris, ſubiectâ pelui aquæ plenâ, fluet inſtar ceræ ferrum, quod à ſulphure ſeparatum teratur in mor-

mortario ferreo in puluerem ſubtiliſſimum. Extendatur puluis in quadratis conchis fictilibus, quæ tranſuerſum digitum altitudine non ſuperent: Pone ad flammã reuerberij, quæ valido flamine materiam lambat per tres vel quatuor dies; commodiſſimè id fiet in fornace vitrariorum; Materia inſtar ſpongiæ eleuabitur rubicundiſſima, cuius ſuperficies inſtrumento ferreo lato colligatur, reliquum (vt ſupra) ignis flammâ vrgeatur, donec totum ferrum ſit conuerſum in pollinem tenuiſſimum, inſtar farinæ volatilis. Poterit etiam parari ex limatura ferri in igne reuerberij ſine Sulphure.

## CROCVS METALLORVM.

℞ Antimonij per longas venas ſcintillantis, Salis petræ puriſſimi, ana partes æquales, reducantur in puluerem ſeorſim, mox commiſceantur; Ponantur in mortarium æneum ferreumue, mox iniectâ prunâ materia incendatur, quæ cum fragore & ſtrepitu exuretur; ſuperponatur (relicto tamen trium digitorum interuallo) tegula, aut patella ferrea, donec ſtridor ceſſauerit: Materia Metallina inſtar vitri fuſi fuſcè rubens ſeparetur à cruſta albicante, & ſeruetur ad vſum: deinde dulcoretur aquâ ſimplici deſtillatâ ter affusâ.

## FLORES SVLPHVRIS.

℞ Sulphuris flaui, quod, ſi manibus contrectetur ſtringendo, auribus admotum crepitat, quantum volueris: teratur cum p. æ. Colcotharis Vitrioli, ex Olei deſtillatione reſidui: ponantur in bocciam oblongam, ſeu veſicam fictilem, ſuperpoſito capitello vitreo ſatis amplo, atque in arena dato igne per gradus, pellantur flores in Alembicum, pede leporino deturbandi.

Subtiliores euadent, ſi denuò cum eadem Colcotharis noui quantitate ſublimentur.

## LAPIS INFERNALIS, SEPTICVS.

℞ Lixiuium, è quo Sapo niger coquitur: id ſartagine exceptum, in lapidem vrito. Caueas tamen, ne omnis liquor abſumatur & areſcat. Cum refrixerit, in formã teſſerarũ ſcinditur, & vitro rectè obturato ſeruatur.

Aliter,

℞ Vitrioli ad rubedinem calcinati vncias duas.

Salis

Sulphur Præpatũ.

Teratur sulphur subtiliter, superfundatur illi Oleum Tartari, decoquatur donec albescat, hic coletur super aquam frigidam, in fundo residebit sulphur, quod extractum Soli exponatur & siccetur. Idem si ponatur in loco humido subterrando, oleum sulphuris reddet. Hoc vocat Donzelinus Spagyricũ miraculũ. Scholtzius Ep. med. 98 Vsus in hydrope &c. ib.

Magist: Perlar. &

* Pretiosi Lapides & gemmae, sicut mul
alia; non in aereis sed in Lapideis instru
contundendi, vires d. suas amittunt & mali
contrahunt. Crato apd Scholtziu. Epist. 17

(x) magisterium Perlarum ventriculu
corrupit, & erosit. Id. Ep. 163./

Salis Ammoniaci vnciã vnam.
Tartari ad albedinem calcinati,
Calcis viuæ, ana vncias tres.

Tritis affundatur Lixiuium Ficulneum, vel Tithymallinum, vel Saponis, ſæpiúſque tranſcoletur, donec materia tota ferè diſſoluatur. Colatura coquatur in vaſe æneo ad liquoris conſumptionem: quod relinquitur ſeruatur in vitro ad vſum.

## LAPIS PRVNELLÆ, ſeu NITRVM SVLPHVRE PVRGATVM.

℞ Salis petræ puriſſimi, & in ſtirias Cryſtallinas coagulati libram vnam. Ponatur in crucibulum, vndique admotis & ſuppoſitis prunis, non accendetur, ſed fluet inſtar metalli: huic fuſo, per fruſtula (inſtar minorum auellanarum) injciantur vnciæ duæ flor: Sulphuris: quod poſtquam conſumptum fuerit, nitrum inſtar aquæ fluidum effundatur in peluim æneam, & poſtquàm concreuerit, ſeruetur in vaſe vitreo probè clauſo, ne ſubeat aer, cuius appulſu diſſoluitur.

## MAGISTERIVM PERLARVM ET CORALLIORVM, IN QVO ETIAM SALES EORVM CONTINENTVR.

℞ Perlarum, vel Coralliorũ, quantum volueris, terantur, & læuigentur in puluerem ſubtiliſſimum; Pulueri affundatur ea quantitas ſpiritus aceti radicati, quæ ſupernatet tribus digitis vel quatuor, fiat digeſtio in cineribus, donec fiat diſſolutio; Ceſſãte ebullitione decantetur liquor à corpore, & nouus affundatur ad omnimodam vſq; diſſolutionem. Liquor trajiciatur per chartem emporeticam, huic colato affundatur paulatim Oleum Tartari, ex ſale per deliquium paratum. Præcipitabitur puluis albus, per inclinationem à diſſoluente ſeparandus, & ad dulcedinem, ſeu incipiditatem aquâ pluuiâ, tandem aquis cardiacis abluendus.

Acetum radicatum fit, ſi aceti ſpiritus ex ſale marino decrepitato eleuetur in arena.

## MERCVRIVS DVLCIS SVBLIMATVS.

℞ Sublimati, præparati cum Sale & Vitriolo, vncias duas, Mercurij crudi, purificati cum Sale & Aceto & triti in marmore, ſeſquivnciam. Teratur Subli-

matum in puluerem tenuiſſimum, quem crudo pòſt exactè admiſcebis, eodem in marmore. His ità mixtis, puluerem impone phialæ pedalis longitudinis. Locetur phiala (goſſypio obturata) ad eius medietatem in arena tum primùm adde ignem lentum; dein paulatim prunis accenſis, per gradus ignis augeatur, per ſex horas. Quod ſublimatum aſcenderit in regionem mediam, id colligatur: quod in ſupremam, venenatæ admodùm eſt qualitatis, vlceribus ſolummodò externis aptum: quod reſidet in ima vaſis parte, nulli eſt vſui. In medio quod ſublimatum ſi dulce ſine acrimoniâ, res rectè habet ſin minùs, ſecundò opus iteretur; Mercurius (vt anteà) iterum ſublimetur, vt viuum crudum aſcendentem ſepares, & ſic deinceps. Nam quò ſæpiùs reiteratur opus, eò perfectius euadit medicamentum.

## MERCVRIVS DVLCIS PRÆCIPITATVS.

℞ Mercurij crudi ex Sale marino per retortam pulſi, vel ex Cinnabari vulgari reuiuificati, partem vnam, Aquæ fortis (ex partibus duabus Vitrioli calcinati, & parte vna Salis Petræ de ſiccati paratæ partes duas: fiat diſſolutio in phiala ſuper cineribus tepidulis: Paretur muria ex aqua pluuia, & ſalis marini tanta quantitate, quantam ipſa aqua poterit diſſoluere, filtretur, vel per chartam emporeticam agatur: In hanc muriam, quæ ouum immiſſum ſuſtineat, effundatur Mercurij ſolutio: Ilicò præcipitabitur puluis albus, ad inſipiditatem abluendus aquâ pluuiâ tepidulâ, deinde etiam aquis cardiacis, & recondendus poſt exiccationem vaſe vitreo.

## MERCVRIVS VITÆ.

℞ Oleum Antimonij ex eius & Mercurij ſublimati æquis partibus deſtillatum in pinguedinem ad aerem in aperto vaſe, diſſolubilem. Projiciatur in aquã puriſſimã, quæ ilicò lactea euadet, atque præcipitabitur puluis niueus multiplici ablutione aquæ pluuiæ tepentis dulcorandus, & ſeruandus ad vſum.

## SACCHARVM SATVRNI.

℞ Minij quantum volueris cui in phiala affunde tantum aceti diſtillati (ſpiritus videlicet ab omni phlegmate ſeparati) quantum ſatis, vt ſupernatet quatuor digitis: fiat digeſtio in B. vel fimo per horas viginti

quatuor

## Turbith Minerale.

Cautela de Mercurio & Antimon[io]

Mercurius nocet biliosis, qui admodum humi[...] ad se allicit, ut quod videre est in ulceribus et affect[...] internarum partium. Hinc fraeno ablato bilis ma[...] excrescit. Quod autem Mercurius in biliosis, hoc Antim[onium] in pituitosis, nec unquam exitus votis rondet, si [...] experimento. Crollii Com: Hartmannus in Basil. Chym[...]

Vide etiam Cautiones de Antim. & Tur[bith] apud eundem in Basil: Chym: Cap. de Elect[...] Antimonii pag. 86. 87.

Datur in Gallicis doloribus & deploratis ulceribus. a gr. 3 [...] Scholtzius Ep. 289.

quatuor: ſepara acetum dulce, nouumque affunde toties, donec nulla dulcedo ampliùs extrahatur. Liquores omnes mixtos in vaſe fictili lapideo non poroſo, quod ignem ferre valeat: impone igni lento, & fiat exhalatio donec in ſuperficie concreſcat pellicula. Vas relinquatur in cella, & quæ congelabuntur Cryſtalli à reſiduo liquore ſeparentur. Liquor iterum exhalet ad pelliculam, & fiat vt ſuprà, donec nullæ ampliùs Cryſtalli concreſcant. Tandem fiat diſſolutio in aqua pluuia diſtillata, filtratio & coagulatio Sacchari Cryſtallini dulciſſimi.

## SAL VITRIOLI.

*Carneus.*

℞ Vitrioli Vngarici, vel Anglici quantum volueris: ponatur in Crucibulum amplum circumpoſito igne, donec fiat puluis violaceus, ſiue obſcurè purpureus. Calx iſta Vitrioli per partes projiciatur in phialam amplam vitream, in qua ſit aqua communis deſtillata, continuò agitando baculo, donec aqua, quæ primò valdè incaleſcit, denuò refrigeſcat. Sinantur omnia per horas viginti quatuor; filtretur liquor per chartam griſeam bibulam: tandem in ſcutella vitrea fiat exhalatio ad ſiccitatem, & ſeruetur Sal roſei ſeu carnei Sal vitrioli albus coloris.

*Item* Vitriolum album diſſoluatur in aqua diſtillata, diſſolutio agatur per filtrum chartaceũ, & vel cryſtallizetur vt Plumbi Saccharum, vel per omnimodam exhalationem reducatur in Salem album, ſeu Vitriolum depuratum.

## TVRBITH MINERALE.

Apud plerosque Chymicos nihil aliud quam Mercurius Præcipitatus.

℞ Mercurij crudi puriſſimi, Olei Vitrioli ab omni phlegmate ſeparati, ana partes æquales: ponantur in phialam, quæ imponatur primò cineribus calidis, deinde pedetentim ipſis prunis, dato igne per gradus, donec totum Vitrioli Oleum abierit in auras, reſtante in fundo vaſis maſſâ albâ, quæ ſeparata à portiuncula Mercurij crudi, projiciatur in aquam diſtillatã, vel pluuiam. Illicò flaueſcit, ablauatur ſæpiùs aquâ tepidâ ad dulcedinem, mox etiam aquis cardiacis, & ſiccetur.

Dosis à gr: 3. ad 6 in corporibus robustis.

## VITRVM ANTIMONII.

℞ Antimonij ſplendidi & ſcintillantis quantum volueris: tritum ſubtiliſſimè conijciatur in vas fictile amplum, & ſuccenſis carbonibus vrgeatur ſub dio continuò agitando rudiculâ ferreâ, donec in glebas concreſcat: tunc iterum teratur in puluerem, fiatque vt ſuprà donec concreſcat iterum, & tamdiu iteretur labor, donec ſplendor omnis euanuerit, vapor nullus eleuetur, & Stibium ſit inſtar cineris albicantis: nullumque edat fumum, puluis in laminam candentem proiectus.

℞ Huius calcis libram ſemiſſem, Boracis, ſeu Chryſocollæ factitiæ ſemunciam: vel accipe Calcis Antimonij vncias tres, Salis gemmæ ſemidrachmam. ponantur in fictile vas fuſoriũ aurifabrorum, crucibulum dictum, quod tegulâ tectum igni validiſſimo exponatur, donec materia fluat inſtar aquæ: projiciatur in peluim tonſoris, & vitrum hyacinthinum reſeruetur.

## TARTARVM VITRIOLATVM.

℞ Liquoris Tartari (vt priùs) præparati vncias quatuor. Olei Vitrioli optimè rectificati vncias duas; illudque guttatim ſuprà Tartari liquorem in vitro capaci inſtilla: ſic fiet coagulum albiſſimum; humiditas ſupernatans euocetur lento calore ad ſiccitatem Salis: & ſeruetur ad vſum.

## NEPENTHES OPIATVM.

℞ Tincturæ Opij cum aceto diſtillato primò, deinde cum ſpiritu vini paratæ. Extracti Croci per Vini ſpiritum, ana vnciam vnam.
Salis Perlarum & Coralliorum, ana vnciam dimidiam.
Tincturæ Specierum Diambræ drachmas ſeptem.
Ambræ griſeæ drachmã vnam.
Miſce, Coagula ad form. pilul. lento balnei calore.

EXTRAC-

Tartari Vitriolatus.

at, inferne et p sudorem. Valet ad ptinacos affect.
drope, Calculu, Podagra, Pestem, Scorbutu. Per
erna purgat, mixtu cum melle Rosaceo, aut Syrupo
. Ad Sudores in pestilentia et Hydrope cu Aqua
eduiben. Scab. vel cu Theriaca fiant pillul.
à ℈ss. ad ℈j. Mysi Basil. Chym. l. 5. Cap. 10.
Hemicrania. Morbo Regio; Obstructionib
Visceris, in liquore idoneo. (Jusculo Gallinae &c.)
vino Albo exhibetur, p aliqt dies in Auroram.
calculo; in Aqua Petroselini, vino albo, Fragoris,
xifragiae, Ononidis.
nu efficacissimu deoppilativu, & detersivu, si
vel ℈j. cu Julepi Rosacei ℥ij. & aqua Cina.
misceatur & Exhibeatur.

tracturis & venarum obstructionib, e Tartaro
hntib (quidam e. p Tartari obstructiones intel-
unt ℞ e stra) Utere p vice 6. vel 8. granis
aq. Decoctionis Passulatis, & Cinamomi. Repe-
do, mane, meridie, Vespi, p dies plusculos, Cura
icius absolvetur, si addatur Spus Tartari. ℈j.
Hydrope confirmata. ♃. ℈j. mis. cu ℥ß. mellis
ati solut. Vini Enulati (ex radice). ℥ij. Exhibe saepius
ad declinationem morbi. /
mensiu suppressionib; stato tempore; sm Versum.
una Vetus vetulas, Juvenes nova Luna repurgat.
℈j. in Syr. Artemisiae vel Betonicae; vel Misce
mello rosato in aq. Pulegii soluto.
Febrib. Longis pfertur & in Hydrope, Cachexia
ninentib. In febrib melanchol. & pituitosis
in pt cu Oxymelite, vel aqua Boraginis. In
liosis quida vix dari posse putant.
Melancholia & Splenis duritie, cu Aqua
olopendrii, Cuscutae, Flores Lini. Prodest si folia
leopsidis admisceantur, Est e. specificu in Af-
ctib Splenticis.
urgat p inferiora & oes tollit obstructiones
m. Cathartico; vel Syr. Ros. vel Viol. solut. /
n Hydromelite saporis emendationem
modissime offertur. Crolli Basil. Chym. p. 78.

De Extractis.

Vide v. Lege Epistolam Aragonij Galli ad
Joan: Cratonem. ap. Scholtzium Epist. 55.
* Oleum Junio & Julio mensib. extrahendum. ib.
Tunc e. densius oleum invenies quam alijs mens.
Oleum Italicum subtilius est et magis excoctum, ~~unde~~
sicut etiam plures alterationes recipit, unde majorem
temperaturam habet, et a similitudine substantiae nostrae
operi magis conveniens, ut frequenter experti sumus
ib. unde Axungiae oleaginosae fere omnes Anodynae &c.

# EXTRACTORVM CONFICIENDORVM RATIO.

QVoniam multi Extractorum laudes mirificè prædicant, licèt illa effectui, vti continua exploratum habemus experientia, minimè reſpondeant, ne aliorum votis penitùs deeſſe videamur, hîc generalem ipſorum conficiendorum modum & rationem ſubiungere potiùs, quàm futilem & invtilem hinc inde deſumptam Receptorum farraginem congerere, & rudioribus vana oſtentatione imponere, viſum eſt.

℞ Maſſæ cuiuſuis pilularum, ſiue ſpecierum, pulueruмue quorumlibet, quantum vis: infundantur iſta, ſiue iſtorum quodlibet, in aquæ ſtillatitiæ intentioni Medici præſcribentis accommodatæ, quantitate ſufficienti: ſtent in calore balnei biduò, aut ſi duriora fuerint triduò, donec omnis materiæ infuſæ tinctura extrahatur: quòd ſi experiri placuerit, ſitne tota educta, primus liquor per manicam Hippocratis tranſeat, aut chartam emporeticam; affundatur reliquijs liquor nouus, rurſus diregendo vt priùs, quo tincto, procedendum eſt vt anteà. Liquores ſic collecti, modò tincti, in balneo M. poſiti lento

lento calore euocentur; materia in fundo ad mellis conſiſtentiam redacta, reſeruetur ad vſum: vt diuturniore tempore maneat humecta. Salis proprij aut alterius idonei momentum adjicere conuenit: videlicet cuilibet vnciæ extracti ſcrupulos duos vel drachmam dimidiam Salis.

Aquis ſtillatitijs addi ſolet, Olei Vitrioli, aut Sulphuris, liquoriſue cuiuſuis acidi vt Olei Salis, ea quantitas, quæ guſtui non futura eſt ingrata, vt altiùs & expeditiùs in partes rerum ſolidarum durarumque intimas penetret, & effrænem medicamenti purgantis vim operationemque retundat: his intentionibus Vini ſpiritus abundè ſatisfacit, ſed eius tum potiſſimùm vſus eſt, cum medicamentorum cordialium humidum radicale & primigenium deſideramus, vel medicamenta purgantia fortiora, vel opiata, præparare volumus.

# SALIVM

# SALIVM EX OMNI GENERE VEGETABILIVM CONFICIENDORVM MODVM.

QVI ex plantis elicitur, ſal duplex eſt: vnus volatilis, qui ignis violentia facillimè diſcutitur & evaneſcit, (quem & eſſentialem vocant) alius fixus, qui ignis intentiorem gradum ſuſtinet, & in cineribus relinquitur.

## MODVS CONFICIENDI SALIS VOLATILIS SIVE ESSENTIALIS.

Sal volatilis ſic paratur,

℞ Plantæ alicuius convenientis, recentis, & ſucculentæ amplam ſatis quantitatem, contunde in mortario ligneo vel lapideo, & affusâ aquâ pluuiali depuratâ vel fontanâ clarâ, multâ, coquatur ad medietatis conſumptionem. Decoctum exprime fortiter, & cola. Colaturam iterum coque vſque ad ſpiſſitudinem mellis liquidi. Quod reliquum eſt decocti, ponatur in vaſe vitreo vel fictili vitreato in locum frigidum per octiduum ſaltem, & ſal cryſtallinus concreſcet, in modum ſalis gemmæ. Effuſo decocto colligitur, & propriâ aquâ abluitur, & ſiccatur. Hoc modo conficitur

citur Sal ex Abſinthio, Carduo benedicto, Artemiſiâ, & ex alijs etiam herbis amarulentis facillimè, ex dulcioribus autem non item, vel cum ſummâ difficultate.

## MODVS CONFICIENDI SALIS FIXI SIVE ELEMENTALIS.

Salis huius præparandi ratio his quatuor conſtat,

Calcinatione,
Solutione,
Filtratione,
Coagulatione,

Vt ritè igitur conficiatur, primò omnium cineres albi calcinatione procurandi ſunt; vbi tamen cautio ſit, ne nimiâ combuſtione vel in vitrum abeant, vel avolet ſubtilior pars ſalis, quod ſæpè accidit in calcinatione Cochleariæ, & aliarum etiam eiuſdem naturæ plantarum. Deinde ex cineribus (affuſâ aquâ clarâ, purâ, ebulliente, donec omnis ſalſedo extracta fuerit) lixiuium fiat. Lixiuium filtra, & in vaſe fictili ad carbones lento igne coque vt aqua exhalet, & ſal relinquatur, cui depuratio vlterior neceſſaria eſt: ſoluatur igitur denuò, filtretur & demùm coaguletur: repetitâ enim, & crebrâ filtratione, ac ſolutione ſal omnem impuritatem deponit, ac planè albus ac mundus euadit: & hic modus generalis eſt. Sic enim parantur ſales ex herbis, fruticibus, & arborum cuiuſcunqne generis particulis in cineres albos redactis, quod verum etiam eſt de partibus animalium calcinatis, & aliquibus etiam lapidibus: ſed hæc obiter. Inter ſales fixos excellunt, Sal Abſinthij, Thymi, Roriſmarini, Centaurij minoris, Artemiſiæ, Cardui benedicti, Imperatoriæ, Petroſelini, Ononidis, Fraxini, Ebuli, Guaici, Buxi, Chamæmeli, Hyperici, Cichorij, Chelidoniæ, Cochleariæ, Betonicæ, Eupatorij, Meliſſæ, Cetrach, &c.

MEDICA-

Sal Absinthii

... vim ht ad ois gris putrid...
...: id maximu chiat godort, q^d m...
..., q^ae In pendraodn non impod...
...unt, viscera, ventriculu imprimi...
...navi Dni Scholtzij Epist. 225.

...al absinthiacus au^c Theriaca m...
... valet, insigniter penetrat & sudor...
... Idem Ep. 241.

citur Sal ex Abſinthio, Carduo benedicto, Artemiſiâ, & ex alijs etiam herbis amarulentis facillimè, ex dulcioribus autem non item, vel cum ſummâ difficultate.

## MODVS CONFICIENDI SALIS FIXI SIVE ELEMENTALIS.

Salis huius præparandi ratio his quatuor conſtat,

Calcinatione,
Solutione,
Filtratione,
Coagulatione,

Vt ritè igitur conficiatur, primò omnium cineres albi calcinatione procurandi ſunt; vbi tamen cautio ſit, ne nimiâ combuſtione vel in vitrum abeant, vel avolet ſubtilior pars ſalis, quod ſæpè accidit in calcinatione Cochleariæ, & aliarum etiam eiuſdem naturæ plantarum. Deinde ex cineribus (affuſâ aquâ clarâ, purâ, ebulliente,

donec
rit) lix
& in
ign
re